









Mode	25																																																																																										
	Band Edge - L																																																																																										
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																										
ANT	22																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.89</td><td>59.72</td><td>74.00</td><td>-14.28</td><td>47.06</td><td>34.95</td><td>9.96</td><td>32.25</td><td>236</td><td>298</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.89	59.72	74.00	-14.28	47.06	34.95	9.96	32.25	236	298	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>96.37</td><td>-----</td><td>-----</td><td>83.47</td><td>35.06</td><td>10.04</td><td>32.20</td><td>236</td><td>298</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	96.37	-----	-----	83.47	35.06	10.04	32.20	236	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5148.89	59.72	74.00	-14.28	47.06	34.95	9.96	32.25	236	298	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	96.37	-----	-----	83.47	35.06	10.04	32.20	236	298	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.52</td><td>48.28</td><td>54.00</td><td>-5.72</td><td>35.62</td><td>34.95</td><td>9.96</td><td>32.25</td><td>236</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5149.52	48.28	54.00	-5.72	35.62	34.95	9.96	32.25	236	298	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>88.21</td><td>-----</td><td>-----</td><td>75.30</td><td>35.07</td><td>10.04</td><td>32.20</td><td>236</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	88.21	-----	-----	75.30	35.07	10.04	32.20	236	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5149.52	48.28	54.00	-5.72	35.62	34.95	9.96	32.25	236	298	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	88.21	-----	-----	75.30	35.07	10.04	32.20	236	298	AVERAGE																																																																																



Mode	25																																																		
	Band Edge - R																																																		
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																		
ANT	22																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5376.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>37.32</td><td>35.20</td><td>10.25</td><td>32.17</td><td>236</td><td>298</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5376.00	50.60	74.00	-23.40	37.32	35.20	10.25	32.17	236	298	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5376.00	50.60	74.00	-23.40	37.32	35.20	10.25	32.17	236	298	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.00</td><td>41.74</td><td>54.00</td><td>-12.26</td><td>28.50</td><td>35.20</td><td>10.29</td><td>32.25</td><td>236</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5445.00	41.74	54.00	-12.26	28.50	35.20	10.29	32.25	236	298	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5445.00	41.74	54.00	-12.26	28.50	35.20	10.29	32.25	236	298	AVERAGE																																								







Mode	25																																																																																										
	Band Edge - L																																																																																										
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																																																																										
ANT	22																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.89</td><td>59.67</td><td>74.00</td><td>-14.33</td><td>47.01</td><td>34.95</td><td>9.96</td><td>32.25</td><td>326</td><td>268</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.89	59.67	74.00	-14.33	47.01	34.95	9.96	32.25	326	268	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>95.75</td><td>-----</td><td>-----</td><td>82.85</td><td>35.06</td><td>10.04</td><td>32.20</td><td>326</td><td>268</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	95.75	-----	-----	82.85	35.06	10.04	32.20	326	268
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5148.89	59.67	74.00	-14.33	47.01	34.95	9.96	32.25	326	268	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	95.75	-----	-----	82.85	35.06	10.04	32.20	326	268	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.89</td><td>47.28</td><td>54.00</td><td>-6.72</td><td>34.62</td><td>34.95</td><td>9.96</td><td>32.25</td><td>326</td><td>268</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.89	47.28	54.00	-6.72	34.62	34.95	9.96	32.25	326	268	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>86.43</td><td>-----</td><td>-----</td><td>73.52</td><td>35.07</td><td>10.04</td><td>32.20</td><td>326</td><td>268</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5210.00	86.43	-----	-----	73.52	35.07	10.04	32.20	326	268
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5148.89	47.28	54.00	-6.72	34.62	34.95	9.96	32.25	326	268	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5210.00	86.43	-----	-----	73.52	35.07	10.04	32.20	326	268	AVERAGE																																																																																





Mode	25																																									
	Band Edge - R																																									
	U-NII-1_5.15-5.25_802.11ac VHT80_CH42_5210MHz																																									
ANT	22																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5446.75</td><td>50.88</td><td>74.00</td><td>-23.12</td><td>37.64</td><td>35.20</td><td>10.29</td><td>32.25</td><td>326</td><td>268</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5446.75	50.88	74.00	-23.12	37.64	35.20	10.29	32.25	326	268	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5446.75	50.88	74.00	-23.12	37.64	35.20	10.29	32.25	326	268	PEAK																															
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.25</td><td>41.66</td><td>54.00</td><td>-12.34</td><td>28.42</td><td>35.20</td><td>10.30</td><td>32.26</td><td>326</td><td>268</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.25	41.66	54.00	-12.34	28.42	35.20	10.30	32.26	326	268	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5455.25	41.66	54.00	-12.34	28.42	35.20	10.30	32.26	326	268	AVERAGE																															







Mode	26																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																										
ANT	22																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5148.19	52.55	74.00	-21.45	39.89	34.95	9.96	32.25	234	298	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>96.62</td><td>-----</td><td>-----</td><td>83.45</td><td>35.20</td><td>10.15</td><td>32.18</td><td>234</td><td>298</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	96.62	-----	-----	83.45	35.20	10.15	32.18	234	298	PEAK					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5148.19	52.55	74.00	-21.45	39.89	34.95	9.96	32.25	234	298	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	96.62	-----	-----	83.45	35.20	10.15	32.18	234	298	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5073.66</td><td>42.55</td><td>54.00</td><td>-11.45</td><td>30.02</td><td>34.88</td><td>9.90</td><td>32.25</td><td>234</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5073.66	42.55	54.00	-11.45	30.02	34.88	9.90	32.25	234	298	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>88.36</td><td>-----</td><td>-----</td><td>75.19</td><td>35.20</td><td>10.15</td><td>32.18</td><td>234</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	88.36	-----	-----	75.19	35.20	10.15	32.18	234	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5073.66	42.55	54.00	-11.45	30.02	34.88	9.90	32.25	234	298	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	88.36	-----	-----	75.19	35.20	10.15	32.18	234	298	AVERAGE																																																																																





Mode	26																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																		
ANT	22																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.18</td><td>57.58</td><td>74.00</td><td>-16.42</td><td>44.34</td><td>35.20</td><td>10.21</td><td>32.17</td><td>234</td><td>298</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.18	57.58	74.00	-16.42	44.34	35.20	10.21	32.17	234	298	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.18	57.58	74.00	-16.42	44.34	35.20	10.21	32.17	234	298	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>48.26</td><td>54.00</td><td>-5.74</td><td>35.02</td><td>35.20</td><td>10.21</td><td>32.17</td><td>234</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.01	48.26	54.00	-5.74	35.02	35.20	10.21	32.17	234	298	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.01	48.26	54.00	-5.74	35.02	35.20	10.21	32.17	234	298	AVERAGE																																								







Mode	26																																																																																	
	Band Edge - L																																																																																	
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																	
ANT	22																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5013.63</td><td>52.03</td><td>74.00</td><td>-21.97</td><td>39.61</td><td>34.82</td><td>9.86</td><td>32.26</td><td>320</td><td>269</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5013.63	52.03	74.00	-21.97	39.61	34.82	9.86	32.26	320	269	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>94.33</td><td>-----</td><td>-----</td><td>81.13</td><td>35.20</td><td>10.18</td><td>32.18</td><td>320</td><td>269</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	94.33	-----	-----	81.13	35.20	10.18	32.18	320	269	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5013.63	52.03	74.00	-21.97	39.61	34.82	9.86	32.26	320	269	PEAK																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5290.00	94.33	-----	-----	81.13	35.20	10.18	32.18	320	269	PEAK																																																																							
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5062.35</td><td>42.72</td><td>54.00</td><td>-11.28</td><td>30.21</td><td>34.87</td><td>9.90</td><td>32.26</td><td>320</td><td>269</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5062.35	42.72	54.00	-11.28	30.21	34.87	9.90	32.26	320	269	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>86.27</td><td>-----</td><td>-----</td><td>73.09</td><td>35.20</td><td>10.16</td><td>32.18</td><td>320</td><td>269</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	86.27	-----	-----	73.09	35.20	10.16	32.18	320	269	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5062.35	42.72	54.00	-11.28	30.21	34.87	9.90	32.26	320	269	AVERAGE																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																									
1	5290.00	86.27	-----	-----	73.09	35.20	10.16	32.18	320	269	AVERAGE																																																																							




Mode	26																																							
	Band Edge - R																																							
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																							
ANT	22																																							
Pol.	Vertical	Fundamental																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.86</td><td>58.44</td><td>74.00</td><td>-15.56</td><td>45.20</td><td>35.20</td><td>10.21</td><td>32.17</td><td>269 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.86	58.44	74.00	-15.56	45.20	35.20	10.21	32.17	269 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5350.86	58.44	74.00	-15.56	45.20	35.20	10.21	32.17	269 PEAK																															
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.01</td><td>46.75</td><td>54.00</td><td>-7.25</td><td>33.51</td><td>35.20</td><td>10.21</td><td>32.17</td><td>269 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.01	46.75	54.00	-7.25	33.51	35.20	10.21	32.17	269 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																															
1	5350.01	46.75	54.00	-7.25	33.51	35.20	10.21	32.17	269 AVERAGE																															







Mode	27																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																						
ANT	22																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.90</td><td>58.29</td><td>74.00</td><td>-15.71</td><td>45.05</td><td>35.20</td><td>10.29</td><td>32.25</td><td>228</td><td>298</td><td>PEAK</td></tr><tr><td>2</td><td>5469.16</td><td>60.68</td><td>68.30</td><td>-7.62</td><td>47.44</td><td>35.20</td><td>10.30</td><td>32.26</td><td>228</td><td>298</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5449.90	58.29	74.00	-15.71	45.05	35.20	10.29	32.25	228	298	PEAK	2	5469.16	60.68	68.30	-7.62	47.44	35.20	10.30	32.26	228	298	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>96.74</td><td>-----</td><td>-----</td><td>83.51</td><td>35.20</td><td>10.30</td><td>32.27</td><td>228</td><td>298</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	96.74	-----	-----	83.51	35.20	10.30	32.27	228	298
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5449.90	58.29	74.00	-15.71	45.05	35.20	10.29	32.25	228	298	PEAK																																																																																												
2	5469.16	60.68	68.30	-7.62	47.44	35.20	10.30	32.26	228	298	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	96.74	-----	-----	83.51	35.20	10.30	32.27	228	298	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.80</td><td>48.99</td><td>54.00</td><td>-5.01</td><td>35.75</td><td>35.20</td><td>10.30</td><td>32.26</td><td>228</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.80	48.99	54.00	-5.01	35.75	35.20	10.30	32.26	228	298	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>88.90</td><td>-----</td><td>-----</td><td>75.67</td><td>35.20</td><td>10.30</td><td>32.27</td><td>228</td><td>298</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	88.90	-----	-----	75.67	35.20	10.30	32.27	228	298	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5459.80	48.99	54.00	-5.01	35.75	35.20	10.30	32.26	228	298	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	88.90	-----	-----	75.67	35.20	10.30	32.27	228	298	AVERAGE																																																																																												




Mode	27																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																									
ANT	22																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5729.52</td><td>51.40</td><td>68.30</td><td>-16.90</td><td>37.81</td><td>35.57</td><td>10.38</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>32.36</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>228</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>298 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5729.52	51.40	68.30	-16.90	37.81	35.57	10.38								32.36								228								298 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	5729.52	51.40	68.30	-16.90	37.81	35.57	10.38																																																			
							32.36																																																			
							228																																																			
							298 PEAK																																																			







Mode	27																																																																																															
	Band Edge - L																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																															
ANT	22																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5437.30	54.05	74.00	-19.95	40.79	35.20	10.29	32.23	354	259	PEAK	2	5469.34	59.41	68.30	-8.89	46.17	35.20	10.30	32.26	354	259	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>94.48</td><td>-----</td><td>-----</td><td>81.25</td><td>35.21</td><td>10.30</td><td>32.28</td><td>354</td><td>259</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	94.48	-----	-----	81.25	35.21	10.30	32.28	354	259
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5437.30	54.05	74.00	-19.95	40.79	35.20	10.29	32.23	354	259	PEAK																																																																																					
2	5469.34	59.41	68.30	-8.89	46.17	35.20	10.30	32.26	354	259	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5530.00	94.48	-----	-----	81.25	35.21	10.30	32.28	354	259	PEAK																																																																																					
Avg																																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.80	46.57	54.00	-7.43	33.33	35.20	10.30	32.26	354	259	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>85.89</td><td>-----</td><td>-----</td><td>72.66</td><td>35.21</td><td>10.30</td><td>32.28</td><td>354</td><td>259</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	85.89	-----	-----	72.66	35.21	10.30	32.28	354	259	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5459.80	46.57	54.00	-7.43	33.33	35.20	10.30	32.26	354	259	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5530.00	85.89	-----	-----	72.66	35.21	10.30	32.28	354	259	AVERAGE																																																																																					




Mode	27																																														
	Band Edge - R																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																														
ANT	22																																														
Pol.	Vertical						Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5748.08</td><td>51.59</td><td>68.30</td><td>-16.71</td><td>37.95</td><td>35.61</td><td>10.39</td><td>32.36</td><td>354</td><td>259</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5748.08	51.59	68.30	-16.71	37.95	35.61	10.39	32.36	354	259	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																								
1	5748.08	51.59	68.30	-16.71	37.95	35.61	10.39	32.36	354	259	PEAK																																				







Mode	28																																																																																																							
	Band Edge - L																																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																							
ANT	22																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																	
Peak																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5362.48</td><td>50.89</td><td>74.00</td><td>-23.11</td><td>37.63</td><td>35.20</td><td>10.23</td><td>32.17</td><td>103</td><td>294</td><td>PEAK</td></tr><tr><td>2</td><td>5464.66</td><td>50.52</td><td>68.30</td><td>-17.78</td><td>37.28</td><td>35.20</td><td>10.30</td><td>32.26</td><td>103</td><td>294</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.48	50.89	74.00	-23.11	37.63	35.20	10.23	32.17	103	294	PEAK	2	5464.66	50.52	68.30	-17.78	37.28	35.20	10.30	32.26	103	294	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>95.71</td><td>-----</td><td>-----</td><td>82.31</td><td>35.37</td><td>10.33</td><td>32.30</td><td>103</td><td>294</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	95.71	-----	-----	82.31	35.37	10.33	32.30	103	294	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5362.48	50.89	74.00	-23.11	37.63	35.20	10.23	32.17	103	294	PEAK																																																																																													
2	5464.66	50.52	68.30	-17.78	37.28	35.20	10.30	32.26	103	294	PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5610.00	95.71	-----	-----	82.31	35.37	10.33	32.30	103	294	PEAK																																																																																													
Avg																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.90</td><td>42.09</td><td>54.00</td><td>-11.91</td><td>28.85</td><td>35.20</td><td>10.30</td><td>32.26</td><td>103</td><td>294</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.90	42.09	54.00	-11.91	28.85	35.20	10.30	32.26	103	294	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>88.06</td><td>-----</td><td>-----</td><td>74.75</td><td>35.28</td><td>10.31</td><td>32.28</td><td>103</td><td>294</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	88.06	-----	-----	74.75	35.28	10.31	32.28	103	294	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5457.90	42.09	54.00	-11.91	28.85	35.20	10.30	32.26	103	294	AVERAGE																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	5610.00	88.06	-----	-----	74.75	35.28	10.31	32.28	103	294	AVERAGE																																																																																													



Mode	28																																															
	Band Edge - R																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																															
ANT	22																																															
Pol.	Horizontal						Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5731.83</td><td>52.27</td><td>68.30</td><td>-16.03</td><td>38.67</td><td>35.58</td><td>10.38</td><td>32.36</td><td>103</td><td>294</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5731.83	52.27	68.30	-16.03	38.67	35.58	10.38	32.36	103	294	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																									
1	5731.83	52.27	68.30	-16.03	38.67	35.58	10.38	32.36	103	294	PEAK																																					





Mode	28																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																			
ANT	22																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5446.46	51.11	74.00	-22.89	37.87	35.20	10.29	32.25	382	267	PEAK	2	5467.78	51.10	68.30	-17.20	37.86	35.20	10.30	32.26	382	267	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	95.06	-----	-----	81.67	35.36	10.32	32.29	382	267	PEAK				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5446.46	51.11	74.00	-22.89	37.87	35.20	10.29	32.25	382	267	PEAK																																																																																									
2	5467.78	51.10	68.30	-17.20	37.86	35.20	10.30	32.26	382	267	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5610.00	95.06	-----	-----	81.67	35.36	10.32	32.29	382	267	PEAK																																																																																									
Avg																																																																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5448.80	41.75	54.00	-12.25	28.51	35.20	10.29	32.25	382	267	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5610.00	85.83	-----	-----	72.44	35.36	10.32	32.29	382	267	AVERAGE																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5448.80	41.75	54.00	-12.25	28.51	35.20	10.29	32.25	382	267	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5610.00	85.83	-----	-----	72.44	35.36	10.32	32.29	382	267	AVERAGE																																																																																									





Mode	28																																	
	Band Edge - R																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																	
ANT	22																																	
Pol.	Vertical	Fundamental																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>5753.22</td><td>52.11</td><td>68.30</td><td>-16.19</td><td>38.45</td><td>35.62</td><td>10.39</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5753.22	52.11	68.30	-16.19	38.45	35.62	10.39	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																											
1	5753.22	52.11	68.30	-16.19	38.45	35.62	10.39																											





Mode	29																																																																	
	Harmonic																																																																	
	Straddle channels_5.47-5.725_802.11a_CH144_5720MHz																																																																	
ANT	22																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>48.92</td><td>74.00</td><td>-25.08</td><td>54.56</td><td>38.34</td><td>13.93</td><td>57.91</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17160.00</td><td>50.23</td><td>68.30</td><td>-18.07</td><td>48.82</td><td>42.50</td><td>16.81</td><td>57.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11440.00	48.92	74.00	-25.08	54.56	38.34	13.93	57.91	---	---	Peak	2	17160.00	50.23	68.30	-18.07	48.82	42.50	16.81	57.90	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11440.00	48.92	74.00	-25.08	54.56	38.34	13.93	57.91	---	---	Peak																																																							
2	17160.00	50.23	68.30	-18.07	48.82	42.50	16.81	57.90	---	---	Peak																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>53.96</td><td>38.34</td><td>13.93</td><td>57.91</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17160.00</td><td>50.16</td><td>68.30</td><td>-18.14</td><td>48.75</td><td>42.50</td><td>16.81</td><td>57.90</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11440.00	48.32	74.00	-25.68	53.96	38.34	13.93	57.91	---	---	Peak	2	17160.00	50.16	68.30	-18.14	48.75	42.50	16.81	57.90	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11440.00	48.32	74.00	-25.68	53.96	38.34	13.93	57.91	---	---	Peak																																																							
2	17160.00	50.16	68.30	-18.14	48.75	42.50	16.81	57.90	---	---	Peak																																																							





Mode	30																																																																																							
	Band Edge																																																																																							
	Straddle channels_5.47-5.725_802.11n HT20_CH144_5720MHz																																																																																							
ANT	22																																																																																							
Pol.	Horizontal					Fundamental																																																																																		
Peak	Blank					 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5401.70</td><td>51.56</td><td>74.00</td><td>-22.44</td><td></td><td>38.25</td><td>35.20</td><td>10.29</td><td>32.18</td><td>100</td><td>292</td><td>Peak</td></tr><tr><td>2</td><td>5460.00</td><td>50.99</td><td>68.30</td><td>-17.31</td><td></td><td>37.75</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>292</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>104.80</td><td>-----</td><td>-----</td><td></td><td>91.24</td><td>35.55</td><td>10.37</td><td>32.36</td><td>100</td><td>292</td><td>Peak</td></tr><tr><td>4</td><td>5890.10</td><td>52.80</td><td>68.30</td><td>-15.50</td><td></td><td>38.75</td><td>35.98</td><td>10.49</td><td>32.42</td><td>100</td><td>292</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5401.70	51.56	74.00	-22.44		38.25	35.20	10.29	32.18	100	292	Peak	2	5460.00	50.99	68.30	-17.31		37.75	35.20	10.30	32.26	100	292	Peak	3	5720.00	104.80	-----	-----		91.24	35.55	10.37	32.36	100	292	Peak	4	5890.10	52.80	68.30	-15.50		38.75	35.98	10.49	32.42	100	292	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5401.70	51.56	74.00	-22.44		38.25	35.20	10.29	32.18	100	292	Peak																																																																												
2	5460.00	50.99	68.30	-17.31		37.75	35.20	10.30	32.26	100	292	Peak																																																																												
3	5720.00	104.80	-----	-----		91.24	35.55	10.37	32.36	100	292	Peak																																																																												
4	5890.10	52.80	68.30	-15.50		38.75	35.98	10.49	32.42	100	292	Peak																																																																												
Avg	Blank					 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>41.98</td><td>54.00</td><td>-12.02</td><td></td><td>28.74</td><td>35.20</td><td>10.21</td><td>32.17</td><td>100</td><td>292</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>97.80</td><td>-----</td><td>-----</td><td></td><td>84.24</td><td>35.55</td><td>10.37</td><td>32.36</td><td>100</td><td>292</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg		1	5350.00	41.98	54.00	-12.02		28.74	35.20	10.21	32.17	100	292	Average	2	5720.00	97.80	-----	-----		84.24	35.55	10.37	32.36	100	292	Average																										
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5350.00	41.98	54.00	-12.02		28.74	35.20	10.21	32.17	100	292	Average																																																																												
2	5720.00	97.80	-----	-----		84.24	35.55	10.37	32.36	100	292	Average																																																																												





Mode	30																																																																																					
	Band Edge																																																																																					
	Straddle channels_5.47-5.725_802.11n HT20_CH144_5720MHz																																																																																					
ANT	22																																																																																					
Pol.	Vertical					Fundamental																																																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5429.75</td><td>51.82</td><td>74.00</td><td>-22.18</td><td>38.55</td><td>35.20</td><td>10.29</td><td>32.22</td><td>236</td><td>353</td><td>Peak</td></tr><tr><td>2</td><td>5464.95</td><td>52.14</td><td>68.30</td><td>-16.16</td><td>38.90</td><td>35.20</td><td>10.30</td><td>32.26</td><td>236</td><td>353</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>104.97</td><td>-----</td><td>-----</td><td>91.41</td><td>35.55</td><td>10.37</td><td>32.36</td><td>236</td><td>353</td><td>Peak</td></tr><tr><td>4</td><td>5850.00</td><td>52.90</td><td>68.30</td><td>-15.40</td><td>38.98</td><td>35.86</td><td>10.46</td><td>32.40</td><td>236</td><td>353</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5429.75	51.82	74.00	-22.18	38.55	35.20	10.29	32.22	236	353	Peak	2	5464.95	52.14	68.30	-16.16	38.90	35.20	10.30	32.26	236	353	Peak	3	5720.00	104.97	-----	-----	91.41	35.55	10.37	32.36	236	353	Peak	4	5850.00	52.90	68.30	-15.40	38.98	35.86	10.46	32.40	236	353	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5429.75	51.82	74.00	-22.18	38.55	35.20	10.29	32.22	236	353	Peak																																																																											
2	5464.95	52.14	68.30	-16.16	38.90	35.20	10.30	32.26	236	353	Peak																																																																											
3	5720.00	104.97	-----	-----	91.41	35.55	10.37	32.36	236	353	Peak																																																																											
4	5850.00	52.90	68.30	-15.40	38.98	35.86	10.46	32.40	236	353	Peak																																																																											
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5442.95</td><td>41.94</td><td>54.00</td><td>-12.06</td><td>28.69</td><td>35.20</td><td>10.29</td><td>32.24</td><td>236</td><td>353</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>97.96</td><td>-----</td><td>-----</td><td>84.40</td><td>35.55</td><td>10.37</td><td>32.36</td><td>236</td><td>353</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5442.95	41.94	54.00	-12.06	28.69	35.20	10.29	32.24	236	353	Average	2	5720.00	97.96	-----	-----	84.40	35.55	10.37	32.36	236	353	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5442.95	41.94	54.00	-12.06	28.69	35.20	10.29	32.24	236	353	Average																																																																											
2	5720.00	97.96	-----	-----	84.40	35.55	10.37	32.36	236	353	Average																																																																											





Mode	30																																																																																																																
	Harmonic																																																																																																																
	Straddle channels_5.47-5.725_802.11n HT20_CH144_5720MHz																																																																																																																
ANT	22																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>47.55</td><td>74.00</td><td>-26.45</td><td>53.19</td><td>38.34</td><td>13.93</td><td>57.91</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17160.00</td><td>49.62</td><td>68.30</td><td>-18.68</td><td>48.21</td><td>42.50</td><td>16.81</td><td>57.90</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11440.00	47.55	74.00	-26.45	53.19	38.34	13.93	57.91	--	--	Peak	2	17160.00	49.62	68.30	-18.68	48.21	42.50	16.81	57.90	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11440.00</td><td>48.13</td><td>74.00</td><td>-25.87</td><td>53.77</td><td>38.34</td><td>13.93</td><td>57.91</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17160.00</td><td>49.89</td><td>68.30</td><td>-18.41</td><td>48.48</td><td>42.50</td><td>16.81</td><td>57.90</td><td>--</td><td>--</td><td>Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11440.00	48.13	74.00	-25.87	53.77	38.34	13.93	57.91	--	--	Peak	2	17160.00	49.89	68.30	-18.41	48.48	42.50	16.81	57.90	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																										
1	11440.00	47.55	74.00	-26.45	53.19	38.34	13.93	57.91	--	--	Peak																																																																																																						
2	17160.00	49.62	68.30	-18.68	48.21	42.50	16.81	57.90	--	--	Peak																																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																										
1	11440.00	48.13	74.00	-25.87	53.77	38.34	13.93	57.91	--	--	Peak																																																																																																						
2	17160.00	49.89	68.30	-18.41	48.48	42.50	16.81	57.90	--	--	Peak																																																																																																						





Mode	31																																																																																						
	Band Edge																																																																																						
	Straddle channels_5.47-5.725_802.11n HT40_CH142_5710MHz																																																																																						
ANT	22																																																																																						
Pol.	Horizontal					Fundamental																																																																																	
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5445.70</td><td>51.23</td><td>74.00</td><td>-22.77</td><td>37.99</td><td>35.20</td><td>10.29</td><td>32.25</td><td>100</td><td>292</td><td>Peak</td></tr><tr><td>2</td><td>5464.95</td><td>50.85</td><td>68.30</td><td>-17.45</td><td>37.61</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>292</td><td>Peak</td></tr><tr><td>3</td><td>5710.00</td><td>99.59</td><td>-----</td><td>-----</td><td>86.03</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>292</td><td>Peak</td></tr><tr><td>4</td><td>5882.40</td><td>53.48</td><td>68.30</td><td>-14.82</td><td>39.44</td><td>35.96</td><td>10.49</td><td>32.41</td><td>100</td><td>292</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5445.70	51.23	74.00	-22.77	37.99	35.20	10.29	32.25	100	292	Peak	2	5464.95	50.85	68.30	-17.45	37.61	35.20	10.30	32.26	100	292	Peak	3	5710.00	99.59	-----	-----	86.03	35.54	10.37	32.35	100	292	Peak	4	5882.40	53.48	68.30	-14.82	39.44	35.96	10.49	32.41	100	292	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5445.70	51.23	74.00	-22.77	37.99	35.20	10.29	32.25	100	292	Peak																																																																												
2	5464.95	50.85	68.30	-17.45	37.61	35.20	10.30	32.26	100	292	Peak																																																																												
3	5710.00	99.59	-----	-----	86.03	35.54	10.37	32.35	100	292	Peak																																																																												
4	5882.40	53.48	68.30	-14.82	39.44	35.96	10.49	32.41	100	292	Peak																																																																												
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.40</td><td>42.13</td><td>54.00</td><td>-11.87</td><td>28.83</td><td>35.20</td><td>10.28</td><td>32.18</td><td>100</td><td>292</td><td>Average</td></tr><tr><td>2</td><td>5710.00</td><td>92.60</td><td>-----</td><td>-----</td><td>79.04</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>292</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.40	42.13	54.00	-11.87	28.83	35.20	10.28	32.18	100	292	Average	2	5710.00	92.60	-----	-----	79.04	35.54	10.37	32.35	100	292	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5398.40	42.13	54.00	-11.87	28.83	35.20	10.28	32.18	100	292	Average																																																																												
2	5710.00	92.60	-----	-----	79.04	35.54	10.37	32.35	100	292	Average																																																																												





Mode	31																																																																																
	Band Edge																																																																																
	Straddle channels_5.47-5.725_802.11n HT40_CH142_5710MHz																																																																																
ANT	22																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak	Blank																																																																																
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>51.41</td><td>68.30</td><td>-16.89</td><td>38.17</td><td>35.20</td><td>10.30</td><td>32.26</td><td>198</td><td>356</td><td>Peak</td></tr><tr><td>2</td><td>5460.00</td><td>51.41</td><td>68.30</td><td>-16.89</td><td>38.17</td><td>35.20</td><td>10.30</td><td>32.26</td><td>198</td><td>356</td><td>Peak</td></tr><tr><td>3</td><td>5710.00</td><td>98.27</td><td>-----</td><td>-----</td><td>84.71</td><td>35.54</td><td>10.37</td><td>32.35</td><td>198</td><td>356</td><td>Peak</td></tr><tr><td>4</td><td>5879.10</td><td>53.19</td><td>68.30</td><td>-15.11</td><td>39.16</td><td>35.95</td><td>10.49</td><td>32.41</td><td>198</td><td>356</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5460.00	51.41	68.30	-16.89	38.17	35.20	10.30	32.26	198	356	Peak	2	5460.00	51.41	68.30	-16.89	38.17	35.20	10.30	32.26	198	356	Peak	3	5710.00	98.27	-----	-----	84.71	35.54	10.37	32.35	198	356	Peak	4	5879.10	53.19	68.30	-15.11	39.16
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5460.00	51.41	68.30	-16.89	38.17	35.20	10.30	32.26	198	356	Peak																																																																						
2	5460.00	51.41	68.30	-16.89	38.17	35.20	10.30	32.26	198	356	Peak																																																																						
3	5710.00	98.27	-----	-----	84.71	35.54	10.37	32.35	198	356	Peak																																																																						
4	5879.10	53.19	68.30	-15.11	39.16	35.95	10.49	32.41	198	356	Peak																																																																						
Avg	Blank																																																																																
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5394.55</td><td>42.09</td><td>54.00</td><td>-11.91</td><td>28.79</td><td>35.20</td><td>10.28</td><td>32.18</td><td>198</td><td>356</td><td>Average</td></tr><tr><td>2</td><td>5710.00</td><td>91.97</td><td>-----</td><td>-----</td><td>78.41</td><td>35.54</td><td>10.37</td><td>32.35</td><td>198</td><td>356</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.55	42.09	54.00	-11.91	28.79	35.20	10.28	32.18	198	356	Average	2	5710.00	91.97	-----	-----	78.41	35.54	10.37	32.35	198	356	Average																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5394.55	42.09	54.00	-11.91	28.79	35.20	10.28	32.18	198	356	Average																																																																						
2	5710.00	91.97	-----	-----	78.41	35.54	10.37	32.35	198	356	Average																																																																						





Mode	32																																																																								
	Band Edge																																																																								
	Straddle channels_5.47-5.725_ 802.11ac VHT80_CH138_5690MHz																																																																								
ANT	22																																																																								
Pol.	Horizontal					Fundamental																																																																			
Peak	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5394.00</td><td>49.87</td><td>74.00</td><td>-24.13</td><td>36.57</td><td>35.20</td><td>10.28</td><td>32.18</td><td>107 294 Peak</td></tr><tr><td>2 5467.70</td><td>49.88</td><td>68.30</td><td>-18.42</td><td>36.64</td><td>35.20</td><td>10.30</td><td>32.26</td><td>107 294 Peak</td></tr><tr><td>3 5690.00</td><td>94.46</td><td>-----</td><td>-----</td><td>80.96</td><td>35.50</td><td>10.35</td><td>32.35</td><td>107 294 Peak</td></tr><tr><td>4 5900.00</td><td>51.55</td><td>68.30</td><td>-16.75</td><td>37.48</td><td>36.00</td><td>10.50</td><td>32.43</td><td>107 294 Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 5394.00	49.87	74.00	-24.13	36.57	35.20	10.28	32.18	107 294 Peak	2 5467.70	49.88	68.30	-18.42	36.64	35.20	10.30	32.26	107 294 Peak	3 5690.00	94.46	-----	-----	80.96	35.50	10.35	32.35	107 294 Peak	4 5900.00	51.55	68.30	-16.75	37.48	36.00	10.50	32.43	107 294 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																	
1 5394.00	49.87	74.00	-24.13	36.57	35.20	10.28	32.18	107 294 Peak																																																																	
2 5467.70	49.88	68.30	-18.42	36.64	35.20	10.30	32.26	107 294 Peak																																																																	
3 5690.00	94.46	-----	-----	80.96	35.50	10.35	32.35	107 294 Peak																																																																	
4 5900.00	51.55	68.30	-16.75	37.48	36.00	10.50	32.43	107 294 Peak																																																																	
Avg	Blank					<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5460.00</td><td>43.66</td><td>54.00</td><td>-10.34</td><td>30.42</td><td>35.20</td><td>10.30</td><td>32.26</td><td>107 294 Peak</td></tr><tr><td>2 5690.00</td><td>89.88</td><td>-----</td><td>-----</td><td>76.38</td><td>35.50</td><td>10.35</td><td>32.35</td><td>107 294 Average</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 5460.00	43.66	54.00	-10.34	30.42	35.20	10.30	32.26	107 294 Peak	2 5690.00	89.88	-----	-----	76.38	35.50	10.35	32.35	107 294 Average																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																	
1 5460.00	43.66	54.00	-10.34	30.42	35.20	10.30	32.26	107 294 Peak																																																																	
2 5690.00	89.88	-----	-----	76.38	35.50	10.35	32.35	107 294 Average																																																																	





Mode	32																																																																																		
	Band Edge																																																																																		
	Straddle channels_5.47-5.725_ 802.11ac VHT80_CH138_5690MHz																																																																																		
ANT	22																																																																																		
Pol.	Vertical					Fundamental																																																																													
Peak						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5441.30</td><td>49.51</td><td>74.00</td><td>-24.49</td><td>36.26</td><td>35.20</td><td>10.29</td><td>32.24</td><td>192</td><td>352 Peak</td></tr><tr><td>2</td><td>5463.30</td><td>48.61</td><td>68.30</td><td>-19.69</td><td>35.37</td><td>35.20</td><td>10.30</td><td>32.26</td><td>192</td><td>352 Peak</td></tr><tr><td>3</td><td>5690.00</td><td>93.38</td><td>-----</td><td>-----</td><td>79.88</td><td>35.50</td><td>10.35</td><td>32.35</td><td>192</td><td>352 Peak</td></tr><tr><td>4</td><td>5889.55</td><td>51.04</td><td>68.30</td><td>-17.26</td><td>36.99</td><td>35.98</td><td>10.49</td><td>32.42</td><td>192</td><td>352 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5441.30	49.51	74.00	-24.49	36.26	35.20	10.29	32.24	192	352 Peak	2	5463.30	48.61	68.30	-19.69	35.37	35.20	10.30	32.26	192	352 Peak	3	5690.00	93.38	-----	-----	79.88	35.50	10.35	32.35	192	352 Peak	4	5889.55	51.04	68.30	-17.26	36.99	35.98	10.49	32.42	192	352 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1	5441.30	49.51	74.00	-24.49	36.26	35.20	10.29	32.24	192	352 Peak																																																																									
2	5463.30	48.61	68.30	-19.69	35.37	35.20	10.30	32.26	192	352 Peak																																																																									
3	5690.00	93.38	-----	-----	79.88	35.50	10.35	32.35	192	352 Peak																																																																									
4	5889.55	51.04	68.30	-17.26	36.99	35.98	10.49	32.42	192	352 Peak																																																																									
Avg						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.60</td><td>43.36</td><td>54.00</td><td>-10.64</td><td>30.12</td><td>35.20</td><td>10.30</td><td>32.26</td><td>192</td><td>352 e</td></tr><tr><td>2</td><td>5690.00</td><td>88.91</td><td>-----</td><td>-----</td><td>75.41</td><td>35.50</td><td>10.35</td><td>32.35</td><td>192</td><td>352 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.60	43.36	54.00	-10.64	30.12	35.20	10.30	32.26	192	352 e	2	5690.00	88.91	-----	-----	75.41	35.50	10.35	32.35	192	352 Average																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																										
1	5455.60	43.36	54.00	-10.64	30.12	35.20	10.30	32.26	192	352 e																																																																									
2	5690.00	88.91	-----	-----	75.41	35.50	10.35	32.35	192	352 Average																																																																									





Mode	33																																																																	
	Harmonic																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																	
ANT	22																																																																	
Pol.	Horizontal						Vertical																																																											
Peak Avg																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>45.99</td><td>74.00</td><td>-28.01</td><td>51.49</td><td>38.38</td><td>13.94</td><td>57.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>46.44</td><td>68.30</td><td>-21.86</td><td>45.08</td><td>42.46</td><td>16.84</td><td>57.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11490.00	45.99	74.00	-28.01	51.49	38.38	13.94	57.82	---	---	Peak	2	17235.00	46.44	68.30	-21.86	45.08	42.46	16.84	57.94	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11490.00	45.99	74.00	-28.01	51.49	38.38	13.94	57.82	---	---	Peak																																																							
2	17235.00	46.44	68.30	-21.86	45.08	42.46	16.84	57.94	---	---	Peak																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11490.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>51.80</td><td>38.38</td><td>13.94</td><td>57.82</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17235.00</td><td>48.76</td><td>68.30</td><td>-19.54</td><td>47.40</td><td>42.46</td><td>16.84</td><td>57.94</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	11490.00	46.30	74.00	-27.70	51.80	38.38	13.94	57.82	---	---	Peak	2	17235.00	48.76	68.30	-19.54	47.40	42.46	16.84	57.94	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11490.00	46.30	74.00	-27.70	51.80	38.38	13.94	57.82	---	---	Peak																																																							
2	17235.00	48.76	68.30	-19.54	47.40	42.46	16.84	57.94	---	---	Peak																																																							






Mode	34																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																	
ANT	22																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>54.40</td><td>38.45</td><td>13.95</td><td>57.86</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>47.27</td><td>68.30</td><td>-21.03</td><td>46.03</td><td>42.39</td><td>16.86</td><td>58.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11570.00	48.94	74.00	-25.06	54.40	38.45	13.95	57.86	---	---	Peak	2	17355.00	47.27	68.30	-21.03	46.03	42.39	16.86	58.01	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11570.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>52.69</td><td>38.45</td><td>13.95</td><td>57.86</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17355.00</td><td>45.97</td><td>68.30</td><td>-22.33</td><td>44.73</td><td>42.39</td><td>16.86</td><td>58.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11570.00	47.23	74.00	-26.77	52.69	38.45	13.95	57.86	---	---	Peak	2	17355.00	45.97	68.30	-22.33	44.73	42.39	16.86	58.01	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11570.00	48.94	74.00	-25.06	54.40	38.45	13.95	57.86	---	---	Peak																																																																																																																							
2	17355.00	47.27	68.30	-21.03	46.03	42.39	16.86	58.01	---	---	Peak																																																																																																																							
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1	11570.00	47.23	74.00	-26.77	52.69	38.45	13.95	57.86	---	---	Peak																																																																																																																							
2	17355.00	45.97	68.30	-22.33	44.73	42.39	16.86	58.01	---	---	Peak																																																																																																																							






Mode	35																																																																																						
	Harmonic																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																						
ANT	22																																																																																						
Pol.	Horizontal						Vertical																																																																																
Peak Avg																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>50.60</td><td>74.00</td><td>-23.40</td><td>55.99</td><td>38.52</td><td>14.01</td><td>57.92</td><td>--- Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.39</td><td>68.30</td><td>-19.91</td><td>47.24</td><td>42.32</td><td>16.91</td><td>58.08</td><td>--- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11650.00	50.60	74.00	-23.40	55.99	38.52	14.01	57.92	--- Peak	2	17475.00	48.39	68.30	-19.91	47.24	42.32	16.91	58.08	--- Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>11650.00</td><td>48.78</td><td>74.00</td><td>-25.22</td><td>54.17</td><td>38.52</td><td>14.01</td><td>57.92</td><td>--- Peak</td></tr><tr><td>2</td><td>17475.00</td><td>49.06</td><td>68.30</td><td>-19.24</td><td>47.91</td><td>42.32</td><td>16.91</td><td>58.08</td><td>--- Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	11650.00	48.78	74.00	-25.22	54.17	38.52	14.01	57.92	--- Peak	2	17475.00	49.06	68.30	-19.24	47.91	42.32	16.91	58.08
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
1	11650.00	50.60	74.00	-23.40	55.99	38.52	14.01	57.92	--- Peak																																																																														
2	17475.00	48.39	68.30	-19.91	47.24	42.32	16.91	58.08	--- Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
1	11650.00	48.78	74.00	-25.22	54.17	38.52	14.01	57.92	--- Peak																																																																														
2	17475.00	49.06	68.30	-19.24	47.91	42.32	16.91	58.08	--- Peak																																																																														





Mode	36																																																																																																																																									
	Band Edge																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																									
ANT	22																																																																																																																																									
Pol.	Horizontal																																																																																																																																									
Peak	Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.86</td><td>52.96</td><td>68.30</td><td>-15.34</td><td>39.56</td><td>35.37</td><td>10.33</td><td>32.30</td><td>103</td><td>64</td><td>PEAK</td></tr><tr><td>2</td><td>5650.32</td><td>50.87</td><td>68.53</td><td>-17.66</td><td>37.45</td><td>35.40</td><td>10.33</td><td>32.31</td><td>103</td><td>64</td><td>PEAK</td></tr><tr><td>3</td><td>5719.92</td><td>70.01</td><td>110.78</td><td>-40.77</td><td>56.45</td><td>35.55</td><td>10.37</td><td>32.36</td><td>103</td><td>64</td><td>PEAK</td></tr><tr><td>4</td><td>5724.41</td><td>81.47</td><td>120.86</td><td>-39.39</td><td>67.90</td><td>35.56</td><td>10.37</td><td>32.36</td><td>103</td><td>64</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5638.86	52.96	68.30	-15.34	39.56	35.37	10.33	32.30	103	64	PEAK	2	5650.32	50.87	68.53	-17.66	37.45	35.40	10.33	32.31	103	64	PEAK	3	5719.92	70.01	110.78	-40.77	56.45	35.55	10.37	32.36	103	64	PEAK	4	5724.41	81.47	120.86	-39.39	67.90	35.56	10.37	32.36	103	64	PEAK	Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.58</td><td>-----</td><td>-----</td><td>92.92</td><td>35.62</td><td>10.39</td><td>32.35</td><td>103</td><td>64</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	106.58	-----	-----	92.92	35.62	10.39	32.35	103	64	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5638.86	52.96	68.30	-15.34	39.56	35.37	10.33	32.30	103	64	PEAK																																																																																																																															
2	5650.32	50.87	68.53	-17.66	37.45	35.40	10.33	32.31	103	64	PEAK																																																																																																																															
3	5719.92	70.01	110.78	-40.77	56.45	35.55	10.37	32.36	103	64	PEAK																																																																																																																															
4	5724.41	81.47	120.86	-39.39	67.90	35.56	10.37	32.36	103	64	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	106.58	-----	-----	92.92	35.62	10.39	32.35	103	64	PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
	Level (dBuV/m)  Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.28</td><td>-----</td><td>-----</td><td>85.62</td><td>35.62</td><td>10.39</td><td>32.35</td><td>103</td><td>64</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.28	-----	-----	85.62	35.62	10.39	32.35	103	64	AVERAGE																																																																																							
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	99.28	-----	-----	85.62	35.62	10.39	32.35	103	64	AVERAGE																																																																																																																															





Mode	36																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																													
ANT	22																																																																																																																													
Pol.	Vertical										Fundamental																																																																																																																			
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5638.28</td><td>51.96</td><td>68.30</td><td>-16.34</td><td>38.56</td><td>35.37</td><td>10.33</td><td>32.30</td><td>100</td><td>258</td><td>PEAK</td></tr><tr><td>2</td><td>5650.75</td><td>50.65</td><td>68.86</td><td>-18.21</td><td>37.23</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>258</td><td>PEAK</td></tr><tr><td>3</td><td>5718.76</td><td>62.06</td><td>110.45</td><td>-48.39</td><td>48.50</td><td>35.55</td><td>10.37</td><td>32.36</td><td>100</td><td>258</td><td>PEAK</td></tr><tr><td>4</td><td>5724.70</td><td>75.71</td><td>121.52</td><td>-45.81</td><td>62.14</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>258</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5638.28	51.96	68.30	-16.34	38.56	35.37	10.33	32.30	100	258	PEAK	2	5650.75	50.65	68.86	-18.21	37.23	35.40	10.33	32.31	100	258	PEAK	3	5718.76	62.06	110.45	-48.39	48.50	35.55	10.37	32.36	100	258	PEAK	4	5724.70	75.71	121.52	-45.81	62.14	35.56	10.37	32.36	100	258	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.25</td><td>-----</td><td>-----</td><td>86.62</td><td>35.61</td><td>10.38</td><td>32.36</td><td>100</td><td>258</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.25	-----	-----	86.62	35.61	10.38	32.36	100	258
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5638.28	51.96	68.30	-16.34	38.56	35.37	10.33	32.30	100	258	PEAK																																																																																																																			
2	5650.75	50.65	68.86	-18.21	37.23	35.40	10.33	32.31	100	258	PEAK																																																																																																																			
3	5718.76	62.06	110.45	-48.39	48.50	35.55	10.37	32.36	100	258	PEAK																																																																																																																			
4	5724.70	75.71	121.52	-45.81	62.14	35.56	10.37	32.36	100	258	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5745.00	100.25	-----	-----	86.62	35.61	10.38	32.36	100	258	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>92.46</td><td>-----</td><td>-----</td><td>78.80</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>258</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	92.46	-----	-----	78.80	35.62	10.39	32.35	100	258	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5745.00	92.46	-----	-----	78.80	35.62	10.39	32.35	100	258	AVERAGE																																																																																																																			






Mode	36																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																	
ANT	22																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11490.00</td><td>47.75</td><td>74.00</td><td>-26.25</td><td>53.25</td><td>38.38</td><td>13.94</td><td>57.82</td><td>---</td><td>---</td><td>Peak</td><td></td></tr><tr><td>2 17235.00</td><td>48.91</td><td>68.30</td><td>-19.39</td><td>47.55</td><td>42.46</td><td>16.84</td><td>57.94</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11490.00	47.75	74.00	-26.25	53.25	38.38	13.94	57.82	---	---	Peak		2 17235.00	48.91	68.30	-19.39	47.55	42.46	16.84	57.94	---	---	Peak		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11490.00</td><td>48.02</td><td>74.00</td><td>-25.98</td><td>53.52</td><td>38.38</td><td>13.94</td><td>57.82</td><td>---</td><td>---</td><td>Peak</td><td></td></tr><tr><td>2 17235.00</td><td>48.30</td><td>68.30</td><td>-20.00</td><td>46.94</td><td>42.46</td><td>16.84</td><td>57.94</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11490.00	48.02	74.00	-25.98	53.52	38.38	13.94	57.82	---	---	Peak		2 17235.00	48.30	68.30	-20.00	46.94	42.46	16.84	57.94	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 11490.00	47.75	74.00	-26.25	53.25	38.38	13.94	57.82	---	---	Peak																																																																																																																								
2 17235.00	48.91	68.30	-19.39	47.55	42.46	16.84	57.94	---	---	Peak																																																																																																																								
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																									
1 11490.00	48.02	74.00	-25.98	53.52	38.38	13.94	57.82	---	---	Peak																																																																																																																								
2 17235.00	48.30	68.30	-20.00	46.94	42.46	16.84	57.94	---	---	Peak																																																																																																																								






Mode	37																																																																					
	Harmonic																																																																					
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																					
ANT	22																																																																					
Pol.	Horizontal																																																																					
Peak Avg																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11570.00</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>53.79</td><td>38.45</td><td>13.95</td><td>57.86</td><td>---</td><td>---</td><td>Peak</td><td></td></tr><tr><td>2 17355.00</td><td>49.54</td><td>68.30</td><td>-18.76</td><td>48.30</td><td>42.39</td><td>16.86</td><td>58.01</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11570.00	48.33	74.00	-25.67	53.79	38.45	13.95	57.86	---	---	Peak		2 17355.00	49.54	68.30	-18.76	48.30	42.39	16.86	58.01	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 11570.00	48.33	74.00	-25.67	53.79	38.45	13.95	57.86	---	---	Peak																																																												
2 17355.00	49.54	68.30	-18.76	48.30	42.39	16.86	58.01	---	---	Peak																																																												
Vertical																																																																						
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1 11570.00</td><td>49.31</td><td>74.00</td><td>-24.69</td><td>54.77</td><td>38.45</td><td>13.95</td><td>57.86</td><td>---</td><td>---</td><td>Peak</td><td></td></tr><tr><td>2 17355.00</td><td>48.78</td><td>68.30</td><td>-19.52</td><td>47.54</td><td>42.39</td><td>16.86</td><td>58.01</td><td>---</td><td>---</td><td>Peak</td><td></td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1 11570.00	49.31	74.00	-24.69	54.77	38.45	13.95	57.86	---	---	Peak		2 17355.00	48.78	68.30	-19.52	47.54	42.39	16.86	58.01	---	---	Peak	
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 11570.00	49.31	74.00	-24.69	54.77	38.45	13.95	57.86	---	---	Peak																																																												
2 17355.00	48.78	68.30	-19.52	47.54	42.39	16.86	58.01	---	---	Peak																																																												





Mode	38																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																												
ANT	22																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.63</td><td>56.38</td><td>111.65</td><td>-55.27</td><td>42.44</td><td>35.88</td><td>10.46</td><td>32.40</td><td>102</td><td>62</td><td>PEAK</td></tr><tr><td>2</td><td>5856.13</td><td>58.83</td><td>110.48</td><td>-51.65</td><td>44.89</td><td>35.88</td><td>10.46</td><td>32.40</td><td>102</td><td>62</td><td>PEAK</td></tr><tr><td>3</td><td>5924.63</td><td>52.00</td><td>68.48</td><td>-16.48</td><td>37.90</td><td>36.03</td><td>10.53</td><td>32.46</td><td>102</td><td>62</td><td>PEAK</td></tr><tr><td>4</td><td>5944.00</td><td>51.38</td><td>68.30</td><td>-16.92</td><td>37.28</td><td>36.05</td><td>10.54</td><td>32.49</td><td>102</td><td>62</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.63	56.38	111.65	-55.27	42.44	35.88	10.46	32.40	102	62	PEAK	2	5856.13	58.83	110.48	-51.65	44.89	35.88	10.46	32.40	102	62	PEAK	3	5924.63	52.00	68.48	-16.48	37.90	36.03	10.53	32.46	102	62	PEAK	4	5944.00	51.38	68.30	-16.92	37.28	36.05	10.54	32.49	102	62	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.34</td><td>-----</td><td>-----</td><td>93.50</td><td>35.77</td><td>10.43</td><td>32.36</td><td>102</td><td>62</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.34	-----	-----	93.50	35.77	10.43	32.36	102	62
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5854.63	56.38	111.65	-55.27	42.44	35.88	10.46	32.40	102	62	PEAK																																																																																																																		
2	5856.13	58.83	110.48	-51.65	44.89	35.88	10.46	32.40	102	62	PEAK																																																																																																																		
3	5924.63	52.00	68.48	-16.48	37.90	36.03	10.53	32.46	102	62	PEAK																																																																																																																		
4	5944.00	51.38	68.30	-16.92	37.28	36.05	10.54	32.49	102	62	PEAK																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	107.34	-----	-----	93.50	35.77	10.43	32.36	102	62	PEAK																																																																																																																		
Avg	Blank																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Apos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>98.54</td><td>-----</td><td>-----</td><td>84.68</td><td>35.79</td><td>10.44</td><td>32.37</td><td>102</td><td>62</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.54	-----	-----	84.68	35.79	10.44	32.37	102	62	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	Apos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5825.00	98.54	-----	-----	84.68	35.79	10.44	32.37	102	62	AVERAGE																																																																																																																		






Mode	38																																																																																					
	Band Edge																																																																																					
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																					
ANT	22																																																																																					
Pol.	Vertical																																																																																					
Peak																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5855.00</td><td>51.13</td><td>110.80</td><td>-59.67</td><td>37.19</td><td>35.88</td><td>10.46</td><td>32.40</td><td>355</td><td>269</td><td>PEAK</td></tr><tr><td>2</td><td>5873.63</td><td>51.74</td><td>105.58</td><td>-53.84</td><td>37.74</td><td>35.93</td><td>10.48</td><td>32.41</td><td>355</td><td>269</td><td>PEAK</td></tr><tr><td>3</td><td>5924.88</td><td>52.09</td><td>68.29</td><td>-16.20</td><td>37.99</td><td>36.03</td><td>10.53</td><td>32.46</td><td>355</td><td>269</td><td>PEAK</td></tr><tr><td>4</td><td>5947.63</td><td>52.26</td><td>68.30</td><td>-16.04</td><td>38.15</td><td>36.05</td><td>10.55</td><td>32.49</td><td>355</td><td>269</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	51.13	110.80	-59.67	37.19	35.88	10.46	32.40	355	269	PEAK	2	5873.63	51.74	105.58	-53.84	37.74	35.93	10.48	32.41	355	269	PEAK	3	5924.88	52.09	68.29	-16.20	37.99	36.03	10.53	32.46	355	269	PEAK	4	5947.63	52.26	68.30	-16.04	38.15	36.05	10.55	32.49	355	269
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5855.00	51.13	110.80	-59.67	37.19	35.88	10.46	32.40	355	269	PEAK																																																																											
2	5873.63	51.74	105.58	-53.84	37.74	35.93	10.48	32.41	355	269	PEAK																																																																											
3	5924.88	52.09	68.29	-16.20	37.99	36.03	10.53	32.46	355	269	PEAK																																																																											
4	5947.63	52.26	68.30	-16.04	38.15	36.05	10.55	32.49	355	269	PEAK																																																																											
Fundamental																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>100.20</td><td>-----</td><td>-----</td><td>86.33</td><td>35.81</td><td>10.44</td><td>32.38</td><td>355</td><td>269</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	100.20	-----	-----	86.33	35.81	10.44	32.38	355	269	PEAK																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5825.00	100.20	-----	-----	86.33	35.81	10.44	32.38	355	269	PEAK																																																																											
Avg	Blank																																																																																					
																																																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>92.82</td><td>-----</td><td>-----</td><td>78.95</td><td>35.81</td><td>10.44</td><td>32.38</td><td>355</td><td>269</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	92.82	-----	-----	78.95	35.81	10.44	32.38	355	269	AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5825.00	92.82	-----	-----	78.95	35.81	10.44	32.38	355	269	AVERAGE																																																																											



Mode	38																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																
ANT	22																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>53.50</td><td>38.52</td><td>14.01</td><td>57.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>48.72</td><td>68.30</td><td>-19.58</td><td>47.57</td><td>42.32</td><td>16.91</td><td>58.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11650.00	48.11	74.00	-25.89	53.50	38.52	14.01	57.92	---	---	Peak	2	17475.00	48.72	68.30	-19.58	47.57	42.32	16.91	58.08	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th></tr><tr><td>1</td><td>11650.00</td><td>48.01</td><td>74.00</td><td>-25.99</td><td>53.40</td><td>38.52</td><td>14.01</td><td>57.92</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17475.00</td><td>49.08</td><td>68.30</td><td>-19.22</td><td>47.93</td><td>42.32</td><td>16.91</td><td>58.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	11650.00	48.01	74.00	-25.99	53.40	38.52	14.01	57.92	---	---	Peak	2	17475.00	49.08	68.30	-19.22	47.93	42.32	16.91	58.08	---	---	Peak
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11650.00	48.11	74.00	-25.89	53.50	38.52	14.01	57.92	---	---	Peak																																																																																																																						
2	17475.00	48.72	68.30	-19.58	47.57	42.32	16.91	58.08	---	---	Peak																																																																																																																						
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																								
1	11650.00	48.01	74.00	-25.99	53.40	38.52	14.01	57.92	---	---	Peak																																																																																																																						
2	17475.00	49.08	68.30	-19.22	47.93	42.32	16.91	58.08	---	---	Peak																																																																																																																						






Mode	39																																																																																																				
	Band Edge - L																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																				
ANT	22																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5603.10</td><td>51.81</td><td>68.30</td><td>-16.49</td><td>38.47</td><td>35.30</td><td>10.31</td><td>32.27</td><td>111 60 PEAK</td></tr><tr><td>2 5650.22</td><td>50.41</td><td>68.46</td><td>-18.05</td><td>36.99</td><td>35.40</td><td>10.33</td><td>32.31</td><td>111 60 PEAK</td></tr><tr><td>3 5719.97</td><td>72.87</td><td>110.79</td><td>-37.92</td><td>59.31</td><td>35.55</td><td>10.37</td><td>32.36</td><td>111 60 PEAK</td></tr><tr><td>4 5720.13</td><td>72.42</td><td>111.09</td><td>-38.67</td><td>58.85</td><td>35.56</td><td>10.37</td><td>32.36</td><td>111 60 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5603.10	51.81	68.30	-16.49	38.47	35.30	10.31	32.27	111 60 PEAK	2 5650.22	50.41	68.46	-18.05	36.99	35.40	10.33	32.31	111 60 PEAK	3 5719.97	72.87	110.79	-37.92	59.31	35.55	10.37	32.36	111 60 PEAK	4 5720.13	72.42	111.09	-38.67	58.85	35.56	10.37	32.36	111 60 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>99.93</td><td>-----</td><td>-----</td><td>86.25</td><td>35.64</td><td>10.39</td><td>32.35</td><td>111 60 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5755.00	99.93	-----	-----	86.25	35.64	10.39	32.35	111 60 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1 5603.10	51.81	68.30	-16.49	38.47	35.30	10.31	32.27	111 60 PEAK																																																																																													
2 5650.22	50.41	68.46	-18.05	36.99	35.40	10.33	32.31	111 60 PEAK																																																																																													
3 5719.97	72.87	110.79	-37.92	59.31	35.55	10.37	32.36	111 60 PEAK																																																																																													
4 5720.13	72.42	111.09	-38.67	58.85	35.56	10.37	32.36	111 60 PEAK																																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1 5755.00	99.93	-----	-----	86.25	35.64	10.39	32.35	111 60 PEAK																																																																																													
Avg	Blank	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>92.51</td><td>-----</td><td>-----</td><td>78.80</td><td>35.65</td><td>10.40</td><td>32.34</td><td>111 60 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5755.00	92.51	-----	-----	78.80	35.65	10.40	32.34	111 60 AVERAGE																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1 5755.00	92.51	-----	-----	78.80	35.65	10.40	32.34	111 60 AVERAGE																																																																																													




Mode	39																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																						
ANT	22																																																																																						
Pol.	Horizontal						Fundamental																																																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>50.22</td><td>111.17</td><td>-60.95</td><td>36.28</td><td>35.88</td><td>10.46</td><td>32.40</td><td>111</td><td>60</td><td>PEAK</td></tr><tr><td>2</td><td>5872.98</td><td>51.16</td><td>105.77</td><td>-54.61</td><td>37.16</td><td>35.93</td><td>10.48</td><td>32.41</td><td>111</td><td>60</td><td>PEAK</td></tr><tr><td>3</td><td>5924.07</td><td>51.23</td><td>68.89</td><td>-17.66</td><td>37.14</td><td>36.03</td><td>10.52</td><td>32.46</td><td>111</td><td>60</td><td>PEAK</td></tr><tr><td>4</td><td>5928.36</td><td>52.55</td><td>68.30</td><td>-15.75</td><td>38.45</td><td>36.03</td><td>10.53</td><td>32.46</td><td>111</td><td>60</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	50.22	111.17	-60.95	36.28	35.88	10.46	32.40	111	60	PEAK	2	5872.98	51.16	105.77	-54.61	37.16	35.93	10.48	32.41	111	60	PEAK	3	5924.07	51.23	68.89	-17.66	37.14	36.03	10.52	32.46	111	60	PEAK	4	5928.36	52.55	68.30	-15.75	38.45	36.03	10.53	32.46	111	60	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.84	50.22	111.17	-60.95	36.28	35.88	10.46	32.40	111	60	PEAK																																																																												
2	5872.98	51.16	105.77	-54.61	37.16	35.93	10.48	32.41	111	60	PEAK																																																																												
3	5924.07	51.23	68.89	-17.66	37.14	36.03	10.52	32.46	111	60	PEAK																																																																												
4	5928.36	52.55	68.30	-15.75	38.45	36.03	10.53	32.46	111	60	PEAK																																																																												






Mode	39																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																												
ANT	22																																																																																																												
Pol.	Vertical					Fundamental																																																																																																							
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5628.68</td><td>50.99</td><td>68.30</td><td>-17.31</td><td>37.61</td><td>35.35</td><td>10.32</td><td>32.29</td><td>364</td></tr><tr><td>2 5650.38</td><td>50.03</td><td>68.58</td><td>-18.55</td><td>36.61</td><td>35.40</td><td>10.33</td><td>32.31</td><td>364</td></tr><tr><td>3 5719.51</td><td>67.84</td><td>110.66</td><td>-42.82</td><td>54.28</td><td>35.55</td><td>10.37</td><td>32.36</td><td>364</td></tr><tr><td>4 5720.28</td><td>67.29</td><td>111.44</td><td>-44.15</td><td>53.72</td><td>35.56</td><td>10.37</td><td>32.36</td><td>364</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5628.68	50.99	68.30	-17.31	37.61	35.35	10.32	32.29	364	2 5650.38	50.03	68.58	-18.55	36.61	35.40	10.33	32.31	364	3 5719.51	67.84	110.66	-42.82	54.28	35.55	10.37	32.36	364	4 5720.28	67.29	111.44	-44.15	53.72	35.56	10.37	32.36	364	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5755.00</td><td>95.92</td><td>-----</td><td>-----</td><td>82.21</td><td>35.65</td><td>10.40</td><td>32.34</td><td>364</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5755.00	95.92	-----	-----	82.21	35.65	10.40	32.34	364
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1 5628.68	50.99	68.30	-17.31	37.61	35.35	10.32	32.29	364																																																																																																					
2 5650.38	50.03	68.58	-18.55	36.61	35.40	10.33	32.31	364																																																																																																					
3 5719.51	67.84	110.66	-42.82	54.28	35.55	10.37	32.36	364																																																																																																					
4 5720.28	67.29	111.44	-44.15	53.72	35.56	10.37	32.36	364																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1 5755.00	95.92	-----	-----	82.21	35.65	10.40	32.34	364																																																																																																					
Avg	Blank																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5755.00</td><td>87.22</td><td>-----</td><td>-----</td><td>73.54</td><td>35.64</td><td>10.39</td><td>32.35</td><td>364</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5755.00	87.22	-----	-----	73.54	35.64	10.39	32.35	364																																																															
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1 5755.00	87.22	-----	-----	73.54	35.64	10.39	32.35	364																																																																																																					
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5755.00</td><td>95.92</td><td>-----</td><td>-----</td><td>82.21</td><td>35.65</td><td>10.40</td><td>32.34</td><td>364</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5755.00	95.92	-----	-----	82.21	35.65	10.40	32.34	364																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																					
1 5755.00	95.92	-----	-----	82.21	35.65	10.40	32.34	364																																																																																																					




Mode	39																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																													
ANT	22																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>50.08</td><td>111.17</td><td>-61.09</td><td>36.14</td><td>35.88</td><td>10.46</td><td>32.40</td><td>364</td><td>266</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>51.34</td><td>105.82</td><td>-54.48</td><td>37.34</td><td>35.93</td><td>10.48</td><td>32.41</td><td>364</td><td>266</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>50.35</td><td>68.60</td><td>-18.25</td><td>36.25</td><td>36.03</td><td>10.53</td><td>32.46</td><td>364</td><td>266</td><td>PEAK</td></tr><tr><td>4</td><td>5925.24</td><td>52.31</td><td>68.30</td><td>-15.99</td><td>38.21</td><td>36.03</td><td>10.53</td><td>32.46</td><td>364</td><td>266</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.84	50.08	111.17	-61.09	36.14	35.88	10.46	32.40	364	266	PEAK	2	5872.78	51.34	105.82	-54.48	37.34	35.93	10.48	32.41	364	266	PEAK	3	5924.46	50.35	68.60	-18.25	36.25	36.03	10.53	32.46	364	266	PEAK	4	5925.24	52.31	68.30	-15.99	38.21	36.03	10.53	32.46	364	266	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.84	50.08	111.17	-61.09	36.14	35.88	10.46	32.40	364	266	PEAK																																																																			
2	5872.78	51.34	105.82	-54.48	37.34	35.93	10.48	32.41	364	266	PEAK																																																																			
3	5924.46	50.35	68.60	-18.25	36.25	36.03	10.53	32.46	364	266	PEAK																																																																			
4	5925.24	52.31	68.30	-15.99	38.21	36.03	10.53	32.46	364	266	PEAK																																																																			






Mode	40																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																													
ANT	22																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5625.94</td><td>51.28</td><td>68.30</td><td>-17.02</td><td>37.91</td><td>35.34</td><td>10.32</td><td>32.29</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>2</td><td>5650.31</td><td>50.09</td><td>68.53</td><td>-18.44</td><td>36.67</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>3</td><td>5702.77</td><td>51.46</td><td>105.98</td><td>-54.52</td><td>37.93</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>63</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>50.49</td><td>111.07</td><td>-60.58</td><td>36.92</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>63</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5625.94	51.28	68.30	-17.02	37.91	35.34	10.32	32.29	100	63	PEAK	2	5650.31	50.09	68.53	-18.44	36.67	35.40	10.33	32.31	100	63	PEAK	3	5702.77	51.46	105.98	-54.52	37.93	35.52	10.36	32.35	100	63	PEAK	4	5720.12	50.49	111.07	-60.58	36.92	35.56	10.37	32.36	100	63	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.75</td><td>-----</td><td>-----</td><td>88.01</td><td>35.68</td><td>10.40</td><td>32.34</td><td>100</td><td>63</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.75	-----	-----	88.01	35.68	10.40	32.34	100	63	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5625.94	51.28	68.30	-17.02	37.91	35.34	10.32	32.29	100	63	PEAK																																																																																																																			
2	5650.31	50.09	68.53	-18.44	36.67	35.40	10.33	32.31	100	63	PEAK																																																																																																																			
3	5702.77	51.46	105.98	-54.52	37.93	35.52	10.36	32.35	100	63	PEAK																																																																																																																			
4	5720.12	50.49	111.07	-60.58	36.92	35.56	10.37	32.36	100	63	PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5795.00	101.75	-----	-----	88.01	35.68	10.40	32.34	100	63	PEAK																																																																																																																			
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>93.25</td><td>-----</td><td>-----</td><td>79.42</td><td>35.75</td><td>10.43</td><td>32.35</td><td>100</td><td>63</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	93.25	-----	-----	79.42	35.75	10.43	32.35	100	63	AVERAGE																																																																												
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																					
1	5795.00	93.25	-----	-----	79.42	35.75	10.43	32.35	100	63	AVERAGE																																																																																																																			




Mode	40																																																									
	Band Edge - R																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																									
ANT	22																																																									
Pol.	Horizontal	Fundamental																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5854.52</td><td>52.54</td><td>111.89</td><td>-59.35</td><td>38.60</td><td>35.88</td><td>10.46</td></tr><tr><td>2</td><td>5871.42</td><td>52.07</td><td>106.20</td><td>-54.13</td><td>38.07</td><td>35.93</td><td>10.48</td></tr><tr><td>3</td><td>5924.58</td><td>50.95</td><td>68.51</td><td>-17.56</td><td>36.85</td><td>36.03</td><td>10.53</td></tr><tr><td>4</td><td>5934.81</td><td>52.01</td><td>68.30</td><td>-16.29</td><td>37.91</td><td>36.04</td><td>10.53</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.52	52.54	111.89	-59.35	38.60	35.88	10.46	2	5871.42	52.07	106.20	-54.13	38.07	35.93	10.48	3	5924.58	50.95	68.51	-17.56	36.85	36.03	10.53	4	5934.81	52.01	68.30	-16.29	37.91	36.04	10.53	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																			
1	5854.52	52.54	111.89	-59.35	38.60	35.88	10.46																																																			
2	5871.42	52.07	106.20	-54.13	38.07	35.93	10.48																																																			
3	5924.58	50.95	68.51	-17.56	36.85	36.03	10.53																																																			
4	5934.81	52.01	68.30	-16.29	37.91	36.04	10.53																																																			






Mode	40																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																											
ANT	22																																																																																																											
Pol.	Vertical	Fundamental																																																																																																										
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5795 MHz. The plot shows a red limit line and a blue measured signal. Four peaks are identified and labeled 1 through 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5644.27</td><td>52.22</td><td>68.30</td><td>-16.08</td><td>38.81</td><td>35.39</td><td>10.33</td><td>32.31</td><td>377</td><td>268 PEAK</td></tr><tr><td>2 5650.12</td><td>48.72</td><td>68.39</td><td>-19.67</td><td>35.30</td><td>35.40</td><td>10.33</td><td>32.31</td><td>377</td><td>268 PEAK</td></tr><tr><td>3 5700.82</td><td>50.91</td><td>105.43</td><td>-54.52</td><td>37.38</td><td>35.52</td><td>10.36</td><td>32.35</td><td>377</td><td>268 PEAK</td></tr><tr><td>4 5720.12</td><td>49.62</td><td>111.07</td><td>-61.45</td><td>36.05</td><td>35.56</td><td>10.37</td><td>32.36</td><td>377</td><td>268 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5644.27	52.22	68.30	-16.08	38.81	35.39	10.33	32.31	377	268 PEAK	2 5650.12	48.72	68.39	-19.67	35.30	35.40	10.33	32.31	377	268 PEAK	3 5700.82	50.91	105.43	-54.52	37.38	35.52	10.36	32.35	377	268 PEAK	4 5720.12	49.62	111.07	-61.45	36.05	35.56	10.37	32.36	377	268 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>96.34</td><td>-----</td><td>82.53</td><td>35.74</td><td>10.42</td><td>32.35</td><td>377</td><td>268</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5795.00	96.34	-----	82.53	35.74	10.42	32.35	377	268	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 5644.27	52.22	68.30	-16.08	38.81	35.39	10.33	32.31	377	268 PEAK																																																																																																			
2 5650.12	48.72	68.39	-19.67	35.30	35.40	10.33	32.31	377	268 PEAK																																																																																																			
3 5700.82	50.91	105.43	-54.52	37.38	35.52	10.36	32.35	377	268 PEAK																																																																																																			
4 5720.12	49.62	111.07	-61.45	36.05	35.56	10.37	32.36	377	268 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 5795.00	96.34	-----	82.53	35.74	10.42	32.35	377	268	PEAK																																																																																																			
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue measured signal. A single peak is identified and labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5795.00</td><td>87.95</td><td>-----</td><td>74.12</td><td>35.75</td><td>10.43</td><td>32.35</td><td>377</td><td>268</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5795.00	87.95	-----	74.12	35.75	10.43	32.35	377	268	AVERAGE																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 5795.00	87.95	-----	74.12	35.75	10.43	32.35	377	268	AVERAGE																																																																																																			




Mode	40																																																									
	Band Edge - R																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																									
ANT	22																																																									
Pol.	Vertical	Fundamental																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBUV/m</th><th>dBUV/m</th><th>dB</th><th>dBUV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5854.83</td><td>50.54</td><td>111.19</td><td>-60.65</td><td>36.60</td><td>35.88</td><td>10.46</td></tr><tr><td>2</td><td>5871.26</td><td>52.81</td><td>106.25</td><td>-53.44</td><td>38.81</td><td>35.93</td><td>10.48</td></tr><tr><td>3</td><td>5924.89</td><td>51.00</td><td>68.28</td><td>-17.28</td><td>36.90</td><td>36.03</td><td>10.53</td></tr><tr><td>4</td><td>5945.97</td><td>52.22</td><td>68.30</td><td>-16.08</td><td>38.12</td><td>36.05</td><td>10.54</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB	1	5854.83	50.54	111.19	-60.65	36.60	35.88	10.46	2	5871.26	52.81	106.25	-53.44	38.81	35.93	10.48	3	5924.89	51.00	68.28	-17.28	36.90	36.03	10.53	4	5945.97	52.22	68.30	-16.08	38.12	36.05	10.54	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBUV/m	dBUV/m	dB	dBUV	dB/m	dB	dB																																																			
1	5854.83	50.54	111.19	-60.65	36.60	35.88	10.46																																																			
2	5871.26	52.81	106.25	-53.44	38.81	35.93	10.48																																																			
3	5924.89	51.00	68.28	-17.28	36.90	36.03	10.53																																																			
4	5945.97	52.22	68.30	-16.08	38.12	36.05	10.54																																																			






Mode	41																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																													
ANT	22																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5630.80</td><td>52.52</td><td>68.30</td><td>-15.78</td><td>39.13</td><td>35.36</td><td>10.32</td><td>32.29</td><td>100</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>5651.28</td><td>53.25</td><td>69.24</td><td>-15.99</td><td>39.83</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>5717.60</td><td>63.85</td><td>110.13</td><td>-46.28</td><td>50.29</td><td>35.55</td><td>10.37</td><td>32.36</td><td>100</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>5720.05</td><td>63.20</td><td>110.91</td><td>-47.71</td><td>49.63</td><td>35.56</td><td>10.37</td><td>32.36</td><td>100</td><td>55</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5630.80	52.52	68.30	-15.78	39.13	35.36	10.32	32.29	100	55	PEAK	2	5651.28	53.25	69.24	-15.99	39.83	35.40	10.33	32.31	100	55	PEAK	3	5717.60	63.85	110.13	-46.28	50.29	35.55	10.37	32.36	100	55	PEAK	4	5720.05	63.20	110.91	-47.71	49.63	35.56	10.37	32.36	100	55	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>96.71</td><td>-----</td><td>-----</td><td>83.03</td><td>35.64</td><td>10.39</td><td>32.35</td><td>100</td><td>55</td><td>PEAK</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	96.71	-----	-----	83.03	35.64	10.39	32.35	100	55	PEAK
		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5630.80	52.52	68.30	-15.78	39.13	35.36	10.32	32.29	100	55	PEAK																																																																																																			
2	5651.28	53.25	69.24	-15.99	39.83	35.40	10.33	32.31	100	55	PEAK																																																																																																			
3	5717.60	63.85	110.13	-46.28	50.29	35.55	10.37	32.36	100	55	PEAK																																																																																																			
4	5720.05	63.20	110.91	-47.71	49.63	35.56	10.37	32.36	100	55	PEAK																																																																																																			
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5775.00	96.71	-----	-----	83.03	35.64	10.39	32.35	100	55	PEAK																																																																																																			
Avg	Blank	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>88.56</td><td>-----</td><td>-----</td><td>74.90</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>55</td><td>AVERAGE</td></tr></tbody></table>		Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5775.00	88.56	-----	-----	74.90	35.62	10.39	32.35	100	55	AVERAGE																																																																								
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5775.00	88.56	-----	-----	74.90	35.62	10.39	32.35	100	55	AVERAGE																																																																																																			




Mode	41																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																													
ANT	22																																																																													
Pol.	Horizontal	Fundamental																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>52.83</td><td>110.86</td><td>-58.03</td><td>38.89</td><td>35.88</td><td>10.46</td><td>32.40</td><td>100</td><td>55</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>52.21</td><td>105.22</td><td>-53.01</td><td>38.20</td><td>35.94</td><td>10.48</td><td>32.41</td><td>100</td><td>55</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>51.03</td><td>68.22</td><td>-17.19</td><td>36.93</td><td>36.03</td><td>10.53</td><td>32.46</td><td>100</td><td>55</td><td>PEAK</td></tr><tr><td>4</td><td>5944.23</td><td>52.38</td><td>68.30</td><td>-15.92</td><td>38.28</td><td>36.05</td><td>10.54</td><td>32.49</td><td>100</td><td>55</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.98	52.83	110.86	-58.03	38.89	35.88	10.46	32.40	100	55	PEAK	2	5874.93	52.21	105.22	-53.01	38.20	35.94	10.48	32.41	100	55	PEAK	3	5924.98	51.03	68.22	-17.19	36.93	36.03	10.53	32.46	100	55	PEAK	4	5944.23	52.38	68.30	-15.92	38.28	36.05	10.54	32.49	100	55	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.98	52.83	110.86	-58.03	38.89	35.88	10.46	32.40	100	55	PEAK																																																																			
2	5874.93	52.21	105.22	-53.01	38.20	35.94	10.48	32.41	100	55	PEAK																																																																			
3	5924.98	51.03	68.22	-17.19	36.93	36.03	10.53	32.46	100	55	PEAK																																																																			
4	5944.23	52.38	68.30	-15.92	38.28	36.05	10.54	32.49	100	55	PEAK																																																																			





Mode	41																																																																																																											
	Band Edge - L																																																																																																											
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																											
ANT	22																																																																																																											
Pol.	Vertical	Fundamental																																																																																																										
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5775 MHz. The plot shows a red line for the limit and a blue line for the measured signal. A peak is labeled 'PEAK_BE(BA)_10-24'. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5605.60</td><td>51.82</td><td>68.30</td><td>-16.48</td><td>38.48</td><td>35.30</td><td>10.31</td><td>32.27</td><td>380</td><td>273 PEAK</td></tr><tr><td>2 5650.23</td><td>50.46</td><td>68.47</td><td>-18.01</td><td>37.04</td><td>35.40</td><td>10.33</td><td>32.31</td><td>380</td><td>273 PEAK</td></tr><tr><td>3 5719.35</td><td>60.54</td><td>110.62</td><td>-50.08</td><td>46.98</td><td>35.55</td><td>10.37</td><td>32.36</td><td>380</td><td>273 PEAK</td></tr><tr><td>4 5720.05</td><td>58.88</td><td>110.91</td><td>-52.03</td><td>45.31</td><td>35.56</td><td>10.37</td><td>32.36</td><td>380</td><td>273 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5605.60	51.82	68.30	-16.48	38.48	35.30	10.31	32.27	380	273 PEAK	2 5650.23	50.46	68.47	-18.01	37.04	35.40	10.33	32.31	380	273 PEAK	3 5719.35	60.54	110.62	-50.08	46.98	35.55	10.37	32.36	380	273 PEAK	4 5720.05	58.88	110.91	-52.03	45.31	35.56	10.37	32.36	380	273 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. A peak is labeled 'PART 15.407'. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>92.68</td><td>-----</td><td>-----</td><td>78.85</td><td>35.75</td><td>10.43</td><td>32.35</td><td>380</td><td>273 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5775.00	92.68	-----	-----	78.85	35.75	10.43	32.35	380	273 PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 5605.60	51.82	68.30	-16.48	38.48	35.30	10.31	32.27	380	273 PEAK																																																																																																			
2 5650.23	50.46	68.47	-18.01	37.04	35.40	10.33	32.31	380	273 PEAK																																																																																																			
3 5719.35	60.54	110.62	-50.08	46.98	35.55	10.37	32.36	380	273 PEAK																																																																																																			
4 5720.05	58.88	110.91	-52.03	45.31	35.56	10.37	32.36	380	273 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 5775.00	92.68	-----	-----	78.85	35.75	10.43	32.35	380	273 PEAK																																																																																																			
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line for the limit and a blue line for the measured signal. A peak is labeled 'PART 15.407 AVG'. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>84.41</td><td>-----</td><td>-----</td><td>70.58</td><td>35.75</td><td>10.43</td><td>32.35</td><td>380</td><td>273 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5775.00	84.41	-----	-----	70.58	35.75	10.43	32.35	380	273 AVERAGE																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1 5775.00	84.41	-----	-----	70.58	35.75	10.43	32.35	380	273 AVERAGE																																																																																																			





Mode	41																																																																													
	Band Edge - R																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																													
ANT	22																																																																													
Pol.	Vertical	Fundamental																																																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.28</td><td>52.70</td><td>112.45</td><td>-59.75</td><td>38.76</td><td>35.88</td><td>10.46</td><td>32.40</td><td>380</td><td>273</td><td>PEAK</td></tr><tr><td>2</td><td>5870.55</td><td>53.07</td><td>106.44</td><td>-53.37</td><td>39.07</td><td>35.93</td><td>10.48</td><td>32.41</td><td>380</td><td>273</td><td>PEAK</td></tr><tr><td>3</td><td>5924.45</td><td>51.06</td><td>68.61</td><td>-17.55</td><td>36.96</td><td>36.03</td><td>10.53</td><td>32.46</td><td>380</td><td>273</td><td>PEAK</td></tr><tr><td>4</td><td>5946.15</td><td>51.97</td><td>68.30</td><td>-16.33</td><td>37.87</td><td>36.05</td><td>10.54</td><td>32.49</td><td>380</td><td>273</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.28	52.70	112.45	-59.75	38.76	35.88	10.46	32.40	380	273	PEAK	2	5870.55	53.07	106.44	-53.37	39.07	35.93	10.48	32.41	380	273	PEAK	3	5924.45	51.06	68.61	-17.55	36.96	36.03	10.53	32.46	380	273	PEAK	4	5946.15	51.97	68.30	-16.33	37.87	36.05	10.54	32.49	380	273	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	5854.28	52.70	112.45	-59.75	38.76	35.88	10.46	32.40	380	273	PEAK																																																																			
2	5870.55	53.07	106.44	-53.37	39.07	35.93	10.48	32.41	380	273	PEAK																																																																			
3	5924.45	51.06	68.61	-17.55	36.96	36.03	10.53	32.46	380	273	PEAK																																																																			
4	5946.15	51.97	68.30	-16.33	37.87	36.05	10.54	32.49	380	273	PEAK																																																																			



Mode	42																																																																																																															
	LF																																																																																																															
	U-NII-1_5.15-5.25_802.11n HT40_LF_CH38_5190MHz																																																																																																															
ANT	22																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
QP/ Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.00</td><td>21.25</td><td>40.00</td><td>-18.75</td><td>26.93</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>95.96</td><td>18.58</td><td>43.50</td><td>-24.92</td><td>33.69</td><td>15.60</td><td>0.99</td><td>31.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>149.31</td><td>20.86</td><td>43.50</td><td>-22.64</td><td>34.12</td><td>17.09</td><td>1.25</td><td>31.60</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>222.06</td><td>31.24</td><td>46.00</td><td>-14.76</td><td>45.44</td><td>15.77</td><td>1.53</td><td>31.50</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>325.85</td><td>31.69</td><td>46.00</td><td>-14.31</td><td>41.46</td><td>19.89</td><td>1.89</td><td>31.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>844.80</td><td>28.11</td><td>46.00</td><td>-17.89</td><td>27.23</td><td>28.90</td><td>3.04</td><td>31.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	21.25	40.00	-18.75	26.93	25.29	0.53	31.50	---	---	Peak	2	95.96	18.58	43.50	-24.92	33.69	15.60	0.99	31.70	---	---	Peak	3	149.31	20.86	43.50	-22.64	34.12	17.09	1.25	31.60	---	---	Peak	4	222.06	31.24	46.00	-14.76	45.44	15.77	1.53	31.50	---	---	Peak	5	325.85	31.69	46.00	-14.31	41.46	19.89	1.89	31.55	---	---	Peak	6	844.80	28.11	46.00	-17.89	27.23	28.90	3.04	31.06	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	30.00	21.25	40.00	-18.75	26.93	25.29	0.53	31.50	---	---	Peak																																																																																																					
2	95.96	18.58	43.50	-24.92	33.69	15.60	0.99	31.70	---	---	Peak																																																																																																					
3	149.31	20.86	43.50	-22.64	34.12	17.09	1.25	31.60	---	---	Peak																																																																																																					
4	222.06	31.24	46.00	-14.76	45.44	15.77	1.53	31.50	---	---	Peak																																																																																																					
5	325.85	31.69	46.00	-14.31	41.46	19.89	1.89	31.55	---	---	Peak																																																																																																					
6	844.80	28.11	46.00	-17.89	27.23	28.90	3.04	31.06	---	---	Peak																																																																																																					
																																																																																																																
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>42.61</td><td>26.74</td><td>40.00</td><td>-13.26</td><td>39.34</td><td>18.52</td><td>0.63</td><td>31.75</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>93.05</td><td>22.14</td><td>43.50</td><td>-21.36</td><td>37.67</td><td>15.20</td><td>0.97</td><td>31.70</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>194.90</td><td>20.60</td><td>43.50</td><td>-22.90</td><td>35.77</td><td>14.93</td><td>1.41</td><td>31.51</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>327.79</td><td>24.82</td><td>46.00</td><td>-21.18</td><td>34.52</td><td>19.94</td><td>1.90</td><td>31.54</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>581.93</td><td>27.15</td><td>46.00</td><td>-18.85</td><td>29.69</td><td>26.11</td><td>2.52</td><td>31.17</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>837.04</td><td>28.94</td><td>46.00</td><td>-17.06</td><td>28.19</td><td>28.79</td><td>3.02</td><td>31.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	42.61	26.74	40.00	-13.26	39.34	18.52	0.63	31.75	---	---	Peak	2	93.05	22.14	43.50	-21.36	37.67	15.20	0.97	31.70	---	---	Peak	3	194.90	20.60	43.50	-22.90	35.77	14.93	1.41	31.51	---	---	Peak	4	327.79	24.82	46.00	-21.18	34.52	19.94	1.90	31.54	---	---	Peak	5	581.93	27.15	46.00	-18.85	29.69	26.11	2.52	31.17	---	---	Peak	6	837.04	28.94	46.00	-17.06	28.19	28.79	3.02	31.06	---	---	Peak	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	42.61	26.74	40.00	-13.26	39.34	18.52	0.63	31.75	---	---	Peak																																																																																																					
2	93.05	22.14	43.50	-21.36	37.67	15.20	0.97	31.70	---	---	Peak																																																																																																					
3	194.90	20.60	43.50	-22.90	35.77	14.93	1.41	31.51	---	---	Peak																																																																																																					
4	327.79	24.82	46.00	-21.18	34.52	19.94	1.90	31.54	---	---	Peak																																																																																																					
5	581.93	27.15	46.00	-18.85	29.69	26.11	2.52	31.17	---	---	Peak																																																																																																					
6	837.04	28.94	46.00	-17.06	28.19	28.79	3.02	31.06	---	---	Peak																																																																																																					



Mode	43																																																																																																																																																																																																																																																																																																							
	LF																																																																																																																																																																																																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT20_LF_CH149_5745MHz																																																																																																																																																																																																																																																																																																							
ANT	22																																																																																																																																																																																																																																																																																																							
Pol.	Horizontal							Vertical																																																																																																																																																																																																																																																																																																
QP/ Peak																																																																																																																																																																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>30.00</td><td>20.25</td><td>40.00</td><td>-19.75</td><td>25.93</td><td>25.29</td><td>0.53</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>94.02</td><td>17.56</td><td>43.50</td><td>-25.94</td><td>32.96</td><td>15.33</td><td>0.97</td><td>31.70</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>148.34</td><td>20.65</td><td>43.50</td><td>-22.85</td><td>33.86</td><td>17.15</td><td>1.24</td><td>31.60</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>225.94</td><td>31.09</td><td>46.00</td><td>-14.91</td><td>45.05</td><td>16.00</td><td>1.54</td><td>31.50</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>325.85</td><td>28.51</td><td>46.00</td><td>-17.49</td><td>38.28</td><td>19.89</td><td>1.89</td><td>31.55</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>840.92</td><td>28.92</td><td>46.00</td><td>-17.08</td><td>28.12</td><td>28.83</td><td>3.03</td><td>31.06</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>																Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	30.00	20.25	40.00	-19.75	25.93	25.29	0.53	31.50	---	---	---	---	---	Peak	2	94.02	17.56	43.50	-25.94	32.96	15.33	0.97	31.70	---	---	---	---	---	Peak	3	148.34	20.65	43.50	-22.85	33.86	17.15	1.24	31.60	---	---	---	---	---	Peak	4	225.94	31.09	46.00	-14.91	45.05	16.00	1.54	31.50	---	---	---	---	---	Peak	5	325.85	28.51	46.00	-17.49	38.28	19.89	1.89	31.55	---	---	---	---	---	Peak	6	840.92	28.92	46.00	-17.08	28.12	28.83	3.03	31.06	---	---	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>43.58</td><td>26.16</td><td>40.00</td><td>-13.84</td><td>39.33</td><td>17.96</td><td>0.64</td><td>31.77</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>92.08</td><td>21.04</td><td>43.50</td><td>-22.46</td><td>36.72</td><td>15.06</td><td>0.96</td><td>31.70</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>193.93</td><td>19.54</td><td>43.50</td><td>-23.96</td><td>34.73</td><td>14.91</td><td>1.41</td><td>31.51</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>312.27</td><td>23.85</td><td>46.00</td><td>-22.15</td><td>33.97</td><td>19.61</td><td>1.85</td><td>31.58</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>569.32</td><td>26.32</td><td>46.00</td><td>-19.68</td><td>28.52</td><td>26.52</td><td>2.50</td><td>31.22</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>857.41</td><td>28.67</td><td>46.00</td><td>-17.33</td><td>27.46</td><td>29.18</td><td>3.07</td><td>31.04</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>																Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Level	Factor	Level	Factor	Level	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	43.58	26.16	40.00	-13.84	39.33	17.96	0.64	31.77	---	---	---	---	---	Peak	2	92.08	21.04	43.50	-22.46	36.72	15.06	0.96	31.70	---	---	---	---	---	Peak	3	193.93	19.54	43.50	-23.96	34.73	14.91	1.41	31.51	---	---	---	---	---	Peak	4	312.27	23.85	46.00	-22.15	33.97	19.61	1.85	31.58	---	---	---	---	---	Peak	5	569.32	26.32	46.00	-19.68	28.52	26.52	2.50	31.22	---	---	---	---	---	Peak	6	857.41	28.67	46.00	-17.33	27.46	29.18	3.07	31.04	---	---	---	---	---	Peak
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																															
1	30.00	20.25	40.00	-19.75	25.93	25.29	0.53	31.50	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
2	94.02	17.56	43.50	-25.94	32.96	15.33	0.97	31.70	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
3	148.34	20.65	43.50	-22.85	33.86	17.15	1.24	31.60	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
4	225.94	31.09	46.00	-14.91	45.05	16.00	1.54	31.50	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
5	325.85	28.51	46.00	-17.49	38.28	19.89	1.89	31.55	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
6	840.92	28.92	46.00	-17.08	28.12	28.83	3.03	31.06	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Level	Factor	Level	Factor	Level	Factor																																																																																																																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																															
1	43.58	26.16	40.00	-13.84	39.33	17.96	0.64	31.77	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
2	92.08	21.04	43.50	-22.46	36.72	15.06	0.96	31.70	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
3	193.93	19.54	43.50	-23.96	34.73	14.91	1.41	31.51	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
4	312.27	23.85	46.00	-22.15	33.97	19.61	1.85	31.58	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
5	569.32	26.32	46.00	-19.68	28.52	26.52	2.50	31.22	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										
6	857.41	28.67	46.00	-17.33	27.46	29.18	3.07	31.04	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																																										




Mode	44																																																																																																																																																																																																	
	CO-TX																																																																																																																																																																																																	
	Co-location																																																																																																																																																																																																	
ANT	22																																																																																																																																																																																																	
Pol.	Horizontal					Vertical																																																																																																																																																																																												
Peak Avg																																																																																																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 4960.00</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>60.70</td><td>35.71</td><td>10.34</td><td>52.68</td><td>260 71 Peak</td></tr><tr><td>2 4960.00</td><td>48.94</td><td>54.00</td><td>-5.06</td><td>55.57</td><td>35.71</td><td>10.34</td><td>52.68</td><td>260 71 Average</td></tr><tr><td>3 7440.00</td><td>45.21</td><td>74.00</td><td>-28.79</td><td>48.86</td><td>36.63</td><td>12.00</td><td>52.28</td><td>--- --- Peak</td></tr><tr><td>4 8304.00</td><td>50.35</td><td>74.00</td><td>-23.65</td><td>52.29</td><td>36.86</td><td>12.82</td><td>51.62</td><td>100 77 Peak</td></tr><tr><td>5 8304.00</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>45.38</td><td>36.86</td><td>12.82</td><td>51.62</td><td>100 77 Average</td></tr><tr><td>6 10380.00</td><td>47.08</td><td>68.30</td><td>-21.22</td><td>46.01</td><td>37.90</td><td>14.59</td><td>51.42</td><td>--- --- Peak</td></tr><tr><td>7 15570.00</td><td>47.59</td><td>74.00</td><td>-26.41</td><td>41.86</td><td>40.81</td><td>17.17</td><td>52.25</td><td>--- --- Peak</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 4960.00	54.07	74.00	-19.93	60.70	35.71	10.34	52.68	260 71 Peak	2 4960.00	48.94	54.00	-5.06	55.57	35.71	10.34	52.68	260 71 Average	3 7440.00	45.21	74.00	-28.79	48.86	36.63	12.00	52.28	--- --- Peak	4 8304.00	50.35	74.00	-23.65	52.29	36.86	12.82	51.62	100 77 Peak	5 8304.00	43.44	54.00	-10.56	45.38	36.86	12.82	51.62	100 77 Average	6 10380.00	47.08	68.30	-21.22	46.01	37.90	14.59	51.42	--- --- Peak	7 15570.00	47.59	74.00	-26.41	41.86	40.81	17.17	52.25	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 4960.00</td><td>50.94</td><td>74.00</td><td>-23.06</td><td>57.57</td><td>35.71</td><td>10.34</td><td>52.68</td><td>100 74 Peak</td></tr><tr><td>2 4960.00</td><td>47.03</td><td>54.00</td><td>-6.97</td><td>53.66</td><td>35.71</td><td>10.34</td><td>52.68</td><td>100 74 Average</td></tr><tr><td>3 7440.00</td><td>44.67</td><td>74.00</td><td>-29.33</td><td>48.32</td><td>36.63</td><td>12.00</td><td>52.28</td><td>--- --- Peak</td></tr><tr><td>4 8304.00</td><td>51.65</td><td>74.00</td><td>-22.35</td><td>53.59</td><td>36.86</td><td>12.82</td><td>51.62</td><td>100 71 Peak</td></tr><tr><td>5 8304.00</td><td>47.05</td><td>54.00</td><td>-6.95</td><td>48.99</td><td>36.86</td><td>12.82</td><td>51.62</td><td>100 71 Average</td></tr><tr><td>6 10380.00</td><td>47.02</td><td>68.30</td><td>-21.28</td><td>45.95</td><td>37.90</td><td>14.59</td><td>51.42</td><td>--- --- Peak</td></tr><tr><td>7 15570.00</td><td>47.81</td><td>74.00</td><td>-26.19</td><td>42.08</td><td>40.81</td><td>17.17</td><td>52.25</td><td>--- --- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 4960.00	50.94	74.00	-23.06	57.57	35.71	10.34	52.68	100 74 Peak	2 4960.00	47.03	54.00	-6.97	53.66	35.71	10.34	52.68	100 74 Average	3 7440.00	44.67	74.00	-29.33	48.32	36.63	12.00	52.28	--- --- Peak	4 8304.00	51.65	74.00	-22.35	53.59	36.86	12.82	51.62	100 71 Peak	5 8304.00	47.05	54.00	-6.95	48.99	36.86	12.82	51.62	100 71 Average	6 10380.00	47.02	68.30	-21.28	45.95	37.90	14.59	51.42	--- --- Peak	7 15570.00	47.81	74.00	-26.19	42.08	40.81	17.17	52.25
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																										
1 4960.00	54.07	74.00	-19.93	60.70	35.71	10.34	52.68	260 71 Peak																																																																																																																																																																																										
2 4960.00	48.94	54.00	-5.06	55.57	35.71	10.34	52.68	260 71 Average																																																																																																																																																																																										
3 7440.00	45.21	74.00	-28.79	48.86	36.63	12.00	52.28	--- --- Peak																																																																																																																																																																																										
4 8304.00	50.35	74.00	-23.65	52.29	36.86	12.82	51.62	100 77 Peak																																																																																																																																																																																										
5 8304.00	43.44	54.00	-10.56	45.38	36.86	12.82	51.62	100 77 Average																																																																																																																																																																																										
6 10380.00	47.08	68.30	-21.22	46.01	37.90	14.59	51.42	--- --- Peak																																																																																																																																																																																										
7 15570.00	47.59	74.00	-26.41	41.86	40.81	17.17	52.25	--- --- Peak																																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																										
1 4960.00	50.94	74.00	-23.06	57.57	35.71	10.34	52.68	100 74 Peak																																																																																																																																																																																										
2 4960.00	47.03	54.00	-6.97	53.66	35.71	10.34	52.68	100 74 Average																																																																																																																																																																																										
3 7440.00	44.67	74.00	-29.33	48.32	36.63	12.00	52.28	--- --- Peak																																																																																																																																																																																										
4 8304.00	51.65	74.00	-22.35	53.59	36.86	12.82	51.62	100 71 Peak																																																																																																																																																																																										
5 8304.00	47.05	54.00	-6.95	48.99	36.86	12.82	51.62	100 71 Average																																																																																																																																																																																										
6 10380.00	47.02	68.30	-21.28	45.95	37.90	14.59	51.42	--- --- Peak																																																																																																																																																																																										
7 15570.00	47.81	74.00	-26.19	42.08	40.81	17.17	52.25	--- --- Peak																																																																																																																																																																																										

Note: the highest signals over limit are BLE/WLAN5G co-location fundamental signals

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	90.61	1.39	0.719	1KHz
802.11n HT20	90.65	1.299	0.770	1KHz
802.11n HT40	90.46	4.739	0.211	300Hz
802.11ac VHT80	86.78	3.282	0.305	1KHz

802.11a




Date: 21.DEC.2025 21:37:53

802.11n HT20



Date: 21.DEC.2025 21:39:34


802.11n HT40



Date: 27.DEC.2025 13:10:46



802.11ac VHT80



Date: 27 DEC 2025 13:12:26