


Test Mode UNII-2A_TX N(HT20) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	36.720	18.240
60	5300	34.920	18.240
64	5320	29.400	18.240

CH52




Date: 3.APR.2026 05:23:09

CH60
26 dB Bandwidth




Date: 3.APR.2026 05:25:01

CH64




Date: 3.APR.2026 05:27:30


99 % Occupied Bandwidth



Date: 3.APR.2026 05:23:21



Date: 3.APR.2026 05:25:13




Date: 3.APR.2026 05:27:42

Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	47.400	36.800
62	5310	50.200	37.200

CH54




Date: 3.APR.2026 05:59:46

CH62
26 dB Bandwidth




Date: 3.APR.2026 06:05:09

99 % Occupied Bandwidth



Date: 3.APR.2026 05:59:58




Date: 3.APR.2026 06:05:21

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	88.400	76.000

CH58 26 dB Bandwidth



Date: 3.APR.2026 06:40:55

99 % Occupied Bandwidth




Date: 3.APR.2026 06:41:07

Test Mode	UNII-2C_TX A Mode
-----------	-------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	31.920	17.280
116	5580	32.520	17.400
140	5700	31.320	17.280

CH100




Date: 3.APR.2026 03:32:10

CH116
26 dB Bandwidth




Date: 3.APR.2026 03:34:02

CH140




Date: 3.APR.2026 03:38:45


99 % Occupied Bandwidth



Date: 3.APR.2026 03:32:22



Date: 3.APR.2026 03:34:14




Date: 3.APR.2026 03:38:57

Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	35.880	18.240
116	5580	32.040	18.240
140	5700	30.360	18.000

CH100




Date: 3.APR.2026 05:30:48

CH116
26 dB Bandwidth




Date: 3.APR.2026 05:31:51

CH140




Date: 3.APR.2026 05:33:42


99 % Occupied Bandwidth



Date: 3.APR.2026 05:31:01



Date: 3.APR.2026 05:32:03




Date: 3.APR.2026 05:33:58

Test Mode UNII-2C_TX N(HT40) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	46.400	36.800
110	5550	46.600	36.600
134	5670	47.600	36.800

CH102




Date: 3.APR.2026 06:06:09

CH110
26 dB Bandwidth




Date: 3.APR.2026 06:10:23

CH134




Date: 3.APR.2026 06:16:43


99 % Occupied Bandwidth



Date: 3.APR.2026 06:06:21



Date: 3.APR.2026 06:10:35




Date: 3.APR.2026 06:16:55

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	86.000	76.000
122	5610	92.800	76.000

CH106




Date: 3.APR.2026 06:43:18

CH122
26 dB Bandwidth




Date: 3.APR.2026 06:45:58

99 % Occupied Bandwidth



Date: 3.APR.2026 06:43:31




Date: 3.APR.2026 06:46:11

Test Mode UNII-3_TX N(HT20) Mode


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.400	18.240	0.5	Pass
157	5785	17.280	18.240	0.5	Pass
165	5825	17.280	18.240	0.5	Pass

CH149




Date: 3.APR.2026 05:34:36

CH157
6 dB Bandwidth




Date: 3.APR.2026 05:35:24

CH165




Date: 3.APR.2026 05:42:46


99 % Occupied Bandwidth



Date: 3.APR.2026 05:34:48



Date: 3.APR.2026 05:35:36




Date: 3.APR.2026 05:42:58

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.400	36.800	0.5	Pass
159	5795	35.600	36.800	0.5	Pass

CH151




Date: 3.APR.2026 06:18:17

CH159
6 dB Bandwidth




Date: 3.APR.2026 06:18:19

99 % Occupied Bandwidth



Date: 3.APR.2026 06:18:29




Date: 3.APR.2026 06:19:12

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	76.000	76.000	0.5	Pass

CH155 6 dB Bandwidth



Date: 3.APR.2026 06:46:43

99 % Occupied Bandwidth



Date: 3.APR.2026 06:46:55

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.54	0.16	16.70	23.98	0.2500	Pass
40	5200	17.47	0.16	17.63	23.98	0.2500	Pass
48	5240	16.69	0.16	16.85	23.98	0.2500	Pass

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.68	0.20	16.88	23.98	0.2500	Pass
40	5200	16.85	0.20	17.05	23.98	0.2500	Pass
48	5240	16.65	0.20	16.85	23.98	0.2500	Pass

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	12.36	0.20	12.56	23.98	0.2500	Pass
46	5230	16.27	0.20	16.47	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.43	0.22	11.65	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.46	0.16	17.62	23.98	0.2500	Pass
60	5300	17.22	0.16	17.38	23.98	0.2500	Pass
64	5320	14.69	0.16	14.85	23.98	0.2500	Pass

Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.79	0.20	16.99	23.98	0.2500	Pass
60	5300	16.72	0.20	16.92	23.98	0.2500	Pass
64	5320	14.81	0.20	15.01	23.98	0.2500	Pass

Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.32	0.20	16.52	23.98	0.2500	Pass
62	5310	10.98	0.20	11.18	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.41	0.22	12.63	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.15	0.16	14.31	23.98	0.2500	Pass
116	5580	17.24	0.16	17.40	23.98	0.2500	Pass
140	5700	16.27	0.16	16.43	23.98	0.2500	Pass

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	14.38	0.20	14.58	23.98	0.2500	Pass
116	5580	16.13	0.20	16.33	23.98	0.2500	Pass
140	5700	6.06	0.20	6.26	23.98	0.2500	Pass

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	6.11	0.20	6.31	23.98	0.2500	Pass
110	5550	16.18	0.20	16.38	23.98	0.2500	Pass
134	5670	15.09	0.20	15.29	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.12	0.22	10.34	23.98	0.2500	Pass
122	5610	14.05	0.22	14.27	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	17.18	0.16	17.34	30.00	1.0000	Pass
157	5785	17.04	0.16	17.20	30.00	1.0000	Pass
165	5825	16.66	0.16	16.82	30.00	1.0000	Pass

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.81	0.20	17.01	30.00	1.0000	Pass
157	5785	16.84	0.20	17.04	30.00	1.0000	Pass
165	5825	16.34	0.20	16.54	30.00	1.0000	Pass

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.27	0.20	16.47	30.00	1.0000	Pass
159	5795	16.25	0.20	16.45	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.25	0.22	13.47	30.00	1.0000	Pass

Note: Output power = Measure result + Cable loss


APPENDIX G - POWER SPECTRAL DENSITY

Test Mode UNII-1_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.75	0.16	3.91	11.00	Pass
40	5200	4.28	0.16	4.44	11.00	Pass
48	5240	3.98	0.16	4.15	11.00	Pass



Date: 3.APR.2026 03:02:25



Date: 3.APR.2026 03:07:58




Date: 3.APR.2026 03:12:58

Test Mode UNII-1_TX N(HT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.23	0.20	4.43	11.00	Pass
40	5200	4.12	0.20	4.32	11.00	Pass
48	5240	4.05	0.20	4.25	11.00	Pass



Date: 3.APR.2026 05:04:26




Date: 3.APR.2026 05:09:07




Date: 3.APR.2026 05:12:27

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.11	0.20	-2.91	11.00	Pass
46	5230	0.75	0.20	0.95	11.00	Pass




Date: 3.APR.2026 05:54:58



Date: 3.APR.2026 05:55:58

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-6.80	0.22	-6.59	11.00	Pass




Date: 3.APR.2026 06:32:49

Test Mode UNII-2A_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	4.10	0.16	4.27	11.00	Pass
60	5300	3.90	0.16	4.07	11.00	Pass
64	5320	1.78	0.16	1.94	11.00	Pass



Date: 3.APR.2026 03:14:44



Date: 3.APR.2026 03:19:22




Date: 3.APR.2026 03:24:07

Test Mode UNII-2A_TX N(HT20) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	3.87	0.20	4.07	11.00	Pass
60	5300	3.62	0.20	3.82	11.00	Pass
64	5320	2.22	0.20	2.42	11.00	Pass



Date: 3.APR.2026 05:23:31




Date: 3.APR.2026 05:25:23




Date: 3.APR.2026 05:27:53

Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.63	0.20	0.83	11.00	Pass
62	5310	-4.20	0.20	-4.00	11.00	Pass




Date: 3.APR.2026 06:00:08



Date: 3.APR.2026 06:05:32

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.78	0.22	-5.57	11.00	Pass




Date: 3.APR.2026 06:41:17

Test Mode UNII-2C_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.60	0.16	1.77	11.00	Pass
116	5580	4.38	0.16	4.54	11.00	Pass
140	5700	4.06	0.16	4.23	11.00	Pass



Date: 3.APR.2026 03:32:32




Date: 3.APR.2026 03:34:24




Date: 3.APR.2026 03:39:07

Test Mode UNII-2C_TX N(HT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	2.07	0.20	2.27	11.00	Pass
116	5580	3.74	0.20	3.94	11.00	Pass
140	5700	-5.87	0.20	-5.67	11.00	Pass



Date: 3.APR.2026 05:31:11




Date: 3.APR.2026 05:32:13




Date: 3.APR.2026 05:34:08

Test Mode UNII-2C_TX N(HT40) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-9.04	0.20	-8.84	11.00	Pass
110	5550	1.12	0.20	1.32	11.00	Pass
134	5670	0.65	0.20	0.85	11.00	Pass



Date: 3.APR.2026 06:06:31




Date: 3.APR.2026 06:10:45




Date: 3.APR.2026 06:17:05

Test Mode UNII-2C_TX AC(VHT80) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-7.22	0.22	-7.00	11.00	Pass
122	5610	-3.74	0.22	-3.53	11.00	Pass



Date: 3.APR.2026 06:43:41




Date: 3.APR.2026 06:46:21


Test Mode UNII-3_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.91	3.08	0.16	3.24	30.00	Pass
157	5785	-4.16	2.83	0.16	3.00	30.00	Pass
165	5825	-4.62	2.37	0.16	2.54	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 3.APR.2026 03:40:18



Date: 3.APR.2026 03:43:28




Date: 3.APR.2026 03:46:22


Test Mode UNII-3_TX N(HT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-4.38	2.61	0.20	2.81	30.00	Pass
157	5785	-4.89	2.10	0.20	2.29	30.00	Pass
165	5825	-4.88	2.11	0.20	2.31	30.00	Pass


NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 3.APR.2026 05:34:58



Date: 3.APR.2026 05:35:47




Date: 3.APR.2026 05:43:08


Test Mode UNII-3_TX N(HT40) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-7.64	-0.65	0.20	-0.45	30.00	Pass
159	5795	-7.99	-1.00	0.20	-0.79	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 3.APR.2026 06:18:39




Date: 3.APR.2026 06:19:22

Test Mode UNII-3_TX AC(VHT80) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-13.39	-6.40	0.22	-6.19	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$



Date: 3.APR.2026 06:47:06

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138.00	5179.9844
120.00	5179.9864
102.00	5179.9844
Maximum Deviation (MHz)	-0.0156
Maximum Deviation (ppm)	-3.0116

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-10.00	5179.9844
-5.00	5179.9840
5.00	5179.9844
15.00	5179.9864
25.00	5179.9864
35.00	5179.9856
45.00	5179.9856
55.00	5179.9856
Maximum Deviation (MHz)	-0.0160
Maximum Deviation (ppm)	-3.0888

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138.00	5259.9840
120.00	5259.9856
102.00	5259.9840
Maximum Deviation (MHz)	-0.0160
Maximum Deviation (ppm)	-3.0418

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-10.00	5259.9840
-5.00	5259.9860
5.00	5259.9844
15.00	5259.9856
25.00	5259.9856
35.00	5259.9852
45.00	5259.9856
55.00	5259.9852
Maximum Deviation (MHz)	-0.0160
Maximum Deviation (ppm)	-3.0418

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138.00	5499.9844
120.00	5499.9836
102.00	5499.9848
Maximum Deviation (MHz)	-0.0164
Maximum Deviation (ppm)	-2.9818

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-10.00	5499.9840
-5.00	5499.9836
5.00	5499.9832
15.00	5499.9832
25.00	5499.9836
35.00	5499.9836
45.00	5499.9816
55.00	5499.9840
Maximum Deviation (MHz)	-0.0184
Maximum Deviation (ppm)	-3.3455

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138.00	5744.9812
120.00	5744.9824
102.00	5744.9808
Maximum Deviation (MHz)	-0.0192
Maximum Deviation (ppm)	-3.3420

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-10.00	5744.9812
-5.00	5744.9812
5.00	5744.9816
15.00	5744.9816
25.00	5744.9824
35.00	5744.9824
45.00	5744.9832
55.00	5744.9840
Maximum Deviation (MHz)	-0.0188
Maximum Deviation (ppm)	-3.2724

End of Test Report