






Date: 2 APR 2026 20:01:12




Date: 2 APR 2026 20:01:17

Band66-1.4MHz-QPSK-131979-6RB#0-30~1000-PASS

Band66-1.4MHz-QPSK-131979-6RB#0-1000~3000-PASS




Date: 2 APR 2026 20:01:22




Date: 2 APR 2026 20:01:31

Band66-1.4MHz-QPSK-131979-6RB#0-3000~20000-PASS S

Band66-1.4MHz-QPSK-132322-1RB#0-30~1000-PASS




Date: 2 APR 2026 20:01:36




Date: 2 APR 2026 20:01:41

Band66-1.4MHz-QPSK-132322-1RB#0-1000~3000-PASS

Band66-1.4MHz-QPSK-132322-1RB#0-3000~20000-PASS




Date: 2 APR 2026 20:01:49




Date: 2 APR 2026 20:01:54

Band66-1.4MHz-QPSK-132322-1RB#5-30~1000-PASS

Band66-1.4MHz-QPSK-132322-1RB#5-1000~3000-PASS




Date: 2 APR 2026 20:01:59




Date: 2 APR 2026 20:02:07

Band66-1.4MHz-QPSK-132322-1RB#5-3000~20000-PASS

Band66-1.4MHz-QPSK-132322-6RB#0-30~1000-PASS




Date: 2 APR 2026 20:02:12




Date: 2 APR 2026 20:02:17

Band66-1.4MHz-QPSK-132322-6RB#0-1000~3000-PASS

Band66-1.4MHz-QPSK-132322-6RB#0-3000~20000-PASS




Date: 2 APR 2026 20:02:26




Date: 2 APR 2026 20:02:31

Band66-1.4MHz-QPSK-132665-1RB#0-30~1000-PASS

Band66-1.4MHz-QPSK-132665-1RB#0-1000~3000-PASS




Date: 2 APR 2026 20:02:36




Date: 2 APR 2026 20:02:44

Band66-1.4MHz-QPSK-132665-1RB#0-3000~20000-PASS

Band66-1.4MHz-QPSK-132665-1RB#5-30~1000-PASS




Date: 2 APR 2026 20:02:49




Date: 2 APR 2026 20:02:54

Band66-1.4MHz-QPSK-132665-1RB#5-1000~3000-PASS

Band66-1.4MHz-QPSK-132665-1RB#5-3000~20000-PASS




Date: 2 APR 2026 20:03:02




Date: 2 APR 2026 20:03:07

Band66-1.4MHz-QPSK-132665-6RB#0-30~1000-PASS

Band66-1.4MHz-QPSK-132665-6RB#0-1000~3000-PASS




Date: 2 APR 2026 20:03:12




Date: 2 APR 2026 20:57:43

Band66-1.4MHz-QPSK-132665-6RB#0-3000~20000-PASS S

Band66-20MHz-QPSK-132072-1RB#0-30~1000-PASS




Date: 2 APR 2026 20:57:48




Date: 2 APR 2026 20:57:53

Band66-20MHz-QPSK-132072-1RB#0-1000~3000-PASS

Band66-20MHz-QPSK-132072-1RB#0-3000~20000-PASS




Date: 2 APR 2026 20:58:01




Date: 2 APR 2026 20:58:06

Band66-20MHz-QPSK-132072-1RB#99-30~1000-PASS

Band66-20MHz-QPSK-132072-1RB#99-1000~3000-PASS




Date: 2 APR 2026 20:58:11




Date: 2 APR 2026 20:58:19

Band66-20MHz-QPSK-132072-1RB#99-3000~20000-PASS

Band66-20MHz-QPSK-132072-100RB#0-30~1000-PASS




Date: 2 APR 2026 20:58:24




Date: 2 APR 2026 20:58:29

Band66-20MHz-QPSK-132072-100RB#0-1000~3000-PASS

Band66-20MHz-QPSK-132072-100RB#0-3000~20000-PASS




Date: 2 APR 2026 20:58:38




Date: 2 APR 2026 20:58:43

Band66-20MHz-QPSK-132322-1RB#0-30~1000-PASS

Band66-20MHz-QPSK-132322-1RB#0-1000~3000-PASS




Date: 2 APR 2026 20:58:48




Date: 2 APR 2026 20:58:56

Band66-20MHz-QPSK-132322-1RB#0-3000~20000-PASS

Band66-20MHz-QPSK-132322-1RB#99-30~1000-PASS




Date: 2 APR 2026 20:59:01




Date: 2 APR 2026 20:59:06

Band66-20MHz-QPSK-132322-1RB#99-1000~3000-PASS

Band66-20MHz-QPSK-132322-1RB#99-3000~20000-PASS




Date: 2 APR 2026 20:59:14




Date: 2 APR 2026 20:59:19

Band66-20MHz-QPSK-132322-100RB#0-30~1000-PASS

Band66-20MHz-QPSK-132322-100RB#0-1000~3000-PASS




Date: 2 APR 2026 20:59:24




Date: 2 APR 2026 20:59:33

Band66-20MHz-QPSK-132322-100RB#0-3000~20000-PASS

Band66-20MHz-QPSK-132572-1RB#0-30~1000-PASS




Date: 2 APR 2026 20:59:38




Date: 2 APR 2026 20:59:43

Band66-20MHz-QPSK-132572-1RB#0-1000~3000-PASS

Band66-20MHz-QPSK-132572-1RB#0-3000~20000-PASS




Date: 2 APR 2026 20:59:51




Date: 2 APR 2026 20:59:56

Band66-20MHz-QPSK-132572-1RB#99-30~1000-PASS

Band66-20MHz-QPSK-132572-1RB#99-1000~3000-PASS




Date: 2 APR 2026 21:00:01




Date: 2 APR 2026 21:00:06

Band66-20MHz-QPSK-132572-1RB#99-3000~20000-PASS

Band66-20MHz-QPSK-132572-100RB#0-30~1000-PASS



Date: 2 APR 2026 21:00:13



Date: 2 APR 2026 21:00:18


Band66-20MHz-QPSK-132572-100RB#0-1000~3000-PASS

Band66-20MHz-QPSK-132572-100RB#0-3000~20000-PASS

APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)


Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 0°




Test Mode : TX Mode

Ant 90°



Test Mode : TX Mode


Ant 90°



APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode : WCDMA Band IV_TX Low CH


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	34.365	46.22	-12.39	33.83	82.30	-48.47	peak	
2	159.980	36.14	-10.68	25.46	82.30	-56.84	peak	
3	288.990	37.50	-10.02	27.48	82.30	-54.82	peak	
4	447.100	37.38	-6.15	31.23	82.30	-51.07	peak	
5	644.010	36.86	-2.95	33.91	82.30	-48.39	peak	
6 *	796.785	38.64	-0.21	38.43	82.30	-43.87	peak	

Test Mode : WCDMA Band IV_TX Low CH


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	44.33	-12.43	31.90	82.30	-50.40	peak	
2	161.435	36.56	-10.70	25.86	82.30	-56.44	peak	
3	309.845	36.65	-9.42	27.23	82.30	-55.07	peak	
4	447.100	37.53	-6.15	31.38	82.30	-50.92	peak	
5	504.815	37.19	-5.30	31.89	82.30	-50.41	peak	
6 *	640.615	37.52	-2.97	34.55	82.30	-47.75	peak	

Test Mode : WCDMA Band IV_TX Mid CH

Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	34.365	44.77	-12.39	32.38	82.30	-49.92	peak	
2	159.980	36.29	-10.68	25.61	82.30	-56.69	peak	
3	205.570	38.26	-13.72	24.54	82.30	-57.76	peak	
4	320.515	37.50	-9.13	28.37	82.30	-53.93	peak	
5	430.610	36.70	-6.67	30.03	82.30	-52.27	peak	
6 *	607.150	36.81	-3.06	33.75	82.30	-48.55	peak	

Test Mode : WCDMA Band IV_TX Mid CH


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	33.395	46.52	-12.45	34.07	82.30	-48.23	peak	
2	176.955	37.89	-11.51	26.38	82.30	-55.92	peak	
3	294.325	36.04	-9.88	26.16	82.30	-56.14	peak	
4	430.610	36.59	-6.67	29.92	82.30	-52.38	peak	
5	495.115	36.60	-5.44	31.16	82.30	-51.14	peak	
6	644.980	37.00	-2.95	34.05	82.30	-48.25	peak	

Test Mode : WCDMA Band IV_TX High CH


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	34.850	45.85	-12.34	33.51	82.30	-48.79	peak	
2	108.085	37.50	-14.36	23.14	82.30	-59.16	peak	
3	140.095	36.50	-11.17	25.33	82.30	-56.97	peak	
4	205.570	39.93	-13.72	26.21	82.30	-56.09	peak	
5	314.895	36.03	-9.29	26.74	82.30	-55.56	peak	
6	588.720	36.53	-3.46	33.07	82.30	-49.23	peak	

Test Mode : WCDMA Band IV_TX High CH


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	33.880	50.25	-12.43	37.82	82.30	-44.48	peak	
2	153.190	36.22	-10.62	25.60	82.30	-56.70	peak	
3	285.110	36.71	-10.13	26.58	82.30	-55.72	peak	
4	476.685	36.98	-5.69	31.29	82.30	-51.01	peak	
5	597.450	36.60	-3.17	33.43	82.30	-48.87	peak	
6	759.925	38.51	-0.98	37.53	82.30	-44.77	peak	

Test Mode : LTE Band 4_TX Low CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	33.395	46.02	-12.45	33.57	82.30	-48.73	peak	
2	54.250	37.10	-11.24	25.86	82.30	-56.44	peak	
3	162.405	36.42	-10.73	25.69	82.30	-56.61	peak	
4	269.105	36.82	-10.77	26.05	82.30	-56.25	peak	
5	383.565	37.87	-7.76	30.11	82.30	-52.19	peak	
6	540.705	36.89	-4.86	32.03	82.30	-50.27	peak	

Test Mode : LTE Band 4_TX Low CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	33.395	48.45	-12.45	36.00	82.30	-46.30	peak	
2	170.650	36.49	-10.94	25.55	82.30	-56.75	peak	
3	237.095	37.96	-12.05	25.91	82.30	-56.39	peak	
4	361.255	37.84	-8.43	29.41	82.30	-52.89	peak	
5	444.675	36.77	-6.23	30.54	82.30	-51.76	peak	
6	660.500	37.28	-2.72	34.56	82.30	-47.74	peak	


Test Mode : LTE Band 4_TX Mid CH_20MHz

Vertical




Test Mode : LTE Band 4_TX Mid CH_20MHz

Horizontal




Test Mode : LTE Band 4_TX High CH_20MHz

Vertical




Test Mode : LTE Band 4_TX High CH_20MHz

Horizontal



Test Mode : LTE Band 7_TX Low CH_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	33.880	46.20	-12.43	33.77	70.30	-36.53	peak	
2		164.345	40.58	-10.77	29.81	70.30	-40.49	peak	
3		288.020	36.33	-10.05	26.28	70.30	-44.02	peak	
4		404.420	37.64	-7.49	30.15	70.30	-40.15	peak	
5		556.710	37.53	-4.52	33.01	70.30	-37.29	peak	
6	*	668.260	37.96	-2.54	35.42	70.30	-34.88	peak	

Test Mode : LTE Band 7_TX Low CH_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	33.880	45.03	-12.43	32.60	70.30	-37.70	peak	
2		142.035	36.94	-11.07	25.87	70.30	-44.43	peak	
3		175.985	35.97	-11.41	24.56	70.30	-45.74	peak	
4		324.395	36.59	-9.03	27.56	70.30	-42.74	peak	
5		401.510	38.44	-7.58	30.86	70.30	-39.44	peak	
6		481.535	37.79	-5.63	32.16	70.30	-38.14	peak	

Test Mode : LTE Band 7_TX Mid CH_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	33.880	45.08	-12.43	32.65	70.30	-37.65	peak	
2		154.645	36.44	-10.63	25.81	70.30	-44.49	peak	
3		229.820	39.54	-12.93	26.61	70.30	-43.69	peak	
4		311.785	36.26	-9.37	26.89	70.30	-43.41	peak	
5		427.700	37.23	-6.76	30.47	70.30	-39.83	peak	
6		498.025	37.43	-5.40	32.03	70.30	-38.27	peak	

Test Mode : LTE Band 7_TX Mid CH_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	34.850	45.77	-12.34	33.43	70.30	-36.87	peak	
2		151.735	36.19	-10.61	25.58	70.30	-44.72	peak	
3		284.140	36.81	-10.16	26.65	70.30	-43.65	peak	
4		314.210	38.24	-9.31	28.93	70.30	-41.37	peak	
5		441.280	36.77	-6.34	30.43	70.30	-39.87	peak	
6		588.720	36.54	-3.46	33.08	70.30	-37.22	peak	

Test Mode : LTE Band 7_TX High CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	33.395	45.86	-12.45	33.41	70.30	-36.89	peak	
2		168.225	36.74	-10.85	25.89	70.30	-44.41	peak	
3		265.225	37.01	-10.92	26.09	70.30	-44.21	peak	
4		343.795	37.44	-8.83	28.61	70.30	-41.69	peak	
5		386.960	37.61	-7.73	29.88	70.30	-40.42	peak	
6		481.050	37.14	-5.63	31.51	70.30	-38.79	peak	

Test Mode : LTE Band 7_TX High CH_20MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	34.365	47.82	-12.39	35.43	70.30	-34.87	peak	
2		143.005	35.81	-11.00	24.81	70.30	-45.49	peak	
3		165.315	36.70	-10.78	25.92	70.30	-44.38	peak	
4		283.170	36.65	-10.19	26.46	70.30	-43.84	peak	
5		378.230	36.31	-7.84	28.47	70.30	-41.83	peak	
6		505.785	37.38	-5.29	32.09	70.30	-38.21	peak	

Test Mode : LTE Band 13_TX Mid CH_10MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		34.850	43.42	-2.34	41.08	82.30	-41.22	peak	
2		167.255	36.58	-0.83	35.75	82.30	-46.55	peak	
3		419.455	37.14	2.98	40.12	82.30	-42.18	peak	
4		588.235	36.35	6.53	42.88	82.30	-39.42	peak	
5		754.105	38.06	8.91	46.97	82.30	-35.33	peak	
6	*	955.380	38.06	11.47	49.53	82.30	-32.77	peak	

Test Mode : LTE Band 13_TX Mid CH_10MHz

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		34.365	46.58	-2.39	44.19	82.30	-38.11	peak	
2		152.220	36.40	-0.62	35.78	82.30	-46.52	peak	
3		372.410	36.51	2.00	38.51	82.30	-43.79	peak	
4		497.055	37.09	4.59	41.68	82.30	-40.62	peak	
5		672.140	37.44	7.54	44.98	82.30	-37.32	peak	
6	*	750.225	42.84	8.82	51.66	82.30	-30.64	peak	

Test Mode : LTE Band 38_TX Low CH_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	34.965	43.92	-12.39	31.53	70.30	-38.77	peak	
2		153.190	38.87	-10.62	28.25	70.30	-42.05	peak	
3		273.470	36.41	-10.59	25.82	70.30	-44.48	peak	
4		364.165	36.76	-8.31	28.45	70.30	-41.85	peak	
5		455.345	36.94	-5.98	30.96	70.30	-39.34	peak	
6	*	540.220	36.45	-4.86	31.59	70.30	-38.71	peak	

Test Mode : LTE Band 38_TX Low CH_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	35.335	46.52	-12.29	34.23	70.30	-36.07	peak	
2		137.670	37.07	-11.46	25.61	70.30	-44.69	peak	
3		212.845	38.74	-13.82	24.92	70.30	-45.38	peak	
4		283.655	36.71	-10.18	26.53	70.30	-43.77	peak	
5		460.195	37.22	-5.92	31.30	70.30	-39.00	peak	
6		578.535	37.57	-3.80	33.77	70.30	-36.53	peak	

Test Mode : LTE Band 38_TX Mid CH_20MHz


Vertical



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	34.850	45.92	-12.34	33.58	70.30	-36.72	peak	
2		152.705	38.00	-10.62	27.38	70.30	-42.92	peak	
3		217.210	38.95	-13.79	25.16	70.30	-45.14	peak	
4		240.490	39.99	-11.70	28.29	70.30	-42.01	peak	
5		401.025	37.13	-7.60	29.53	70.30	-40.77	peak	
6		469.410	37.66	-5.79	31.87	70.30	-38.43	peak	

Test Mode : LTE Band 38_TX Mid CH_20MHz


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	34.365	46.79	-12.39	34.40	70.30	-35.90	peak	
2		151.735	35.76	-10.61	25.15	70.30	-45.15	peak	
3		243.885	37.16	-11.62	25.54	70.30	-44.76	peak	
4		366.105	36.68	-8.23	28.45	70.30	-41.85	peak	
5		512.090	37.59	-5.22	32.37	70.30	-37.93	peak	
6		644.495	36.87	-2.95	33.92	70.30	-36.38	peak	

Test Mode : LTE Band 38_TX High CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	34.850	45.95	-12.34	33.61	70.30	-36.69	peak	
2		56.675	36.47	-11.34	25.13	70.30	-45.17	peak	
3		146.885	35.95	-10.78	25.17	70.30	-45.13	peak	
4		243.400	36.49	-11.64	24.85	70.30	-45.45	peak	
5		372.410	36.76	-8.00	28.76	70.30	-41.54	peak	
6		450.495	37.03	-6.05	30.98	70.30	-39.32	peak	

Test Mode : LTE Band 38_TX High CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	33.880	45.68	-12.43	33.25	70.30	-37.05	peak	
2		159.010	36.31	-10.66	25.65	70.30	-44.65	peak	
3		249.220	37.39	-11.51	25.88	70.30	-44.42	peak	
4		282.685	37.36	-10.21	27.15	70.30	-43.15	peak	
5		421.395	37.11	-6.96	30.15	70.30	-40.15	peak	
6		508.695	37.23	-5.26	31.97	70.30	-38.33	peak	

Test Mode : LTE Band 41_Low TX CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		33.880	44.88	-12.43	32.45	70.30	-37.85	peak	
2		161.435	36.96	-10.70	26.26	70.30	-44.04	peak	
3		189.565	36.87	-12.61	24.26	70.30	-46.04	peak	
4		368.045	38.17	-8.14	30.03	70.30	-40.27	peak	
5		517.910	37.48	-5.14	32.34	70.30	-37.96	peak	
6	*	592.600	38.37	-3.33	35.04	70.30	-35.26	peak	

Test Mode : LTE Band 41_Low TX CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	34.365	48.00	-12.39	35.61	70.30	-34.69	peak	
2		162.405	36.29	-10.73	25.56	70.30	-44.74	peak	
3		252.130	37.39	-11.41	25.98	70.30	-44.32	peak	
4		317.605	37.29	-9.20	28.09	70.30	-42.21	peak	
5		379.685	37.37	-7.81	29.56	70.30	-40.74	peak	
6		538.765	37.79	-4.88	32.91	70.30	-37.39	peak	

Test Mode : LTE Band 41_Mid TX CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	33.395	46.31	-12.45	33.86	70.30	-36.44	peak	
2		153.190	35.68	-10.62	25.06	70.30	-45.24	peak	
3		251.160	35.98	-11.44	24.54	70.30	-45.76	peak	
4		319.060	36.89	-9.17	27.72	70.30	-42.58	peak	
5		394.720	37.67	-7.67	30.00	70.30	-40.30	peak	
6		499.965	37.05	-5.37	31.68	70.30	-38.62	peak	

Test Mode : LTE Band 41_Mid TX CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	34.365	48.05	-12.39	35.66	70.30	-34.64	peak	
2		144.945	36.78	-10.89	25.89	70.30	-44.41	peak	
3		165.315	37.35	-10.78	26.57	70.30	-43.73	peak	
4		276.380	36.33	-10.45	25.88	70.30	-44.42	peak	
5		402.965	38.06	-7.54	30.52	70.30	-39.78	peak	
6		514.030	37.51	-5.19	32.32	70.30	-37.98	peak	

Test Mode : LTE Band 41_High TX CH_20MHz


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1	*	34.365	46.70	-12.39	34.31	70.30	-35.99	peak	
2		129.910	35.46	-12.38	23.08	70.30	-47.22	peak	
3		159.495	40.40	-10.67	29.73	70.30	-40.57	peak	
4		215.755	39.84	-13.80	26.04	70.30	-44.26	peak	
5		268.135	37.43	-10.82	26.61	70.30	-43.69	peak	
6		388.415	36.86	-7.73	29.13	70.30	-41.17	peak	

Test Mode : LTE Band 41_High TX CH_20MHz


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB		
1		35.820	41.32	-12.25	29.07	70.30	-41.23	peak	
2		168.710	36.65	-10.86	25.79	70.30	-44.51	peak	
3		305.965	36.96	-9.55	27.41	70.30	-42.89	peak	
4		432.065	37.12	-6.62	30.50	70.30	-39.80	peak	
5		557.195	36.41	-4.50	31.91	70.30	-38.39	peak	
6	*	688.745	36.63	-2.53	34.10	70.30	-36.20	peak	

Test Mode : LTE Band 66_TX Low CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	33.880	48.18	-12.43	35.75	82.30	-46.55	peak	
2	146.885	35.79	-10.78	25.01	82.30	-57.29	peak	
3	227.880	39.92	-13.10	26.82	82.30	-55.48	peak	
4	310.330	35.85	-9.41	26.44	82.30	-55.86	peak	
5	487.355	36.93	-5.54	31.39	82.30	-50.91	peak	
6	669.715	37.58	-2.51	35.07	82.30	-47.23	peak	

Test Mode : LTE Band 66_TX Low CH_20MHz


Horizontal



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	33.880	45.31	-12.43	32.88	82.30	-49.42	peak	
2	163.860	36.46	-10.75	25.71	82.30	-56.59	peak	
3	293.355	37.24	-9.90	27.34	82.30	-54.96	peak	
4	431.580	36.98	-8.64	30.34	82.30	-51.96	peak	
5	554.770	36.80	-4.58	32.22	82.30	-50.08	peak	
6 *	711.910	37.42	-1.69	35.73	82.30	-46.57	peak	

Test Mode : LTE Band 66_TX Mid CH_20MHz


Vertical



No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	33.880	45.10	-12.43	32.67	82.30	-49.63	peak	
2	135.730	35.00	-11.69	23.31	82.30	-58.99	peak	
3	181.805	36.32	-11.94	24.38	82.30	-57.92	peak	
4	229.820	40.67	-12.93	27.74	82.30	-54.56	peak	
5	300.630	36.98	-9.72	27.26	82.30	-55.04	peak	
6	389.870	36.77	-7.71	29.06	82.30	-53.24	peak	

Test Mode : LTE Band 66_TX Mid CH_20MHz

Horizontal




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1 *	33.395	45.57	-12.45	33.12	82.30	-49.18	peak	
2	146.400	36.62	-10.80	25.82	82.30	-56.48	peak	
3	240.975	36.30	-11.69	24.61	82.30	-57.69	peak	
4	291.415	37.30	-9.96	27.34	82.30	-54.96	peak	
5	364.165	37.56	-8.31	29.25	82.30	-53.05	peak	
6	503.845	38.00	-5.33	32.67	82.30	-49.63	peak	

Test Mode : LTE Band 66_TX High CH_20MHz


Test Mode : LTE Band 66_TX High CH_20MHz

Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
1	*	34.850	47.95	-12.34	35.61	82.30	-46.69	peak	
2		164.830	36.66	-10.77	25.89	82.30	-56.41	peak	
3		267.650	36.35	-10.83	25.52	82.30	-56.78	peak	
4		390.355	37.25	-7.71	29.54	82.30	-52.76	peak	
5		495.115	37.28	-5.44	31.84	82.30	-50.46	peak	
6		612.485	37.06	-3.04	34.02	82.30	-48.28	peak	

Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
1	*	33.880	45.53	-12.43	33.10	82.30	-49.20	peak	
2		58.130	36.31	-11.43	24.88	82.30	-57.42	peak	
3		148.340	36.25	-10.69	25.56	82.30	-56.74	peak	
4		262.315	39.17	-11.03	28.14	82.30	-54.16	peak	
5		358.830	38.41	-8.52	29.89	82.30	-52.41	peak	
6		453.890	37.54	-6.00	31.54	82.30	-50.76	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)