






Date: 2 APR 2026 21:05:39




Date: 2 APR 2026 21:05:51

Band66-20MHz-QPSK-132572-1RB#0-PASS

Band66-20MHz-QPSK-132572-100RB#0-PASS




Date: 2 APR 2026 21:05:48




Date: 2 APR 2026 21:06:00

Band66-20MHz-64QAM-132572-1RB#0-PASS

Band66-20MHz-64QAM-132572-100RB#0-PASS



Date: 2 APR 2026 21:05:44



Date: 2 APR 2026 21:05:56

Band66-20MHz-16QAM-132572-1RB#0-PASS

Band66-20MHz-16QAM-132572-100RB#0-PASS

APPENDIX I - FREQUENCY STABILITY

For WCDMA

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band4	1312	VN	NT	1710.3221	1714.4679	1710-1755	PASS
Band4	1312	VL	NT	1710.3221	1714.4779	1710-1755	PASS
Band4	1312	VH	NT	1710.3221	1714.4679	1710-1755	PASS
Band4	1413	VN	NT	1730.5221	1734.6779	1710-1755	PASS
Band4	1413	VL	NT	1730.5221	1734.6779	1710-1755	PASS
Band4	1413	VH	NT	1730.5121	1734.6879	1710-1755	PASS
Band4	1513	VN	NT	1750.5221	1754.6679	1710-1755	PASS
Band4	1513	VL	NT	1750.5121	1754.6779	1710-1755	PASS
Band4	1513	VH	NT	1750.5221	1754.6679	1710-1755	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band4	1312	NV	-30	1710.3221	1714.4779	1710-1755	PASS
Band4	1312	NV	-20	1710.3221	1714.4779	1710-1755	PASS
Band4	1312	NV	-10	1710.3221	1714.4779	1710-1755	PASS
Band4	1312	NV	0	1710.3221	1714.4779	1710-1755	PASS
Band4	1312	NV	10	1710.3221	1714.4779	1710-1755	PASS
Band4	1312	NV	20	1710.3221	1714.4679	1710-1755	PASS
Band4	1312	NV	30	1710.3321	1714.4679	1710-1755	PASS
Band4	1312	NV	40	1710.3221	1714.4779	1710-1755	PASS
Band4	1312	NV	50	1710.3221	1714.4879	1710-1755	PASS
Band4	1413	NV	-30	1730.5221	1734.6879	1710-1755	PASS
Band4	1413	NV	-20	1730.5121	1734.6779	1710-1755	PASS
Band4	1413	NV	-10	1730.5121	1734.6779	1710-1755	PASS
Band4	1413	NV	0	1730.5221	1734.6879	1710-1755	PASS
Band4	1413	NV	10	1730.5121	1734.6879	1710-1755	PASS
Band4	1413	NV	20	1730.5221	1734.6779	1710-1755	PASS
Band4	1413	NV	30	1730.5221	1734.6779	1710-1755	PASS
Band4	1413	NV	40	1730.5221	1734.6879	1710-1755	PASS
Band4	1413	NV	50	1730.5221	1734.6779	1710-1755	PASS
Band4	1513	NV	-30	1750.5221	1754.6779	1710-1755	PASS
Band4	1513	NV	-20	1750.5221	1754.6679	1710-1755	PASS
Band4	1513	NV	-10	1750.5221	1754.6779	1710-1755	PASS
Band4	1513	NV	0	1750.5121	1754.6779	1710-1755	PASS
Band4	1513	NV	10	1750.5221	1754.6679	1710-1755	PASS
Band4	1513	NV	20	1750.5221	1754.6779	1710-1755	PASS
Band4	1513	NV	30	1750.5121	1754.6779	1710-1755	PASS
Band4	1513	NV	40	1750.5221	1754.6779	1710-1755	PASS
Band4	1513	NV	50	1750.5221	1754.6679	1710-1755	PASS

Note: Nominal voltage= 3.92V, Maximum voltage= 4.4V, Minimum voltage= 3.7V.

For LTE

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band4	20MHz	QPSK	20050	100RB#0	VN	NT	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20050	100RB#0	VL	NT	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20050	100RB#0	VH	NT	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	VN	NT	1723.5889	1741.4510	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	VL	NT	1723.5889	1741.4510	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	VH	NT	1723.5490	1741.4510	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	VN	NT	1736.0490	1753.9510	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	VL	NT	1736.0490	1753.9111	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	VH	NT	1736.0490	1753.9510	1710-1755	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band4	20MHz	QPSK	20050	100RB#0	NV	-30	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20050	100RB#0	NV	-20	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20050	100RB#0	NV	-10	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20050	100RB#0	NV	0	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20050	100RB#0	NV	10	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20050	100RB#0	NV	20	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20050	100RB#0	NV	30	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20050	100RB#0	NV	40	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20050	100RB#0	NV	50	1711.0889	1728.9510	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	-30	1723.5889	1741.4111	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	-20	1723.5490	1741.4510	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	-10	1723.5889	1741.4111	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	0	1723.5889	1741.4510	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	10	1723.5889	1741.4510	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	20	1723.5889	1741.4510	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	30	1723.5490	1741.4510	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	40	1723.5889	1741.4510	1710-1755	PASS
Band4	20MHz	QPSK	20175	100RB#0	NV	50	1723.5889	1741.4510	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	NV	-30	1736.0490	1753.9510	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	NV	-20	1736.0490	1753.9510	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	NV	-10	1736.0490	1753.9111	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	NV	0	1736.0490	1753.9510	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	NV	10	1736.0490	1753.9111	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	NV	20	1736.0490	1753.9510	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	NV	30	1736.0490	1753.9111	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	NV	40	1736.0490	1753.9510	1710-1755	PASS
Band4	20MHz	QPSK	20300	100RB#0	NV	50	1736.0490	1753.9111	1710-1755	PASS

Note: Nominal voltage= 3.92V, Maximum voltage= 4.4V, Minimum voltage= 3.7V.

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band7	20MHz	QPSK	20850	100RB#0	VN	NT	2501.0889	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	20850	100RB#0	VL	NT	2501.0889	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	20850	100RB#0	VH	NT	2501.0889	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	VN	NT	2526.0490	2543.9111	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	VL	NT	2526.0490	2543.9510	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	VH	NT	2526.0490	2543.9510	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	VN	NT	2551.0090	2568.9111	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	VL	NT	2551.0490	2568.9111	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	VH	NT	2551.0490	2568.9111	2500-2570	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band7	20MHz	QPSK	20850	100RB#0	NV	-30	2501.0889	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	-20	2501.0889	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	-10	2501.0490	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	0	2501.0889	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	10	2501.0889	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	20	2501.0490	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	30	2501.0490	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	40	2501.0490	2518.9111	2500-2570	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	50	2501.0889	2518.9510	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	-30	2526.0490	2543.9111	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	-20	2526.0490	2543.9111	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	-10	2526.0490	2543.9111	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	0	2526.0490	2543.9510	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	10	2526.0490	2543.9510	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	20	2526.0490	2543.9111	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	30	2526.0490	2543.9510	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	40	2526.0490	2543.9510	2500-2570	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	50	2526.0490	2543.9510	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	-30	2551.0490	2568.9111	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	-20	2551.0490	2568.9111	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	-10	2551.0490	2568.9111	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	0	2551.0490	2568.9111	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	10	2551.0490	2568.9111	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	20	2551.0490	2568.9111	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	30	2551.0490	2568.9111	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	40	2551.0490	2568.9111	2500-2570	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	50	2551.0490	2568.8711	2500-2570	PASS

Note: Nominal voltage= 3.92V, Maximum voltage= 4.4V, Minimum voltage= 3.7V.

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band13	10MHz	QPSK	23230	50RB#0	VN	NT	777.5245	786.4755	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	VL	NT	777.5245	786.4755	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	VH	NT	777.5245	786.4755	777-787	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band13	10MHz	QPSK	23230	50RB#0	NV	-30	777.5245	786.4755	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	-20	777.5245	786.4755	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	-10	777.5245	786.4755	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	0	777.5245	786.4755	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	10	777.5245	786.4755	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	20	777.5245	786.4755	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	30	777.5245	786.4755	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	40	777.5245	786.4755	777-787	PASS
Band13	10MHz	QPSK	23230	50RB#0	NV	50	777.5245	786.4755	777-787	PASS

Note: Nominal voltage= 3.92V, Maximum voltage= 4.4V, Minimum voltage= 3.7V.

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band38	20MHz	QPSK	37850	100RB#0	VN	NT	2571.0490	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	37850	100RB#0	VL	NT	2571.0889	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	37850	100RB#0	VH	NT	2571.0490	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	VN	NT	2586.0490	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	VL	NT	2586.0490	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	VH	NT	2586.0490	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	VN	NT	2601.0490	2618.9111	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	VL	NT	2601.0490	2618.9111	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	VH	NT	2601.0490	2618.9510	2570-2620	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band38	20MHz	QPSK	37850	100RB#0	NV	-30	2571.0490	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	37850	100RB#0	NV	-20	2571.0490	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	37850	100RB#0	NV	-10	2571.0889	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	37850	100RB#0	NV	0	2571.0490	2588.9111	2570-2620	PASS
Band38	20MHz	QPSK	37850	100RB#0	NV	10	2571.0889	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	37850	100RB#0	NV	20	2571.0889	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	37850	100RB#0	NV	30	2571.0889	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	37850	100RB#0	NV	40	2571.0889	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	37850	100RB#0	NV	50	2571.0889	2588.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	NV	-30	2586.0490	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	NV	-20	2586.0889	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	NV	-10	2586.0889	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	NV	0	2586.0490	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	NV	10	2586.0490	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	NV	20	2586.0889	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	NV	30	2586.0889	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	NV	40	2586.0889	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38000	100RB#0	NV	50	2586.0490	2603.9510	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	NV	-30	2601.0490	2618.9111	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	NV	-20	2601.0490	2618.9111	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	NV	-10	2601.0490	2618.9111	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	NV	0	2601.0490	2618.9111	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	NV	10	2601.0490	2618.9510	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	NV	20	2601.0490	2618.9111	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	NV	30	2601.0490	2618.9111	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	NV	40	2601.0490	2618.9510	2570-2620	PASS
Band38	20MHz	QPSK	38150	100RB#0	NV	50	2601.0490	2618.9510	2570-2620	PASS

Note: Nominal voltage= 3.92V, Maximum voltage= 4.4V, Minimum voltage= 3.7V.

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band41	20MHz	QPSK	39750	100RB#0	VN	NT	2497.0889	2514.9111	2496-2690	PASS
Band41	20MHz	QPSK	39750	100RB#0	VL	NT	2497.0889	2514.9510	2496-2690	PASS
Band41	20MHz	QPSK	39750	100RB#0	VH	NT	2497.0889	2514.9510	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	VN	NT	2584.0490	2601.9510	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	VL	NT	2584.0889	2601.9111	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	VH	NT	2584.0889	2601.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	VN	NT	2671.0490	2688.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	VL	NT	2671.0490	2688.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	VH	NT	2671.0490	2688.9111	2496-2690	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band41	20MHz	QPSK	39750	100RB#0	NV	-30	2497.0889	2514.9510	2496-2690	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	-20	2497.0889	2514.9510	2496-2690	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	-10	2497.0889	2514.9111	2496-2690	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	0	2497.0490	2514.9111	2496-2690	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	10	2497.0889	2514.9111	2496-2690	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	20	2497.0889	2514.9111	2496-2690	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	30	2497.0889	2514.9510	2496-2690	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	40	2497.0889	2514.9111	2496-2690	PASS
Band41	20MHz	QPSK	39750	100RB#0	NV	50	2497.0490	2514.9111	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	-30	2584.0490	2601.9510	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	-20	2584.0090	2601.9510	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	-10	2584.0889	2601.9111	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	0	2584.0889	2601.9111	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	10	2584.0490	2601.9111	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	20	2584.0490	2601.9510	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	30	2584.0889	2601.9510	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	40	2584.0490	2601.9111	2496-2690	PASS
Band41	20MHz	QPSK	40620	100RB#0	NV	50	2584.0889	2601.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	-30	2671.0889	2688.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	-20	2671.0490	2688.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	-10	2671.0490	2688.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	0	2671.0889	2688.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	10	2671.0490	2688.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	20	2671.0490	2688.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	30	2671.0490	2688.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	40	2671.0490	2688.9111	2496-2690	PASS
Band41	20MHz	QPSK	41490	100RB#0	NV	50	2671.0490	2688.9111	2496-2690	PASS

Note: Nominal voltage= 3.92V, Maximum voltage= 4.4V, Minimum voltage= 3.7V.

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band66	20MHz	QPSK	132072	100RB#0	VN	NT	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132072	100RB#0	VL	NT	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132072	100RB#0	VH	NT	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	VN	NT	1736.0490	1753.9111	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	VL	NT	1736.0490	1753.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	VH	NT	1736.0490	1753.9111	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	VN	NT	1761.0490	1778.9111	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	VL	NT	1761.0490	1778.9111	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	VH	NT	1761.0490	1778.9111	1710-1780	PASS

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band66	20MHz	QPSK	132072	100RB#0	NV	-30	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	-20	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	-10	1711.0490	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	0	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	10	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	20	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	30	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	40	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132072	100RB#0	NV	50	1711.0889	1728.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	-30	1736.0889	1753.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	-20	1736.0490	1753.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	-10	1736.0490	1753.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	0	1736.0490	1753.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	10	1736.0490	1753.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	20	1736.0889	1753.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	30	1736.0490	1753.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	40	1736.0889	1753.9510	1710-1780	PASS
Band66	20MHz	QPSK	132322	100RB#0	NV	50	1736.0490	1753.9111	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	-30	1761.0490	1778.9111	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	-20	1761.0490	1778.9510	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	-10	1761.0490	1778.9111	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	0	1761.0490	1778.9111	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	10	1761.0490	1778.9111	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	20	1761.0490	1778.9111	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	30	1761.0490	1778.9111	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	40	1761.0490	1778.9510	1710-1780	PASS
Band66	20MHz	QPSK	132572	100RB#0	NV	50	1761.0490	1778.9111	1710-1780	PASS

Note: Nominal voltage= 3.92V, Maximum voltage= 4.4V, Minimum voltage= 3.7V.

End of Test Report