


Test Mode UNII-2A_TX N(HT40) Mode


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	57.100	37.134
62	5310	60.100	37.125

CH54

CH62
26 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	110.800	76.185

CH58 26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	36.180	17.654
116	5580	35.220	17.816
140	5700	37.260	17.781


CH100

CH116
26 dB Bandwidth

CH140



99 % Occupied Bandwidth




Test Mode UNII-2C_TX N(HT20) Mode

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	37.980	18.373
116	5580	39.960	18.566
140	5700	39.480	18.669


CH100

CH116
26 dB Bandwidth

CH140



99 % Occupied Bandwidth



Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	63.400	37.146
110	5550	63.600	37.173
134	5670	67.500	37.369


CH102

CH110
26 dB Bandwidth

CH134



99 % Occupied Bandwidth




Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	113.400	76.278
122	5610	116.200	76.141

CH106

CH122
26 dB Bandwidth



99 % Occupied Bandwidth




Test Mode UNII-3_TX A Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	16.320	17.715	0.5	Pass
157	5785	16.320	18.050	0.5	Pass
165	5825	16.320	17.826	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165



99 % Occupied Bandwidth




Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.280	18.450	0.5	Pass
157	5785	17.280	18.767	0.5	Pass
165	5825	17.280	18.711	0.5	Pass


CH149

CH157
6 dB Bandwidth

CH165




99 % Occupied Bandwidth




Test Mode UNII-3_TX N(HT40) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.700	37.069	0.5	Pass
159	5795	35.800	37.135	0.5	Pass



CH151



CH159
6 dB Bandwidth




99 % Occupied Bandwidth




Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.600	76.177	0.5	Pass

CH155 6 dB Bandwidth



99 % Occupied Bandwidth



APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.48	0.45	15.93	23.98	0.2500	Pass
40	5200	16.93	0.45	17.38	23.98	0.2500	Pass
48	5240	16.78	0.45	17.23	23.98	0.2500	Pass

Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	14.47	0.53	15.00	23.98	0.2500	Pass
40	5200	16.75	0.53	17.28	23.98	0.2500	Pass
48	5240	16.68	0.53	17.21	23.98	0.2500	Pass

Test Mode	UNII-1_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	13.64	1.00	14.64	23.98	0.2500	Pass
46	5230	15.27	1.00	16.27	23.98	0.2500	Pass

Test Mode	UNII-1_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.59	1.81	13.40	23.98	0.2500	Pass

Test Mode	UNII-2A_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.86	0.45	17.31	23.98	0.2500	Pass
60	5300	16.34	0.45	16.79	23.98	0.2500	Pass
64	5320	15.23	0.45	15.68	23.98	0.2500	Pass

Test Mode	UNII-2A_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.72	0.53	17.25	23.98	0.2500	Pass
60	5300	16.22	0.53	16.75	23.98	0.2500	Pass
64	5320	15.11	0.53	15.64	23.98	0.2500	Pass

Test Mode	UNII-2A_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	15.09	1.00	16.09	23.98	0.2500	Pass
62	5310	14.02	1.00	15.02	23.98	0.2500	Pass

Test Mode	UNII-2A_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.71	1.81	14.52	23.98	0.2500	Pass

Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.59	0.45	16.04	23.98	0.2500	Pass
116	5580	16.83	0.45	17.28	23.98	0.2500	Pass
140	5700	15.72	0.45	16.17	23.98	0.2500	Pass

Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.62	0.53	17.15	23.98	0.2500	Pass
116	5580	16.75	0.53	17.28	23.98	0.2500	Pass
140	5700	15.73	0.53	16.26	23.98	0.2500	Pass

Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.34	1.00	15.34	23.98	0.2500	Pass
110	5550	15.27	1.00	16.27	23.98	0.2500	Pass
134	5670	15.32	1.00	16.32	23.98	0.2500	Pass

Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	10.94	1.81	12.75	23.98	0.2500	Pass
122	5610	14.48	1.81	16.29	23.98	0.2500	Pass

Test Mode	UNII-3_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.92	0.45	17.37	30.00	1.0000	Pass
157	5785	17.31	0.45	17.76	30.00	1.0000	Pass
165	5825	17.19	0.45	17.64	30.00	1.0000	Pass

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.43	0.53	16.96	30.00	1.0000	Pass
157	5785	16.85	0.53	17.38	30.00	1.0000	Pass
165	5825	16.77	0.53	17.30	30.00	1.0000	Pass

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	15.13	1.00	16.13	30.00	1.0000	Pass
159	5795	15.54	1.00	16.54	30.00	1.0000	Pass

Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor (dB)	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	15.17	1.81	16.98	30.00	1.0000	Pass


Note: Output power = Measure result + Cable loss

APPENDIX G - POWER SPECTRAL DENSITY


Test Mode	UNII-1_TX A Mode
-----------	------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.13	0.45	6.58	11.00	Pass
40	5200	6.07	0.45	6.52	11.00	Pass
48	5240	6.09	0.45	6.54	11.00	Pass


CH36



CH40




CH48




Test Mode	UNII-1_TX N(HT20) Mode
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.69	0.53	6.22	11.00	Pass
40	5200	5.54	0.53	6.07	11.00	Pass
48	5240	5.41	0.53	5.94	11.00	Pass


CH36



CH40




CH48




Test Mode UNII-1_TX N(HT40) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.34	1.00	2.34	11.00	Pass
46	5230	1.58	1.00	2.58	11.00	Pass

CH38




CH46



Test Mode UNII-1_TX AC(VHT80) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-2.37	1.81	-0.56	11.00	Pass


CH42




Test Mode UNII-2A_TX A Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.84	0.45	6.30	11.00	Pass
60	5300	5.36	0.45	5.81	11.00	Pass
64	5320	5.02	0.45	5.47	11.00	Pass


CH52



CH60




CH64




Test Mode UNII-2A_TX N(HT20) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.60	0.53	6.13	11.00	Pass
60	5300	5.03	0.53	5.57	11.00	Pass
64	5320	4.59	0.53	5.13	11.00	Pass


CH52



CH60




CH64




Test Mode UNII-2A_TX N(HT40) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.32	1.00	2.32	11.00	Pass
62	5310	0.39	1.00	1.39	11.00	Pass

CH54




CH62



Test Mode UNII-2A_TX AC(VHT80) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-2.35	1.81	-0.53	11.00	Pass


CH58




Test Mode	UNII-2C_TX A Mode
-----------	-------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.67	0.45	6.12	11.00	Pass
116	5580	5.89	0.45	6.34	11.00	Pass
140	5700	5.68	0.45	6.13	11.00	Pass


CH100



CH116




CH140




Test Mode	UNII-2C_TX N(HT20) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.42	0.53	5.95	11.00	Pass
116	5580	5.30	0.53	5.83	11.00	Pass
140	5700	5.65	0.53	6.18	11.00	Pass


CH100



CH116




CH140




Test Mode	UNII-2C_TX N(HT40) Mode
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.38	1.00	2.38	11.00	Pass
110	5550	1.51	1.00	2.51	11.00	Pass
134	5670	1.40	1.00	2.40	11.00	Pass


CH102



CH110




CH134




Test Mode	UNII-2C_TX AC(VHT80) Mode
-----------	---------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.36	1.81	-0.54	11.00	Pass
122	5610	-2.31	1.81	-0.50	11.00	Pass

CH106



CH122




Test Mode UNII-3_TX A Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.20	3.79	0.45	4.24	30.00	Pass
157	5785	-2.76	4.23	0.45	4.68	30.00	Pass
165	5825	-2.71	4.28	0.45	4.73	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3_TX N(HT20) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	-3.32	3.67	0.53	4.20	30.00	Pass
157	5785	-3.74	3.25	0.53	3.78	30.00	Pass
165	5825	-2.96	4.03	0.53	4.56	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$


CH149



CH157



CH165




Test Mode UNII-3_TX N(HT40) Mode


Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	-8.71	-1.72	1.00	-0.72	30.00	Pass
159	5795	-7.98	-0.99	1.00	0.01	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH151



CH159




Test Mode UNII-3_TX AC(VHT80) Mode

Channel	Frequency (MHz)	Power Spectral Density (dBm/100 kHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor (dB)	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-11.30	-4.31	1.81	-2.49	30.00	Pass

NOTE: $PSD_{dBm/500\text{ kHz}} = PSD_{dBm/100\text{ kHz}} + 10 \times \log(500\text{ kHz} / 100\text{ kHz}) = PSD_{dBm/100\text{ kHz}} + 6.99\text{ dB}$

CH155



APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
138.00	5179.9778
120.00	5179.9778
102.00	5179.9784
Maximum Deviation (MHz)	-0.0222
Maximum Deviation (ppm)	-4.2857

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
-10.00	5179.9788
-5.00	5179.9796
5.00	5179.9788
15.00	5179.9782
25.00	5179.9778
35.00	5179.9772
45.00	5179.9768
55.00	5179.9762
Maximum Deviation (MHz)	-0.0238
Maximum Deviation (ppm)	-4.5907

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
138.00	5259.9776
120.00	5259.9772
102.00	5259.9776
Maximum Deviation (MHz)	-0.0228
Maximum Deviation (ppm)	-4.3346

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
-10.00	5259.9790
-5.00	5259.9790
5.00	5259.9784
15.00	5259.9782
25.00	5259.9772
35.00	5259.9770
45.00	5259.9764
55.00	5259.9760
Maximum Deviation (MHz)	-0.0240
Maximum Deviation (ppm)	-4.5589

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
138.00	5499.9766
120.00	5499.9760
102.00	5499.9768
Maximum Deviation (MHz)	-0.0240
Maximum Deviation (ppm)	-4.3636

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
-10.00	5499.9784
-5.00	5499.9778
5.00	5499.9774
15.00	5499.9772
25.00	5499.9760
35.00	5499.9754
45.00	5499.9754
55.00	5499.9750
Maximum Deviation (MHz)	-0.0250
Maximum Deviation (ppm)	-4.5418

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
138.00	5744.9758
120.00	5744.9752
102.00	5744.9760
Maximum Deviation (MHz)	-0.0248
Maximum Deviation (ppm)	-4.3168

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
-10.00	5744.9784
-5.00	5744.9770
5.00	5744.9768
15.00	5744.9766
25.00	5744.9752
35.00	5744.9748
45.00	5744.9744
55.00	5744.9744
Maximum Deviation (MHz)	-0.0256
Maximum Deviation (ppm)	-4.4508

End of Test Report