External Photos of the EUT

Fig. 1

Fig. 2

RISK OF ELECTRIC SHOCK / RISQUE DE CHOC ÉLECTRIQUE
DRY LOCATION USE ONLY / ENDROIT SEC SEULEMENT
XING YUAN ELECTRONICS CO., LTD
NAME : CLASS 2 POWER UNIT
MODEL NO : XY24SR-120150VQ-UW
INPUT : 100-240V~ 50/60Hz 0.6A Max
OUTPUT : 12V 1.5A
CONFORMS TO UL STD.1310
CERTIFIED TO CSA STD.C22.2 NO.223
C US
Intertek
5003784
2335 MADE IN CHINA
See instruction manual for use in countries other than the U.S.A

Fig. 3

XING YUAN ELECTRONICS CO., LTD
NAME : CLASS 2 POWER UNIT
MODEL NO.: XY36SC-120300VQ-UW
INPUT : 100-240V~ 50/60Hz 0.9A Max
OUTPUT : 12V 3.0000A
See instruction manual for use in countries other than the U.S.A
CONFORMS TO UL STD.1310
CERTIFIED TO CSA STD.C22.2 NO.223
CAUTION/ATTENTION:
RISK OF ELECTRIC SHOCK /
RISQUE DE CHOC ÉLECTRIQUE
DRY LOCATION USE ONLY /
ENDROIT SEC SEULEMENT
MADE IN CHINA 2330.
C US
Intertek
5003784

Fig. 4

Fig. 5



Fig. 6

Fig. 7

Fig. 8

Fig. 9

Fig. 10