

Test Mode

Please refer to the clause 2.3.


Test Result**9 KHz~30 MHz and 18GHz~25GHz**


From 9 KHz~30 MHz and 18GHz~25GHz: Conclusion: PASS

Note:


- 1) Measurement = Reading level + Correct Factor
Correct Factor=Antenna Factor + Cable Loss -Preamplifier Factor
- 2) The peak level is lower than average limit(54 dBuV/m), this data is the too weak instrument of signal is unable to test.
- 3) The emission levels of other frequencies are very lower than the limit and not show in test report.
- 4) The amplitude of spurious emissions which are attenuated by more than 20dB below the permissible value has no need to be reported.
- 5) Pre-scan CH00, CH19 and CH39 modulation, and found the CH00 which it is worse case for 30MHz-1GHz , so only show the test data for worse case.


30MHz-1GHz






Adobe 1GHz






Test Voltage:	DC 3.7V
Ant. Pol.	Horizontal
Test Mode:	TX BLE Mode 2440MHz
Remark:	No report for the emission which more than 10 dB below the prescribed limit.




No.	Mk.	Freq. MHz	Reading Level (dBuV)	Correct Factor (dB/m)	Measure- ment (dBuV/m)	Limit (dBuV/m)	Over (dB)	Detector
1		1348.500	50.73	-11.94	38.79	74.00	-35.21	peak
2		1861.900	50.25	-11.18	39.07	74.00	-34.93	peak
3		1996.200	50.61	-11.06	39.55	74.00	-34.45	peak
4		2657.500	53.38	-10.78	42.60	74.00	-31.40	peak
5		4879.400	58.20	-5.72	52.48	74.00	-21.52	peak
6	*	7320.600	52.95	0.27	53.22	74.00	-20.78	peak

Emission Level= Read Level+ Correct Factor




Test Voltage:	DC 3.7V
Ant. Pol.	Horizontal
Test Mode:	TX BLE Mode 2480MHz
Remark:	No report for the emission which more than 10 dB below the prescribed limit.



No.	Mk.	Freq. MHz	Reading Level (dBuV)	Correct Factor (dB/m)	Measure- ment (dBuV/m)	Limit (dBuV/m)	Over (dB)	Detector
1		1346.800	51.53	-11.94	39.59	74.00	-34.41	peak
2		1865.300	52.28	-11.17	41.11	74.00	-32.89	peak
3		1994.500	51.26	-11.07	40.19	74.00	-33.81	peak
4		2599.700	51.98	-10.82	41.16	74.00	-32.84	peak
5	*	4959.300	58.45	-5.51	52.94	74.00	-21.06	peak
6		7439.600	52.13	0.64	52.77	74.00	-21.23	peak

Emission Level= Read Level+ Correct Factor



4.EUT TEST PHOTOS

Reference to the document No.: Test Photos.

5. PHOTOGRAPHS OF EUT CONSTRUCTIONAL

Reference to the document No.: External Photos and Internal Photos.

*****THE END*****