






802.11n(HT20)\_2437



802.11n(HT20)\_2462



802.11n(HT40)\_2422

CTC Laboratories, Inc.


1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China: [yz.cnca.cn](http://yz.cnca.cn)



802.11n(HT40)\_2437



802.11n(HT40)\_2452



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059

Fax: (86)755-27521011 Http://www.sz-ctc.org.cn



For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China: [yz.cnca.cn](http://yz.cnca.cn)




### 3.8. Duty Cycle

#### Limit

None, for report purposes only.

#### Test Configuration



#### Test Procedure

1. The EUT was directly connected to the spectrum analyzer and antenna output port as show in the block diagram above.
2. The EUT was directly connected to the Spectrum Analyzer and antenna output port as show in the block diagram above. The measurement according to section 10.2 of KDB 558074 D01 DTS Meas Guidance v05r02.
3. Spectrum Setting:  
Set analyzer center frequency to DTS channel center frequency.  
Set the span to 0Hz  
Set the RBW to 8MHz  
Set the VBW to 8MHz  
Detector: peak  
Sweep time: auto  
Allow trace to fully stabilize. Then use the peak marker function to determine the maximum amplitude level.

#### Test Mode

Please refer to the clause 2.4.

#### Test Result

| Test Mode     | Channel | Transmission Duration [ms] | Transmission Period [ms] | Duty Cycle [%] | Duty Cycle Factor | 1/T Minimum VBW (kHz) | Final setting For VBW (kHz) |
|---------------|---------|----------------------------|--------------------------|----------------|-------------------|-----------------------|-----------------------------|
| 802.11b       | 2412    | 8.39                       | 8.42                     | 99.64          | 0.02              | 0.119                 | 1                           |
|               | 2437    | 8.38                       | 8.41                     | 99.64          | 0.02              | 0.119                 | 1                           |
|               | 2462    | 8.38                       | 8.42                     | 99.52          | 0.02              | 0.119                 | 1                           |
| 802.11g       | 2412    | 1.39                       | 1.43                     | 97.20          | 0.12              | 0.719                 | 1                           |
|               | 2437    | 1.39                       | 1.43                     | 97.20          | 0.12              | 0.719                 | 1                           |
|               | 2462    | 1.39                       | 1.43                     | 97.20          | 0.12              | 0.719                 | 1                           |
| 802.11n(HT20) | 2412    | 1.30                       | 1.34                     | 97.01          | 0.13              | 0.769                 | 1                           |
|               | 2437    | 1.30                       | 1.34                     | 97.01          | 0.13              | 0.769                 | 1                           |
|               | 2462    | 1.30                       | 1.34                     | 97.01          | 0.13              | 0.769                 | 1                           |
| 802.11n(HT40) | 2422    | 0.65                       | 0.69                     | 94.20          | 0.26              | 1.538                 | 2                           |
|               | 2437    | 0.65                       | 0.70                     | 92.86          | 0.32              | 1.538                 | 2                           |
|               | 2452    | 0.65                       | 0.70                     | 92.86          | 0.32              | 1.538                 | 2                           |

Note: Duty Cycle Factor =  $10 \cdot \log_{10}(1/\text{Duty Cycle})$

CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn




For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : [yz.cnca.cn](http://yz.cnca.cn)


## 802.11b 2412



## 802.11b 2437



## 802.11b 2462



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China : [yz.cnca.cn](http://yz.cnca.cn)




## 802.11g\_2412



## 802.11g\_2437



## 802.11g\_2462



## 802.11n(HT20)\_2412

CTC Laboratories, Inc.


1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China

Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China: [yz.cnca.cn](http://yz.cnca.cn)



802.11n(HT20)\_2437



802.11n(HT20)\_2462



802.11n(HT40)\_2422


CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059


Fax: (86)755-27521011

Http://www.sz-ctc.org.cn


For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China: [yz.cnca.cn](http://yz.cnca.cn)



802.11n(HT40)\_2437



802.11n(HT40)\_2452



CTC Laboratories, Inc.

1-2/F., Building 2, Jiaquan Building, Guanlan High-Tech Park, Shenzhen, Guangdong, China  
Tel.: (86)755-27521059

Fax: (86)755-27521011 Http://www.sz-ctc.org.cn

For anti-fake verification, please visit the official website of Certification and Accreditation Administration of the People's Republic of China: [yz.cnca.cn](http://yz.cnca.cn)



### 3.9. Antenna requirement

#### Requirement

**FCC CFR Title 47 Part 15 Subpart C Section 15.203:**

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

**FCC CFR Title 47 Part 15 Subpart C Section 15.247(c) (1)(i):**

(i) Systems operating in the 2400~2483.5 MHz band that is used exclusively for fixed. Point-to-point operations may employ transmitting antennas with directional gain greater than 6dBi provided the maximum conducted output power of the intentional radiator is reduced by 1 dB for every 3 dB that the directional gain of the antenna exceeds 6dBi.

#### Test Result

The directional gain of the antenna less than 6dBi, please refer to the EUT internal photographs antenna photo.

\*\*\*\*\*THE END\*\*\*\*\*