





Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-4.27	0.11	-4.16	30	Pass
NVNT	a	5785	Ant1	-3.92	0.11	-3.81	30	Pass
NVNT	a	5825	Ant1	-3.33	0.01	-3.32	30	Pass
NVNT	n20	5745	Ant1	-5.72	0.11	-5.61	30	Pass
NVNT	n20	5785	Ant1	-5.94	0.11	-5.83	30	Pass
NVNT	n20	5825	Ant1	-4.92	0.11	-4.81	30	Pass
NVNT	n40	5755	Ant1	-8.88	0.22	-8.66	30	Pass
NVNT	n40	5795	Ant1	-8.34	0.03	-8.31	30	Pass
NVNT	ac20	5745	Ant1	-5.77	0.11	-5.66	30	Pass
NVNT	ac20	5785	Ant1	-5.92	0.11	-5.81	30	Pass
NVNT	ac20	5825	Ant1	-5.61	0.11	-5.5	30	Pass
NVNT	ac40	5755	Ant1	-9.12	0.22	-8.9	30	Pass
NVNT	ac40	5795	Ant1	-7.96	0.22	-7.74	30	Pass
NVNT	ac80	5775	Ant1	-12.41	0.43	-11.98	30	Pass

Test Graphs


PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1





PSD NVNT a 5825MHz Ant1





PSD NVNT n20 5745MHz Ant1
















DFS

Calibration

5290MHz ac80 DFS_FCC_T0




5530MHz ac80 DFS_FCC_T0




5310MHz n40 DFS_FCC_T0

Radar Calibration




5510MHz n40 DFS_FCC_T0

Radar Calibration




5320MHz a DFS_FCC_T0

Radar Calibration



5500MHz a DFS_FCC_T0


Radar Calibration



Non-Occupancy


5290MHz ac80 Non-Occupancy

Non-Occupancy period




5530MHz ac80 Non-Occupancy

Non-Occupancy period




5310MHz n40 Non-Occupancy

Non-Occupancy period




5510MHz n40 Non-Occupancy

Non-Occupancy period




5320MHz a Non-Occupancy

Non-Occupancy period



5500MHz a Non-Occupancy

Non-Occupancy period




Shutdown Time


Mode	Frequency (MHz)	Channel Move Time (s)	Limit Channel Move Time (s)	Close Transmission Time (s)	Limit Close Transmission Time (s)	Close Transmission Time after 200ms(s)	Limit Close Transmission Time after 200ms (s)	Verdict
ac80	5290	0.0648	10	0.0036	0.26	0	0.06	Pass
ac80	5530	0.3752	10	0.0052	0.26	0.0008	0.06	Pass

n40	5310	0.53	10	0.0084	0.26	0.0036	0.06	Pass
n40	5510	0.4512	10	0.0072	0.26	0.0024	0.06	Pass
a	5320	0.4284	10	0.0084	0.26	0.002	0.06	Pass
a	5500	0.514	10	0.0092	0.26	0.0024	0.06	Pass

5290MHz ac80 Shutdown




5530MHz ac80 Shutdown




5310MHz n40 Shutdown

Channel Shutdown




5510MHz n40 Shutdown

Channel Shutdown



5320MHz a Shutdown

Channel Shutdown



5500MHz a Shutdown

Channel Shutdown

