


RSE Test Report

Mode:

NB-IOT-B2-CH18601-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	104.6935	-86.31	-64.60	-13.00	51.60	21.71	150	326	Horizontal
2	1486.537	-64.01	-49.89	-13.00	36.89	14.12	150	357	Horizontal
3	3130.688	-67.06	-41.57	-13.00	28.57	25.49	185	190	Horizontal
4	8974.798	-71.20	-53.12	-13.00	40.12	18.08	170	108	Horizontal
5	17350.21	-78.06	-44.68	-13.00	31.68	33.38	150	327	Horizontal
6	21538.75	-51.48	-65.74	-13.00	52.74	-14.26	160	357	Horizontal

RSE Test Report

Mode:

NB-IOT-B2-CH18601-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-83.92	-64.48	-13.00	51.48	19.44	170	203	Vertical
2	1325.005	-63.84	-50.57	-13.00	37.57	13.27	130	17	Vertical
3	3126.288	-67.18	-43.43	-13.00	30.43	23.75	150	360	Vertical
4	6060.844	-66.55	-38.31	-13.00	25.31	28.24	155	33	Vertical
5	16385.29	-77.79	-47.78	-13.00	34.78	30.01	190	47	Vertical
6	22084.40	-51.80	-65.76	-13.00	52.76	-13.96	180	111	Vertical

RSE Test Report

Mode:

NB-IOT-B2-CH18601-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	92.3872	-88.11	-67.45	-13.00	54.45	20.66	130	357	Horizontal
2	608.1788	-93.12	-62.51	-13.00	49.51	30.61	150	19	Horizontal
3	1504.781	-64.36	-49.89	-13.00	36.89	14.47	140	264	Horizontal
4	3134.869	-66.90	-41.65	-13.00	28.65	25.25	185	282	Horizontal
5	16957.07	-77.31	-45.85	-13.00	32.85	31.46	160	357	Horizontal
6	22074.80	-51.07	-65.15	-13.00	52.15	-14.08	170	80	Horizontal

RSE Test Report

Mode:

NB-IOT-B2-CH18601-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.4169	-89.66	-62.96	-13.00	49.96	26.70	180	357	Vertical
2	124.9185	-86.57	-67.14	-13.00	54.14	19.43	140	112	Vertical
3	1378.595	-64.73	-50.87	-13.00	37.87	13.86	165	205	Vertical
4	4501.600	-64.93	-40.57	-13.00	27.57	24.36	150	35	Vertical
5	16390.75	-77.37	-46.79	-13.00	33.79	30.58	170	136	Vertical
6	21647.56	-51.34	-65.15	-13.00	52.15	-13.81	160	0	Vertical

RSE Test Report

Mode:

NB-IOT-B2-CH18876-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-86.04	-64.72	-13.00	51.72	21.32	130	64	Horizontal
2	1298.019	-64.02	-50.80	-13.00	37.80	13.22	180	360	Horizontal
3	3139.709	-66.49	-41.51	-13.00	28.51	24.98	190	110	Horizontal
4	4680.692	-64.89	-40.36	-13.00	27.36	24.53	155	46	Horizontal
5	9811.014	-72.00	-53.00	-13.00	40.00	19.00	150	125	Horizontal
6	17350.21	-78.29	-44.91	-13.00	31.91	33.38	140	33	Horizontal

RSE Test Report

Mode:

NB-IOT-B2-CH18876-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.5240	-91.38	-64.69	-13.00	51.69	26.69	140	125	Vertical
2	106.7267	-83.61	-64.19	-13.00	51.19	19.42	155	360	Vertical
3	1369.854	-63.97	-50.11	-13.00	37.11	13.86	160	64	Vertical
4	3133.548	-66.88	-43.09	-13.00	30.09	23.79	150	108	Vertical
5	5892.092	-66.42	-39.40	-13.00	26.40	27.02	185	16	Vertical
6	17290.15	-78.53	-46.96	-13.00	33.96	31.57	155	36	Vertical

RSE Test Report

Mode:

NB-IOT-B2-CH18876-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	55.0405	-93.99	-67.57	-13.00	54.57	26.42	180	12	Horizontal
2	1252.410	-63.78	-51.11	-13.00	38.11	12.67	155	293	Horizontal
3	3130.688	-66.52	-41.03	-13.00	28.03	25.49	150	3	Horizontal
4	5931.035	-66.20	-38.59	-13.00	25.59	27.61	140	344	Horizontal
5	13561.50	-74.81	-50.24	-13.00	37.24	24.57	170	43	Horizontal
6	22100.41	-51.11	-65.13	-13.00	52.13	-14.02	175	357	Horizontal

RSE Test Report

Mode:

NB-IOT-B2-CH18876-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.4169	-89.70	-63.00	-13.00	50.00	26.70	160	280	Vertical
2	159.1619	-92.78	-67.84	-13.00	54.84	24.94	150	248	Vertical
3	1335.267	-62.75	-49.30	-13.00	36.30	13.45	155	248	Vertical
4	4738.995	-66.08	-41.02	-13.00	28.02	25.06	180	200	Vertical
5	15391.50	-75.13	-49.06	-13.00	36.06	26.07	175	35	Vertical
6	22142.01	-51.48	-65.30	-13.00	52.30	-13.82	170	95	Vertical

RSE Test Report

Mode:

NB-IOT-B2-CH19199-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-85.65	-64.33	-13.00	51.33	21.32	150	20	Horizontal
2	1485.017	-64.09	-50.00	-13.00	37.00	14.09	170	111	Horizontal
3	3130.468	-67.13	-41.63	-13.00	28.63	25.50	155	35	Horizontal
4	5988.679	-66.18	-38.03	-13.00	25.03	28.15	165	313	Horizontal
5	17368.15	-77.51	-44.85	-13.00	31.85	32.66	180	297	Horizontal
6	22200.42	-52.13	-65.92	-13.00	52.92	-13.79	155	203	Horizontal

RSE Test Report

Mode:

NB-IOT-B2-CH19199-3.75KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.4169	-91.03	-64.33	-13.00	51.33	26.70	170	81	Vertical
2	106.7267	-83.82	-64.40	-13.00	51.40	19.42	155	265	Vertical
3	1401.400	-64.14	-50.72	-13.00	37.72	13.42	150	204	Vertical
4	3544.316	-65.46	-42.34	-13.00	29.34	23.12	180	189	Vertical
5	5987.799	-66.50	-38.51	-13.00	25.51	27.99	155	33	Vertical
6	16389.97	-78.11	-47.42	-13.00	34.42	30.69	135	15	Vertical

RSE Test Report

Mode:

NB-IOT-B2-CH19199-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	38.4538	-93.65	-67.53	-13.00	54.53	26.12	155	308	Horizontal
2	125.0255	-88.61	-67.66	-13.00	54.66	20.95	180	338	Horizontal
3	1480.076	-63.26	-49.26	-13.00	36.26	14.00	140	155	Horizontal
4	3137.509	-66.15	-41.05	-13.00	28.05	25.10	155	171	Horizontal
5	13563.84	-74.73	-50.07	-13.00	37.07	24.66	150	345	Horizontal
6	22167.61	-51.58	-65.45	-13.00	52.45	-13.87	170	185	Horizontal

RSE Test Report

Mode:

NB-IOT-B2-CH19199-15KHz

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.4169	-90.35	-63.65	-13.00	50.65	26.70	165	326	Vertical
2	125.0255	-86.95	-67.55	-13.00	54.55	19.40	150	22	Vertical
3	1377.075	-63.90	-50.04	-13.00	37.04	13.86	155	52	Vertical
4	3128.708	-66.98	-42.99	-13.00	29.99	23.99	150	130	Vertical
5	13180.05	-74.76	-49.87	-13.00	36.87	24.89	170	105	Vertical
6	21668.36	-50.83	-64.63	-13.00	51.63	-13.80	155	0	Vertical

RSE Test Report

Mode:

EMTC-B2-BW1.4-CH18607

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-85.72	-64.40	-13.00	51.40	21.32	155	74	Horizontal
2	1205.661	-63.83	-51.92	-13.00	38.92	11.91	150	168	Horizontal
3	3130.028	-66.72	-41.19	-13.00	28.19	25.53	180	65	Horizontal
4	6000.120	-61.24	-33.07	-13.00	20.07	28.17	150	34	Horizontal
5	6999.706	-51.97	-34.79	-13.00	21.79	17.18	150	19	Horizontal
6	9999.786	-54.52	-35.01	-13.00	22.01	19.51	155	80	Horizontal

RSE Test Report

Mode:

EMTC-B2-BW1.4-CH18607

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-83.57	-64.13	-13.00	51.13	19.44	150	162	Vertical
2	5000.153	-62.30	-37.20	-13.00	24.20	25.10	155	357	Vertical
3	6000.120	-64.15	-36.26	-13.00	23.26	27.89	150	111	Vertical
4	6999.706	-53.32	-36.71	-13.00	23.71	16.61	155	95	Vertical
5	9999.786	-59.04	-40.05	-13.00	27.05	18.99	140	34	Vertical
6	13999.89	-62.69	-38.73	-13.00	25.73	23.96	150	65	Vertical

RSE Test Report

Mode:

EMTC-B2-BW1.4-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.7267	-86.43	-65.13	-13.00	52.13	21.30	16	67	Horizontal
2	3138.829	-66.91	-41.88	-13.00	28.88	25.03	150	50	Horizontal
3	6000.120	-62.44	-34.27	-13.00	21.27	28.17	155	0	Horizontal
4	6999.706	-53.79	-36.61	-13.00	23.61	17.18	155	64	Horizontal
5	9999.786	-56.83	-37.32	-13.00	24.32	19.51	150	218	Horizontal
6	13999.89	-56.40	-33.54	-13.00	20.54	22.86	170	64	Horizontal

RSE Test Report

Mode:

EMTC-B2-BW1.4-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	94.3134	-86.82	-68.16	-13.00	55.16	18.66	150	0	Vertical
2	125.0255	-86.04	-66.64	-13.00	53.64	19.40	155	230	Vertical
3	1250.130	-63.12	-51.97	-13.00	38.97	11.15	160	137	Vertical
4	5999.680	-64.66	-36.77	-13.00	23.77	27.89	150	126	Vertical
5	6999.706	-54.87	-38.26	-13.00	25.26	16.61	175	80	Vertical
6	13999.89	-64.37	-40.41	-13.00	27.41	23.96	155	19	Vertical

RSE Test Report

Mode:

EMTC-B2-BW1.4-CH19193

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	104.6935	-86.24	-64.53	-13.00	51.53	21.71	150	289	Horizontal
2	1515.043	-64.06	-49.69	-13.00	36.69	14.37	155	258	Horizontal
3	3126.508	-66.37	-41.29	-13.00	28.29	25.08	180	81	Horizontal
4	6000.120	-62.23	-34.06	-13.00	21.06	28.17	150	0	Horizontal
5	9999.786	-56.19	-36.68	-13.00	23.68	19.51	165	65	Horizontal
6	13999.89	-57.09	-34.23	-13.00	21.23	22.86	150	65	Horizontal

RSE Test Report

Mode:

EMTC-B2-BW1.4-CH19193

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	1370.234	-64.54	-50.68	-13.00	37.68	13.86	150	171	Vertical
2	3133.328	-66.38	-42.57	-13.00	29.57	23.81	150	310	Vertical
3	6000.120	-65.27	-37.38	-13.00	24.38	27.89	175	34	Vertical
4	9999.786	-60.37	-41.38	-13.00	28.38	18.99	160	81	Vertical
5	13999.89	-64.62	-40.66	-13.00	27.66	23.96	150	19	Vertical
6	20000.20	-35.94	-54.41	-13.00	41.41	-18.47	165	295	Vertical

RSE Test Report

Mode:

EMTC-B2-BW3-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-86.41	-65.09	-13.00	52.09	21.32	155	350	Horizontal
2	3146.969	-66.52	-41.96	-13.00	28.96	24.56	150	141	Horizontal
3	6000.340	-62.81	-34.64	-13.00	21.64	28.17	145	0	Horizontal
4	9999.786	-54.65	-35.14	-13.00	22.14	19.51	150	34	Horizontal
5	14000.67	-56.10	-33.24	-13.00	20.24	22.86	170	65	Horizontal
6	20000.20	-36.31	-54.91	-13.00	41.91	-18.60	155	318	Horizontal

RSE Test Report

Mode:

EMTC-B2-BW3-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-84.00	-64.56	-13.00	51.56	19.44	150	357	Vertical
2	1348.949	-63.75	-50.08	-13.00	37.08	13.67	155	134	Vertical
3	5999.900	-63.73	-35.84	-13.00	22.84	27.89	150	126	Vertical
4	9999.786	-58.20	-39.21	-13.00	26.21	18.99	130	0	Vertical
5	13999.89	-65.04	-41.08	-13.00	28.08	23.96	155	19	Vertical
6	19999.39	-35.68	-54.15	-13.00	41.15	-18.47	175	230	Vertical

RSE Test Report

Mode:

EMTC-B2-BW5-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	1299.159	-64.38	-51.14	-13.00	38.14	13.24	170	357	Horizontal
2	3133.988	-67.04	-41.74	-13.00	28.74	25.30	150	64	Horizontal
3	6000.120	-62.03	-33.86	-13.00	20.86	28.17	160	34	Horizontal
4	9999.786	-54.72	-35.21	-13.00	22.21	19.51	150	53	Horizontal
5	13999.89	-57.12	-34.26	-13.00	21.26	22.86	145	22	Horizontal
6	19999.39	-36.88	-55.49	-13.00	42.49	-18.61	150	232	Horizontal

RSE Test Report

Mode:

EMTC-B2-BW5-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	124.9185	-86.20	-66.77	-13.00	53.77	19.43	150	352	Vertical
2	1372.894	-64.43	-50.57	-13.00	37.57	13.86	180	130	Vertical
3	5500.026	-63.45	-37.27	-13.00	24.27	26.18	150	18	Vertical
4	9999.786	-59.47	-40.48	-13.00	27.48	18.99	175	341	Vertical
5	14000.67	-63.76	-39.87	-13.00	26.87	23.89	155	65	Vertical
6	19999.39	-34.36	-52.83	-13.00	39.83	-18.47	150	321	Vertical

RSE Test Report

Mode:

EMTC-B2-BW10-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	104.6935	-86.59	-64.88	-13.00	51.88	21.71	140	74	Horizontal
2	3124.968	-66.64	-41.76	-13.00	28.76	24.88	150	282	Horizontal
3	6000.340	-62.48	-34.31	-13.00	21.31	28.17	145	36	Horizontal
4	9999.786	-55.89	-36.38	-13.00	23.38	19.51	150	80	Horizontal
5	14000.67	-58.78	-35.92	-13.00	22.92	22.86	160	50	Horizontal
6	19999.39	-35.94	-54.55	-13.00	41.55	-18.61	150	293	Horizontal

RSE Test Report

Mode:

EMTC-B2-BW10-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	39.5240	-90.57	-63.88	-13.00	50.88	26.69	170	3	Vertical
2	3132.888	-66.48	-42.63	-13.00	29.63	23.85	150	171	Vertical
3	6000.120	-64.28	-36.39	-13.00	23.39	27.89	160	0	Vertical
4	9999.786	-59.90	-40.91	-13.00	27.91	18.99	150	360	Vertical
5	12999.86	-62.28	-39.38	-13.00	26.38	22.90	155	156	Vertical
6	20000.20	-35.76	-54.23	-13.00	41.23	-18.47	155	224	Vertical

RSE Test Report

Mode:

EMTC-B2-BW15-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	608.4999	-92.12	-61.50	-13.00	48.50	30.62	150	98	Horizontal
2	3128.708	-67.10	-41.74	-13.00	28.74	25.36	155	169	Horizontal
3	6000.340	-62.49	-34.32	-13.00	21.32	28.17	165	0	Horizontal
4	9999.786	-54.86	-35.35	-13.00	22.35	19.51	150	34	Horizontal
5	14000.67	-61.31	-38.45	-13.00	25.45	22.86	170	65	Horizontal
6	20000.20	-35.81	-54.41	-13.00	41.41	-18.60	155	315	Horizontal

RSE Test Report

Mode:

EMTC-B2-BW15-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-83.77	-64.33	-13.00	51.33	19.44	155	162	Vertical
2	3132.888	-66.31	-42.46	-13.00	29.46	23.85	170	3	Vertical
3	6000.120	-64.85	-36.96	-13.00	23.96	27.89	150	157	Vertical
4	10000.56	-59.57	-40.58	-13.00	27.58	18.99	155	0	Vertical
5	13000.64	-61.67	-38.76	-13.00	25.76	22.91	155	111	Vertical
6	20000.20	-34.89	-53.36	-13.00	40.36	-18.47	150	193	Vertical

RSE Test Report

Mode:

EMTC-B2-BW20-CH18900

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-86.06	-64.74	-13.00	51.74	21.32	155	73	Horizontal
2	1499.840	-63.63	-49.25	-13.00	36.25	14.38	150	73	Horizontal
3	3146.089	-65.69	-41.08	-13.00	28.08	24.61	170	217	Horizontal
4	6999.706	-51.77	-34.59	-13.00	21.59	17.18	150	19	Horizontal
5	13999.89	-57.94	-35.08	-13.00	22.08	22.86	155	49	Horizontal
6	19999.39	-35.62	-54.23	-13.00	41.23	-18.61	150	295	Horizontal

RSE Test Report

Mode:

EMTC-B2-BW20-CH18900

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-84.22	-64.78	-13.00	51.78	19.44	150	98	Vertical
2	1376.315	-64.30	-50.44	-13.00	37.44	13.86	160	225	Vertical
3	5999.680	-64.05	-36.16	-13.00	23.16	27.89	150	19	Vertical
4	6999.706	-54.12	-37.51	-13.00	24.51	16.61	140	96	Vertical
5	13999.89	-63.88	-39.92	-13.00	26.92	23.96	150	64	Vertical
6	20000.20	-36.78	-55.25	-13.00	42.25	-18.47	155	225	Vertical