


RSE Test Report

Mode:

EMTC-B4-BW1.4-CH19957

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	1301.440	-64.02	-50.83	-13.00	37.83	13.19	180	134	Horizontal
2	3126.072	-67.34	-42.32	-13.00	29.32	25.02	150	337	Horizontal
3	6000.000	-64.92	-36.75	-13.00	23.75	28.17	155	34	Horizontal
4	9999.910	-55.37	-35.86	-13.00	22.86	19.51	150	82	Horizontal
5	13000.09	-57.79	-34.00	-13.00	21.00	23.79	170	22	Horizontal
6	20000.20	-37.14	-55.74	-13.00	42.74	-18.60	190	230	Horizontal

RSE Test Report

Mode:

EMTC-B4-BW1.4-CH19957

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	1350.470	-64.04	-50.34	-13.00	37.34	13.70	160	68	Vertical
2	3556.105	-65.73	-42.63	-13.00	29.63	23.10	150	266	Vertical
3	6000.330	-62.33	-34.44	-13.00	21.44	27.89	155	0	Vertical
4	6999.730	-55.41	-38.80	-13.00	25.80	16.61	170	34	Vertical
5	13000.09	-59.98	-37.08	-13.00	24.08	22.90	150	125	Vertical
6	20000.20	-34.52	-52.99	-13.00	39.99	-18.47	120	325	Vertical

RSE Test Report

Mode:

EMTC-B4-BW1.4-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	1294.598	-62.22	-49.03	-13.00	36.03	13.19	155	346	Horizontal
2	3141.914	-66.43	-41.58	-13.00	28.58	24.85	150	0	Horizontal
3	6000.330	-64.40	-36.23	-13.00	23.23	28.17	180	13	Horizontal
4	9999.910	-56.17	-36.66	-13.00	23.66	19.51	190	94	Horizontal
5	14000.54	-54.37	-31.51	-13.00	18.51	22.86	120	64	Horizontal
6	21500.35	-44.02	-58.54	-13.00	45.54	-14.52	150	313	Horizontal

RSE Test Report

Mode:

EMTC-B4-BW1.4-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	452.5853	-85.28	-57.87	-13.00	44.87	27.41	150	293	Vertical
2	1388.477	-62.23	-48.36	-13.00	35.36	13.87	150	293	Vertical
3	2790.198	-56.54	-37.25	-13.00	24.25	19.29	140	229	Vertical
4	5500.000	-62.87	-36.69	-13.00	23.69	26.18	170	95	Vertical
5	13000.09	-62.76	-39.86	-13.00	26.86	22.90	150	114	Vertical
6	20000.20	-34.55	-53.02	-13.00	40.02	-18.47	180	293	Vertical

RSE Test Report

Mode:

EMTC-B4-BW1.4-CH20393

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	58.0368	-94.45	-67.45	-13.00	54.45	27.00	170	129	Horizontal
2	1499.840	-63.97	-49.59	-13.00	36.59	14.38	150	349	Horizontal
3	3140.264	-66.74	-41.80	-13.00	28.80	24.94	155	17	Horizontal
4	6000.330	-64.52	-36.35	-13.00	23.35	28.17	130	326	Horizontal
5	14000.54	-56.22	-33.36	-13.00	20.36	22.86	165	64	Horizontal
6	20000.20	-37.61	-56.21	-13.00	43.21	-18.60	150	349	Horizontal

RSE Test Report

Mode:

EMTC-B4-BW1.4-CH20393

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	1446.629	-61.04	-49.23	-13.00	36.23	11.81	130	357	Vertical
2	3126.072	-66.74	-43.01	-13.00	30.01	23.73	150	64	Vertical
3	5500.000	-64.14	-37.96	-13.00	24.96	26.18	155	96	Vertical
4	6999.730	-53.32	-36.71	-13.00	23.71	16.61	120	21	Vertical
5	13000.09	-61.81	-38.91	-13.00	25.91	22.90	150	83	Vertical
6	20000.20	-32.34	-50.81	-13.00	37.81	-18.47	160	294	Vertical

RSE Test Report

Mode:

EMTC-B4-BW1.4-CH23095

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	57.6088	-94.58	-67.54	-13.00	54.54	27.04	150	0	Horizontal
2	1413.942	-55.65	-44.62	-13.00	31.62	11.03	160	9	Horizontal
3	1938.067	-57.64	-41.97	-13.00	28.97	15.67	150	324	Horizontal
4	4499.670	-64.08	-40.03	-13.00	27.03	24.05	155	125	Horizontal
5	9999.910	-54.95	-35.44	-13.00	22.44	19.51	180	80	Horizontal
6	14000.54	-54.86	-32.00	-13.00	19.00	22.86	155	50	Horizontal

RSE Test Report

Mode:

EMTC-B4-BW1.4-CH23095

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	49.7970	-94.58	-66.89	-13.00	53.89	27.69	170	257	Vertical
2	1413.942	-53.49	-40.56	-13.00	27.56	12.93	155	225	Vertical
3	3127.062	-66.52	-42.69	-13.00	29.69	23.83	155	202	Vertical
4	5500.000	-64.40	-38.22	-13.00	25.22	26.18	130	18	Vertical
5	9999.910	-60.31	-41.32	-13.00	28.32	18.99	165	126	Vertical
6	14000.54	-63.97	-40.07	-13.00	27.07	23.90	150	65	Vertical

RSE Test Report

Mode:

EMTC-B4-BW3-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	56.1106	-94.08	-67.27	-13.00	54.27	26.81	150	107	Horizontal
2	1498.699	-64.43	-50.07	-13.00	37.07	14.36	150	263	Horizontal
3	3130.693	-66.93	-41.44	-13.00	28.44	25.49	150	127	Horizontal
4	9999.910	-52.98	-33.47	-13.00	20.47	19.51	150	0	Horizontal
5	13000.09	-55.46	-31.67	-13.00	18.67	23.79	150	16	Horizontal
6	20000.20	-35.43	-54.03	-13.00	41.03	-18.60	150	231	Horizontal

RSE Test Report

Mode:

EMTC-B4-BW3-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.7267	-83.51	-64.09	-13.00	51.09	19.42	150	264	Vertical
2	1423.824	-61.35	-48.79	-13.00	35.79	12.56	150	16	Vertical
3	2131.906	-56.42	-40.17	-13.00	27.17	16.25	150	142	Vertical
4	5000.330	-64.33	-39.23	-13.00	26.23	25.10	150	34	Vertical
5	6999.730	-55.50	-38.89	-13.00	25.89	16.61	150	18	Vertical
6	9999.910	-59.24	-40.25	-13.00	27.25	18.99	150	326	Vertical
7	20000.20	-33.38	-51.85	-13.00	38.85	-18.47	150	296	Vertical

RSE Test Report

Mode:

EMTC-B4-BW5-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-85.50	-64.18	-13.00	51.18	21.32	150	126	Horizontal
2	1488.817	-64.04	-49.87	-13.00	36.87	14.17	150	65	Horizontal
3	3126.402	-65.65	-40.58	-13.00	27.58	25.07	150	75	Horizontal
4	6000.330	-62.18	-34.01	-13.00	21.01	28.17	150	0	Horizontal
5	9999.910	-55.86	-36.35	-13.00	23.35	19.51	150	34	Horizontal
6	14000.54	-55.33	-32.47	-13.00	19.47	22.86	150	64	Horizontal

RSE Test Report

Mode:

EMTC-B4-BW5-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-83.83	-64.39	-13.00	51.39	19.44	150	78	Vertical
2	1423.064	-61.84	-49.25	-13.00	36.25	12.59	150	48	Vertical
3	3131.683	-65.42	-41.46	-13.00	28.46	23.96	150	94	Vertical
4	6000.000	-64.29	-36.40	-13.00	23.40	27.89	150	125	Vertical
5	9999.910	-59.11	-40.12	-13.00	27.12	18.99	150	326	Vertical
6	13000.09	-62.58	-39.68	-13.00	26.68	22.90	150	113	Vertical

RSE Test Report

Mode:

EMTC-B4-BW10-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	1259.631	-63.54	-50.76	-13.00	37.76	12.78	150	266	Horizontal
2	3134.983	-67.05	-41.81	-13.00	28.81	25.24	150	308	Horizontal
3	6000.000	-62.18	-34.01	-13.00	21.01	28.17	150	34	Horizontal
4	6999.730	-50.74	-33.56	-13.00	20.56	17.18	150	23	Horizontal
5	14000.54	-55.63	-32.77	-13.00	19.77	22.86	150	23	Horizontal
6	19999.39	-37.14	-55.75	-13.00	42.75	-18.61	150	296	Horizontal

RSE Test Report

Mode:

EMTC-B4-BW10-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-83.25	-63.81	-13.00	50.81	19.44	150	319	Vertical
2	1365.673	-64.02	-50.16	-13.00	37.16	13.86	150	98	Vertical
3	5500.000	-62.92	-36.74	-13.00	23.74	26.18	150	53	Vertical
4	6999.730	-54.83	-38.22	-13.00	25.22	16.61	150	34	Vertical
5	13000.09	-63.63	-40.73	-13.00	27.73	22.90	150	155	Vertical
6	19999.39	-34.04	-52.51	-13.00	39.51	-18.47	150	319	Vertical

RSE Test Report

Mode:

EMTC-B4-BW15-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	104.6935	-86.34	-64.63	-13.00	51.63	21.71	150	33	Horizontal
2	1293.458	-63.99	-50.81	-13.00	37.81	13.18	150	126	Horizontal
3	6000.000	-62.28	-34.11	-13.00	21.11	28.17	150	0	Horizontal
4	9999.910	-54.75	-35.24	-13.00	22.24	19.51	150	34	Horizontal
5	13000.09	-59.34	-35.55	-13.00	22.55	23.79	150	64	Horizontal
6	19999.39	-36.83	-55.44	-13.00	42.44	-18.61	150	346	Horizontal

RSE Test Report

Mode:

EMTC-B4-BW15-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.7267	-83.97	-64.55	-13.00	51.55	19.42	150	12	Vertical
2	1365.293	-63.75	-49.89	-13.00	36.89	13.86	150	12	Vertical
3	5499.670	-65.30	-39.12	-13.00	26.12	26.18	150	126	Vertical
4	6999.730	-54.51	-37.90	-13.00	24.90	16.61	150	326	Vertical
5	13000.09	-63.38	-40.48	-13.00	27.48	22.90	150	113	Vertical
6	19999.39	-32.67	-51.14	-13.00	38.14	-18.47	150	296	Vertical

RSE Test Report

Mode:

EMTC-B4-BW20-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-85.77	-64.45	-13.00	51.45	21.32	150	325	Horizontal
2	1301.440	-64.10	-50.91	-13.00	37.91	13.19	150	201	Horizontal
3	6000.000	-63.06	-34.89	-13.00	21.89	28.17	150	35	Horizontal
4	9999.910	-54.38	-34.87	-13.00	21.87	19.51	150	84	Horizontal
5	14000.54	-57.23	-34.37	-13.00	21.37	22.86	150	24	Horizontal
6	20000.20	-37.18	-55.78	-13.00	42.78	-18.60	150	293	Horizontal

RSE Test Report

Mode:

EMTC-B4-BW20-CH20175

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	106.6197	-83.18	-63.74	-13.00	50.74	19.44	150	193	Vertical
2	1397.979	-63.22	-49.67	-13.00	36.67	13.55	150	257	Vertical
3	5500.000	-64.07	-37.89	-13.00	24.89	26.18	150	51	Vertical
4	6999.730	-53.11	-36.50	-13.00	23.50	16.61	150	95	Vertical
5	13000.09	-61.78	-38.88	-13.00	25.88	22.90	150	125	Vertical
6	19999.39	-32.87	-51.34	-13.00	38.34	-18.47	150	318	Vertical

RSE Test Report

Mode:

EMTC-B12-BW1.4-CH23017

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	56.5387	-93.28	-66.35	-13.00	53.35	26.93	155	222	Horizontal
2	1398.359	-55.18	-44.11	-13.00	31.11	11.07	170	253	Horizontal
3	1745.749	-48.41	-32.67	-13.00	19.67	15.74	160	315	Horizontal
4	6000.330	-64.04	-35.87	-13.00	22.87	28.17	170	0	Horizontal
5	13000.09	-59.46	-35.67	-13.00	22.67	23.79	150	65	Horizontal
6	19999.39	-37.02	-55.63	-13.00	42.63	-18.61	180	346	Horizontal

RSE Test Report

Mode:

EMTC-B12-BW1.4-CH23017

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	1398.359	-58.65	-45.11	-13.00	32.11	13.54	180	134	Vertical
2	1746.129	-46.45	-33.35	-13.00	20.35	13.10	170	102	Vertical
3	3122.442	-66.25	-42.88	-13.00	29.88	23.37	150	34	Vertical
4	6000.330	-63.28	-35.39	-13.00	22.39	27.89	170	34	Vertical
5	13000.09	-61.90	-39.00	-13.00	26.00	22.90	155	22	Vertical
6	20000.20	-35.27	-53.74	-13.00	40.74	-18.47	130	293	Vertical

RSE Test Report

Mode:

EMTC-B12-BW1.4-CH23173

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	416.6297	-90.53	-64.27	-13.00	51.27	26.26	170	8	Horizontal
2	1429.525	-55.25	-44.01	-13.00	31.01	11.24	170	40	Horizontal
3	3138.283	-66.14	-41.08	-13.00	28.08	25.06	150	64	Horizontal
4	5500.000	-64.42	-37.87	-13.00	24.87	26.55	160	33	Horizontal
5	13000.09	-59.20	-35.41	-13.00	22.41	23.79	150	47	Horizontal
6	19999.39	-36.09	-54.70	-13.00	41.70	-18.61	130	230	Horizontal

RSE Test Report

Mode:

EMTC-B12-BW1.4-CH23173

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	400.0430	-90.14	-65.40	-13.00	52.40	24.74	150	256	Vertical
2	1429.525	-51.25	-38.88	-13.00	25.88	12.37	155	35	Vertical
3	3130.363	-66.87	-42.79	-13.00	29.79	24.08	130	0	Vertical
4	6000.000	-64.56	-36.67	-13.00	23.67	27.89	170	325	Vertical
5	14000.54	-63.29	-39.39	-13.00	26.39	23.90	150	64	Vertical
6	20000.20	-34.27	-52.74	-13.00	39.74	-18.47	155	319	Vertical

RSE Test Report

Mode:

EMTC-B12-BW3-CH23095

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	599.9390	-92.93	-62.65	-13.00	49.65	30.28	160	224	Horizontal
2	1413.182	-58.94	-47.91	-13.00	34.91	11.03	155	256	Horizontal
3	3130.033	-66.77	-41.24	-13.00	28.24	25.53	170	52	Horizontal
4	6000.000	-63.97	-35.80	-13.00	22.80	28.17	170	0	Horizontal
5	13000.09	-58.94	-35.15	-13.00	22.15	23.79	180	65	Horizontal
6	19999.39	-36.19	-54.80	-13.00	41.80	-18.61	140	319	Horizontal

RSE Test Report

Mode:

EMTC-B12-BW3-CH23095

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	140.9701	-91.85	-67.81	-13.00	54.81	24.04	155	77	Vertical
2	1413.562	-61.96	-49.02	-13.00	36.02	12.94	170	170	Vertical
3	3140.264	-66.00	-42.82	-13.00	29.82	23.18	160	280	Vertical
4	6000.660	-64.59	-36.71	-13.00	23.71	27.88	160	360	Vertical
5	9999.910	-59.38	-40.39	-13.00	27.39	18.99	150	296	Vertical
6	19999.39	-33.95	-52.42	-13.00	39.42	-18.47	155	296	Vertical

RSE Test Report

Mode:

EMTC-B12-BW5-CH23095

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	416.6297	-90.82	-64.56	-13.00	51.56	26.26	160	357	Horizontal
2	1185.137	-64.33	-53.33	-13.00	40.33	11.00	155	262	Horizontal
3	3130.693	-66.42	-40.93	-13.00	27.93	25.49	170	186	Horizontal
4	6000.330	-65.00	-36.83	-13.00	23.83	28.17	170	34	Horizontal
5	14000.54	-55.22	-32.36	-13.00	19.36	22.86	180	22	Horizontal
6	21500.35	-45.24	-59.76	-13.00	46.76	-14.52	140	294	Horizontal

RSE Test Report

Mode:

EMTC-B12-BW5-CH23095

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	272.5933	-91.72	-68.14	-13.00	55.14	23.58	180	35	Vertical
2	1303.340	-63.98	-51.15	-13.00	38.15	12.83	140	258	Vertical
3	5500.000	-64.41	-38.23	-13.00	25.23	26.18	155	46	Vertical
4	6999.730	-55.57	-38.96	-13.00	25.96	16.61	150	65	Vertical
5	13000.09	-61.63	-38.73	-13.00	25.73	22.90	160	125	Vertical
6	19999.39	-36.29	-54.76	-13.00	41.76	-18.47	150	322	Vertical

RSE Test Report

Mode:

EMTC-B12-BW10-CH23095

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	178.2098	-93.24	-69.65	-13.00	56.65	23.59	155	255	Horizontal
2	1406.721	-57.71	-46.66	-13.00	33.66	11.05	155	66	Horizontal
3	3133.663	-66.76	-41.44	-13.00	28.44	25.32	170	0	Horizontal
4	6999.730	-54.60	-37.42	-13.00	24.42	17.18	140	34	Horizontal
5	14000.54	-54.75	-31.89	-13.00	18.89	22.86	160	65	Horizontal
6	20000.20	-35.42	-54.02	-13.00	41.02	-18.60	150	319	Horizontal

RSE Test Report

Mode:

EMTC-B12-BW10-CH23095

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	292.1762	-91.99	-68.00	-13.00	55.00	23.99	155	14	Vertical
2	1406.341	-56.50	-43.27	-13.00	30.27	13.23	150	262	Vertical
3	6000.330	-64.00	-36.11	-13.00	23.11	27.89	150	360	Vertical
4	6999.730	-53.67	-37.06	-13.00	24.06	16.61	170	84	Vertical
5	13000.09	-61.86	-38.96	-13.00	25.96	22.90	160	114	Vertical
6	20000.20	-35.00	-53.47	-13.00	40.47	-18.47	150	294	Vertical

RSE Test Report

Mode:

EMTC-B13-BW5-CH23205

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	60.4981	-93.28	-66.99	-13.00	53.99	26.29	180	357	Horizontal
2	1554.570	-44.32	-31.61	-13.00	18.61	12.71	150	199	Horizontal
3	2332.206	-62.12	-45.42	-13.00	32.42	16.70	155	10	Horizontal
4	5500.330	-64.47	-37.93	-13.00	24.93	26.54	150	64	Horizontal
5	13000.09	-54.12	-30.33	-13.00	17.33	23.79	160	22	Horizontal
6	20000.20	-36.22	-54.82	-13.00	41.82	-18.60	165	295	Horizontal

RSE Test Report

Mode:

EMTC-B13-BW5-CH23205

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	51.7232	-92.96	-66.02	-13.00	53.02	26.94	155	259	Vertical
2	1554.570	-40.80	-28.79	-13.00	15.79	12.01	150	3	Vertical
3	2332.206	-60.12	-41.54	-13.00	28.54	18.58	170	100	Vertical
4	5999.670	-64.13	-36.24	-13.00	23.24	27.89	150	0	Vertical
5	14000.54	-62.70	-38.80	-13.00	25.80	23.90	130	64	Vertical
6	19999.39	-36.15	-54.62	-13.00	41.62	-18.47	155	322	Vertical

RSE Test Report

Mode:

EMTC-B13-BW5-CH23230

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	142.4682	-91.47	-67.78	-13.00	54.78	23.69	165	99	Horizontal
2	1559.892	-43.57	-31.10	-13.00	18.10	12.47	150	320	Horizontal
3	5999.670	-64.08	-35.91	-13.00	22.91	28.17	160	0	Horizontal
4	9999.910	-56.30	-36.79	-13.00	23.79	19.51	180	95	Horizontal
5	16000.27	-66.41	-40.24	-13.00	27.24	26.17	155	95	Horizontal
6	21500.35	-43.14	-57.66	-13.00	44.66	-14.52	150	320	Horizontal

RSE Test Report

Mode:

EMTC-B13-BW5-CH23230

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	56.7527	-93.90	-66.61	-13.00	53.61	27.29	150	0	Vertical
2	1559.511	-39.98	-28.05	-13.00	15.05	11.93	140	0	Vertical
3	2339.427	-57.81	-39.54	-13.00	26.54	18.27	155	104	Vertical
4	3132.343	-66.20	-42.30	-13.00	29.30	23.90	160	36	Vertical
5	6000.000	-64.76	-36.87	-13.00	23.87	27.89	150	36	Vertical
6	13000.09	-63.27	-40.37	-13.00	27.37	22.90	155	114	Vertical

RSE Test Report

Mode:

EMTC-B13-BW5-CH23255

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	59.4279	-93.58	-66.94	-13.00	53.94	26.64	140	35	Horizontal
2	1564.452	-40.72	-28.46	-13.00	15.46	12.26	150	220	Horizontal
3	3129.372	-66.62	-41.17	-13.00	28.17	25.45	155	205	Horizontal
4	6000.000	-63.25	-35.08	-13.00	22.08	28.17	155	0	Horizontal
5	14000.54	-55.29	-32.43	-13.00	19.43	22.86	170	64	Horizontal
6	19999.39	-35.69	-54.30	-13.00	41.30	-18.61	150	250	Horizontal

RSE Test Report

Mode:

EMTC-B13-BW5-CH23255

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	44.8745	-92.24	-66.36	-13.00	53.36	25.88	155	262	Vertical
2	1564.452	-39.52	-27.68	-13.00	14.68	11.84	150	357	Vertical
3	2347.029	-56.29	-38.35	-13.00	25.35	17.94	170	106	Vertical
4	6000.330	-65.04	-37.15	-13.00	24.15	27.89	165	34	Vertical
5	14000.54	-61.96	-38.06	-13.00	25.06	23.90	150	21	Vertical
6	20000.20	-33.50	-51.97	-13.00	38.97	-18.47	140	294	Vertical

RSE Test Report

Mode:

EMTC-B13-BW10-CH23230

Test Graph



Suspected Data List


NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	58.3578	-93.62	-66.67	-13.00	53.67	26.95	155	0	Horizontal
2	1555.711	-43.55	-30.89	-13.00	17.89	12.66	160	198	Horizontal
3	3136.963	-66.10	-40.97	-13.00	27.97	25.13	150	246	Horizontal
4	5999.670	-64.53	-36.36	-13.00	23.36	28.17	150	34	Horizontal
5	13000.09	-57.56	-33.77	-13.00	20.77	23.79	170	22	Horizontal
6	20000.20	-36.56	-55.16	-13.00	42.16	-18.60	155	293	Horizontal

RSE Test Report

Mode:

EMTC-B13-BW10-CH23230

Test Graph



Suspected Data List

NO.	Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Height [cm]	Angle [°]	Polarity
1	56.2176	-93.70	-66.39	-13.00	53.39	27.31	145	3	Vertical
2	1555.331	-40.88	-28.88	-13.00	15.88	12.00	150	360	Vertical
3	2333.726	-58.76	-40.24	-13.00	27.24	18.52	155	126	Vertical
4	6000.330	-64.20	-36.31	-13.00	23.31	27.89	170	357	Vertical
5	14000.54	-63.24	-39.34	-13.00	26.34	23.90	150	64	Vertical
6	19999.39	-35.88	-54.35	-13.00	41.35	-18.47	180	314	Vertical