dride

01

Download the **dride** app

Scan QR code

or

Download on the App Store

GET IT ON Google Play

Search for "dride" on
App store or Google play

02

Choose your device


Devices
dride
Dride Zero
ADD A NEW DEVICE

03

Access your dashcam


dride
UPLOAD EVENTS
20:12
Share
VIDEOS ON DEVICE
Febuary 06
11:39 - 11:40

04

Upload to cloud

- Find the desired clip by scrolling down or by using search
- Tap "Share"


WHEN?
3 DAYS AGO
14:00-14:30
20:12
Share
15:00-15:30

- Select the relevant part of the video and add a description.



- Upload to cloud

05

Congratulations!

Now you can share your video
with the community!


MY VIDEOS IN THE CLOUD
Jun 12, 2018 4:23:10 AM
Truck slips and slides on icy road, causing crash.
20:12
1,045 view

Troubleshooting

Connection Guide

- Go to Settings >> Wi-Fi
  on your phone.
- Select DrideZero and enter password
  if prompted
  Default password is ilovedride
- Return to the "dride" app

Support Forum

dride.io/forum

Support

What is the Wifi passowrd?

@Ben

Hi, I cant connect to my dashcam, What is the Wifi password.

@Dride Support

Hi Ben, Thank you for reaching out, My name is Sammy and I will help you get started!

The default password for your dashcam is **ilovedride**

@Ben

Thanks 🤗

@Dride Support

🙌

dride.io

FCC Warning Statement

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

-- Reorient or relocate the receiving antenna.

-- Increase the separation between the equipment and receiver.

-- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-- Consult the dealer or an experienced radio/TV technician for help.

FCC Radiation Exposure Statement

The antennas used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located for operating in conjunction with any other antenna or transmitter.