







EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

EUT View 1	 A photograph showing a black circular device and a black cable with a white connector, placed on a blue textured surface. A metal ruler is positioned vertically on the left and horizontally at the bottom for scale. The circular device has a diameter of approximately 10 cm. The cable is coiled and measures about 15 cm in length.
EUT View 2	 A photograph showing the same black circular device from a different angle, placed on the same blue textured surface. A metal ruler is positioned vertically on the left and horizontally at the bottom for scale. The device's diameter is approximately 10 cm.

EUT View 3	 A top-down photograph of a black, circular electronic component. The component has four small, circular holes arranged in a square pattern. It is placed on a blue textured surface. A metal ruler is positioned vertically to the left of the component, showing a scale from 1 to 15 cm. Another metal ruler is positioned horizontally below the component, showing a scale from 1 to 19 cm.
EUT View 4	 A side-view photograph of the same black, circular component, showing its thickness. It is placed on a blue textured surface. A metal ruler is positioned horizontally below the component, showing a scale from 19 to 31 cm.

EUT View 5	 A black, circular component is shown against a blue background. A ruler is placed horizontally below the component, showing measurements from 19 to 32 cm. The component's diameter is approximately 2.5 cm.
EUT View 6	 A black, circular component is shown against a blue background. A ruler is placed horizontally below the component, showing measurements from 20 to 34 cm. The component's diameter is approximately 2.5 cm.

