


Band 17

710MHZ


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	52.47	-92.03	23.79	7.07	0.00	-61.17	-13.00	-48.17	Peak
2	411.99	-93.26	25.76	9.22	0.00	-58.28	-13.00	-45.28	Peak
3	1410.08	-60.75	37.10	4.19	36.63	-56.09	-13.00	-43.09	Peak
4	2825.19	-58.14	40.77	6.06	37.46	-48.77	-13.00	-35.77	Peak
5	3525.56	-60.76	41.36	6.82	37.07	-49.65	-13.00	-36.65	Peak
6	5689.36	-66.44	43.85	9.52	33.60	-46.67	-13.00	-33.67	Peak

710MHZ


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	92.76	-94.50	25.85	7.45	0.00	-61.20	-13.00	-48.20	Peak
2	494.65	-93.13	26.12	9.54	0.00	-57.47	-13.00	-44.47	Peak
3	2500.25	-60.45	39.23	5.66	37.28	-52.84	-13.00	-39.84	Peak
4	2818.01	-53.40	40.71	6.06	37.43	-44.06	-13.00	-31.06	Peak
5	3525.56	-62.79	41.50	6.82	37.07	-51.54	-13.00	-38.54	Peak
6	5762.24	-66.77	44.09	9.57	33.42	-46.53	-13.00	-33.53	Peak

709MHz


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	36.92	-94.31	27.32	6.89	0.00	-60.10	-13.00	-47.10	Peak
2	449.85	-93.23	25.95	9.37	0.00	-57.91	-13.00	-44.91	Peak
3	1998.48	-64.15	39.09	5.01	37.22	-57.27	-13.00	-44.27	Peak
4	2818.01	-58.88	40.76	6.06	37.43	-49.49	-13.00	-36.49	Peak
5	3525.56	-60.53	41.36	6.82	37.07	-49.42	-13.00	-36.42	Peak
6	5674.90	-67.07	43.83	9.51	33.55	-47.28	-13.00	-34.28	Peak

709MHz


Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	94.74	-94.61	25.82	7.47	0.00	-61.32	-13.00	-48.32	Peak
2	429.75	-93.13	25.49	9.28	0.00	-58.36	-13.00	-45.36	Peak
3	2500.25	-60.36	39.23	5.66	37.28	-52.75	-13.00	-39.75	Peak
4	2818.01	-54.19	40.71	6.06	37.43	-44.85	-13.00	-31.85	Peak
5	3525.56	-57.52	41.50	6.82	37.07	-46.27	-13.00	-33.27	Peak
6	5762.24	-65.79	44.09	9.57	33.42	-45.55	-13.00	-32.55	Peak

711MHZ


Polarization: Horizontal



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	36.92	-94.32	27.32	6.89	0.00	-60.11	-13.00	-47.11	Peak
2	381.32	-91.85	25.04	9.09	0.00	-57.72	-13.00	-44.72	Peak
3	2657.76	-64.86	39.34	5.87	37.22	-56.87	-13.00	-43.87	Peak
4	2825.19	-58.92	40.77	6.06	37.46	-49.55	-13.00	-36.55	Peak
5	3534.54	-64.51	41.49	6.83	37.04	-53.23	-13.00	-40.23	Peak
6	5689.36	-67.10	43.85	9.52	33.60	-47.33	-13.00	-34.33	Peak



711MHZ

Polarization: Vertical



Mark	Frequency MHz	Reading dBm	Antenna dB	Cable dB	Preamp dB	Level dBm	Limit dBm	Over limit	Remark
1	103.44	-93.75	25.28	7.55	0.00	-60.92	-13.00	-47.92	Peak
2	489.46	-94.13	25.99	9.52	0.00	-58.62	-13.00	-45.62	Peak
3	2500.25	-60.46	39.23	5.66	37.28	-52.85	-13.00	-39.85	Peak
4	2825.19	-53.22	40.72	6.06	37.46	-43.90	-13.00	-30.90	Peak
5	3534.54	-62.43	41.64	6.83	37.04	-51.00	-13.00	-38.00	Peak
6	5762.24	-68.52	44.09	9.57	33.42	-48.28	-13.00	-35.28	Peak

6. TEST SETUP PHOTOS OF THE EUT



7. EXTERNAL AND INTERNAL PHOTOS OF THE EUT

Refere to the test report No.: CHTEW21120019

8. APPENDIX REPORT