Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-32.73	-27	Pass
NVNT	a	5280	Ant1	-33.05	-27	Pass
NVNT	a	5320	Ant1	-32.52	-27	Pass
NVNT	n20	5260	Ant1	-32.84	-27	Pass
NVNT	n20	5280	Ant1	-32.46	-27	Pass
NVNT	n20	5320	Ant1	-32.91	-27	Pass
NVNT	n40	5270	Ant1	-33.15	-27	Pass
NVNT	n40	5310	Ant1	-33.2	-27	Pass
NVNT	ac20	5260	Ant1	-32.9	-27	Pass
NVNT	ac20	5280	Ant1	-31.74	-27	Pass
NVNT	ac20	5320	Ant1	-32.52	-27	Pass
NVNT	ac40	5270	Ant1	-33.35	-27	Pass
NVNT	ac40	5310	Ant1	-33.15	-27	Pass
NVNT	ac80	5290	Ant1	-33.07	-27	Pass

Test Graphs

Tx. Spurious NVNT a 5260MHz Ant1 Emission



Tx. Spurious NVNT a 5280MHz Ant1 Emission



Tx. Spurious NVNT a 5320MHz Ant1 Emission



Tx. Spurious NVNT n20 5260MHz Ant1 Emission



Tx. Spurious NVNT n20 5280MHz Ant1 Emission



Tx. Spurious NVNT n20 5320MHz Ant1 Emission



Tx. Spurious NVNT n40 5270MHz Ant1 Emission



Tx. Spurious NVNT n40 5310MHz Ant1 Emission



Tx. Spurious NVNT ac20 5260MHz Ant1 Emission



Tx. Spurious NVNT ac20 5280MHz Ant1 Emission



Tx. Spurious NVNT ac20 5320MHz Ant1 Emission



Tx. Spurious NVNT ac40 5270MHz Ant1 Emission



Tx. Spurious NVNT ac40 5310MHz Ant1 Emission



Tx. Spurious NVNT ac80 5290MHz Ant1 Emission



5.6G

Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	85.34	0.69	5.88
NVNT	a	5600	Ant1	85.28	0.69	5.88
NVNT	a	5700	Ant1	85.3	0.69	5.56
NVNT	n20	5500	Ant1	84.46	0.73	6.25
NVNT	n20	5600	Ant1	84.47	0.73	6.25
NVNT	n20	5700	Ant1	84.49	0.73	6.25
NVNT	n40	5510	Ant1	77.56	1.1	10
NVNT	n40	5590	Ant1	77.57	1.1	10
NVNT	n40	5670	Ant1	77.57	1.1	10
NVNT	ac20	5500	Ant1	84.82	0.71	6.25
NVNT	ac20	5600	Ant1	84.83	0.71	5.88
NVNT	ac20	5700	Ant1	84.84	0.71	5.88
NVNT	ac40	5510	Ant1	76.42	1.17	11.11
NVNT	ac40	5590	Ant1	76.43	1.17	10
NVNT	ac40	5670	Ant1	76.43	1.17	11.11
NVNT	ac80	5530	Ant1	69.84	1.56	14.29

Test Graphs

Duty Cycle NVNT a 5500MHz Ant1



Duty Cycle NVNT a 5600MHz Ant1



Duty Cycle NVNT a 5700MHz Ant1



Duty Cycle NVNT n20 5500MHz Ant1



Duty Cycle NVNT n20 5600MHz Ant1



Duty Cycle NVNT n20 5700MHz Ant1



Duty Cycle NVNT n40 5510MHz Ant1



Duty Cycle NVNT n40 5590MHz Ant1



Duty Cycle NVNT n40 5670MHz Ant1



Duty Cycle NVNT ac20 5500MHz Ant1



Duty Cycle NVNT ac20 5600MHz Ant1



Duty Cycle NVNT ac20 5700MHz Ant1



Duty Cycle NVNT ac40 5510MHz Ant1



Duty Cycle NVNT ac40 5590MHz Ant1



Duty Cycle NVNT ac40 5670MHz Ant1



Duty Cycle NVNT ac80 5530MHz Ant1



Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	12.05	0	12.05	24	Pass
NVNT	a	5600	Ant1	12.2	0	12.2	24	Pass
NVNT	a	5700	Ant1	11.64	0	11.64	24	Pass
NVNT	n20	5500	Ant1	10.75	0	10.75	24	Pass
NVNT	n20	5600	Ant1	10.92	0	10.92	24	Pass
NVNT	n20	5700	Ant1	10.48	0	10.48	24	Pass
NVNT	n40	5510	Ant1	10.79	0	10.79	24	Pass
NVNT	n40	5590	Ant1	10.87	0	10.87	24	Pass
NVNT	n40	5670	Ant1	10.51	0	10.51	24	Pass
NVNT	ac20	5500	Ant1	10.82	0	10.82	24	Pass
NVNT	ac20	5600	Ant1	11.03	0	11.03	24	Pass
NVNT	ac20	5700	Ant1	10.66	0	10.66	24	Pass
NVNT	ac40	5510	Ant1	9.61	0	9.61	24	Pass
NVNT	ac40	5590	Ant1	9.84	0	9.84	24	Pass
NVNT	ac40	5670	Ant1	9.71	0	9.71	24	Pass
NVNT	ac80	5530	Ant1	10.3	0	10.3	24	Pass

-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	20.64	0.5	Pass
NVNT	a	5600	Ant1	20.4	0.5	Pass
NVNT	a	5700	Ant1	20.355	0.5	Pass
NVNT	n20	5500	Ant1	20.712	0.5	Pass
NVNT	n20	5600	Ant1	20.802	0.5	Pass
NVNT	n20	5700	Ant1	20.439	0.5	Pass
NVNT	n40	5510	Ant1	39.33	0.5	Pass
NVNT	n40	5590	Ant1	39.096	0.5	Pass
NVNT	n40	5670	Ant1	39.438	0.5	Pass
NVNT	ac20	5500	Ant1	20.898	0.5	Pass
NVNT	ac20	5600	Ant1	20.757	0.5	Pass
NVNT	ac20	5700	Ant1	21.327	0.5	Pass
NVNT	ac40	5510	Ant1	39.756	0.5	Pass
NVNT	ac40	5590	Ant1	40.032	0.5	Pass
NVNT	ac40	5670	Ant1	39.888	0.5	Pass
NVNT	ac80	5530	Ant1	80.304	0.5	Pass

Test Graphs

-26dB Bandwidth NVNT a 5500MHz Ant1



-26dB Bandwidth NVNT a 5600MHz Ant1



-26dB Bandwidth NVNT a 5700MHz Ant1



-26dB Bandwidth NVNT n20 5500MHz Ant1



-26dB Bandwidth NVNT n20 5600MHz Ant1



-26dB Bandwidth NVNT n20 5700MHz Ant1



-26dB Bandwidth NVNT n40 5510MHz Ant1



-26dB Bandwidth NVNT n40 5590MHz Ant1



-26dB Bandwidth NVNT n40 5670MHz Ant1



-26dB Bandwidth NVNT ac20 5500MHz Ant1



-26dB Bandwidth NVNT ac20 5600MHz Ant1



-26dB Bandwidth NVNT ac20 5700MHz Ant1



-26dB Bandwidth NVNT ac40 5510MHz Ant1



-26dB Bandwidth NVNT ac40 5590MHz Ant1



-26dB Bandwidth NVNT ac40 5670MHz Ant1



-26dB Bandwidth NVNT ac80 5530MHz Ant1



Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.333
NVNT	a	5600	Ant1	16.369
NVNT	a	5700	Ant1	16.375
NVNT	n20	5500	Ant1	17.662
NVNT	n20	5600	Ant1	17.644
NVNT	n20	5700	Ant1	17.665
NVNT	n40	5510	Ant1	36.128
NVNT	n40	5590	Ant1	36.128
NVNT	n40	5670	Ant1	36.086
NVNT	ac20	5500	Ant1	17.653
NVNT	ac20	5600	Ant1	17.68
NVNT	ac20	5700	Ant1	17.608
NVNT	ac40	5510	Ant1	36.368
NVNT	ac40	5590	Ant1	36.398
NVNT	ac40	5670	Ant1	36.368
NVNT	ac80	5530	Ant1	75.208

Test Graphs

OBW NVNT a 5500MHz Ant1



OBW NVNT a 5600MHz Ant1



OBW NVNT a 5700MHz Ant1



OBW NVNT n20 5500MHz Ant1



OBW NVNT n20 5600MHz Ant1



OBW NVNT n20 5700MHz Ant1



OBW NVNT n40 5510MHz Ant1



OBW NVNT n40 5590MHz Ant1



OBW NVNT n40 5670MHz Ant1



OBW NVNT ac20 5500MHz Ant1



OBW NVNT ac20 5600MHz Ant1



OBW NVNT ac20 5700MHz Ant1



OBW NVNT ac40 5510MHz Ant1



OBW NVNT ac40 5590MHz Ant1



OBW NVNT ac40 5670MHz Ant1



OBW NVNT ac80 5530MHz Ant1



Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-8.43	0.69	-7.74	11	Pass
NVNT	a	5600	Ant1	-7.56	0.69	-6.87	11	Pass
NVNT	a	5700	Ant1	-8.09	0.69	-7.4	11	Pass
NVNT	n20	5500	Ant1	-10.28	0.73	-9.55	11	Pass
NVNT	n20	5600	Ant1	-10.28	0.73	-9.55	11	Pass
NVNT	n20	5700	Ant1	-10.75	0.73	-10.02	11	Pass
NVNT	n40	5510	Ant1	-17.78	1.1	-16.68	11	Pass
NVNT	n40	5590	Ant1	-16.82	1.1	-15.72	11	Pass
NVNT	n40	5670	Ant1	-16.56	1.1	-15.46	11	Pass
NVNT	ac20	5500	Ant1	-10.08	0.71	-9.37	11	Pass
NVNT	ac20	5600	Ant1	-10.09	0.71	-9.38	11	Pass
NVNT	ac20	5700	Ant1	-10.22	0.71	-9.51	11	Pass
NVNT	ac40	5510	Ant1	-19.05	1.17	-17.88	11	Pass
NVNT	ac40	5590	Ant1	-17.56	1.17	-16.39	11	Pass
NVNT	ac40	5670	Ant1	-18.27	1.17	-17.1	11	Pass
NVNT	ac80	5530	Ant1	-23.99	1.56	-22.43	11	Pass

Test Graphs

PSD NVNT a 5500MHz Ant1



PSD NVNT a 5600MHz Ant1



PSD NVNT a 5700MHz Ant1



PSD NVNT n20 5500MHz Ant1



PSD NVNT n20 5600MHz Ant1



PSD NVNT n20 5700MHz Ant1



PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5590MHz Ant1



PSD NVNT n40 5670MHz Ant1



PSD NVNT ac20 5500MHz Ant1



PSD NVNT ac20 5600MHz Ant1



PSD NVNT ac20 5700MHz Ant1



PSD NVNT ac40 5510MHz Ant1



PSD NVNT ac40 5590MHz Ant1