
















Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-40.1	-27	Pass
NVNT	a	5240	Ant1	-41.05	-27	Pass
NVNT	n20	5180	Ant1	-40.99	-27	Pass
NVNT	n20	5240	Ant1	-40.96	-27	Pass
NVNT	n40	5190	Ant1	-41.07	-27	Pass
NVNT	n40	5230	Ant1	-40.68	-27	Pass
NVNT	ac20	5180	Ant1	-40.92	-27	Pass
NVNT	ac20	5240	Ant1	-41	-27	Pass
NVNT	ac40	5190	Ant1	-41.1	-27	Pass
NVNT	ac40	5230	Ant1	-41.46	-27	Pass
NVNT	ac80	5210	Ant1	-41.29	-27	Pass
NVNT	ac80	5210	Ant1	-41.13	-27	Pass
NVNT	ax20	5180	Ant1	-40.82	-27	Pass
NVNT	ax20	5240	Ant1	-41.15	-27	Pass
NVNT	ax40	5190	Ant1	-40.84	-27	Pass
NVNT	ax40	5230	Ant1	-41.25	-27	Pass
NVNT	ax80	5210	Ant1	-40.51	-27	Pass
NVNT	ax80	5210	Ant1	-40.31	-27	Pass








Band Edge NVNT n40 5190MHz Low Ant1





Band Edge NVNT n40 5230MHz High Ant1





















Conducted RF Spurious Emission



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-34.56	-27	Pass
NVNT	a	5200	Ant1	-34.18	-27	Pass
NVNT	a	5240	Ant1	-34.54	-27	Pass
NVNT	n20	5180	Ant1	-34.08	-27	Pass
NVNT	n20	5200	Ant1	-35.18	-27	Pass
NVNT	n20	5240	Ant1	-34.44	-27	Pass
NVNT	n40	5190	Ant1	-34.45	-27	Pass
NVNT	n40	5230	Ant1	-34.88	-27	Pass
NVNT	ac20	5180	Ant1	-34.14	-27	Pass
NVNT	ac20	5200	Ant1	-33.3	-27	Pass
NVNT	ac20	5240	Ant1	-34.3	-27	Pass
NVNT	ac40	5190	Ant1	-34.5	-27	Pass
NVNT	ac40	5230	Ant1	-35.27	-27	Pass
NVNT	ac80	5210	Ant1	-34.91	-27	Pass
NVNT	ax20	5180	Ant1	-34.48	-27	Pass
NVNT	ax20	5200	Ant1	-34.74	-27	Pass
NVNT	ax20	5240	Ant1	-35.42	-27	Pass
NVNT	ax40	5190	Ant1	-34.05	-27	Pass
NVNT	ax40	5230	Ant1	-35.11	-27	Pass
NVNT	ax80	5210	Ant1	-34	-27	Pass






























Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
20C 3.42V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
20C 3.8V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
20C 4.18V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
-20C 3.8V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
-10C 3.8V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
0C 3.8V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
10C 3.8V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
30C 3.8V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
40C 3.8V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
50C 3.8V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
60C 3.8V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
70C 3.8V	user	5180	Ant1	5180.001	1000	0.19	20	Pass
20C 3.42V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
20C 3.8V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
20C 4.18V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
-20C 3.8V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
-10C 3.8V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
0C 3.8V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
10C 3.8V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
30C 3.8V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
40C 3.8V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
50C 3.8V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
60C 3.8V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
70C 3.8V	user	5200	Ant1	5200.001	1000	0.19	20	Pass
20C 3.42V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
20C 3.8V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
20C 4.18V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
-20C 3.8V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
-10C 3.8V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
0C 3.8V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
10C 3.8V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
30C 3.8V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
40C 3.8V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
50C 3.8V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
60C 3.8V	user	5240	Ant1	5240.001	1000	0.19	20	Pass
70C 3.8V	user	5240	Ant1	5240.001	1000	0.19	20	Pass

