




















Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5500	Ant1	-0.91	0.06	-0.85	11	Pass
NVNT	a	5600	Ant1	-1.17	0.06	-1.11	11	Pass
NVNT	a	5700	Ant1	-0.47	0.06	-0.41	11	Pass
NVNT	n20	5500	Ant1	-1.25	0.06	-1.19	11	Pass
NVNT	n20	5600	Ant1	-1.28	0.07	-1.21	11	Pass
NVNT	n20	5700	Ant1	-0.26	0.07	-0.19	11	Pass
NVNT	n40	5510	Ant1	-4.03	0.11	-3.92	11	Pass
NVNT	n40	5590	Ant1	-2.83	0.11	-2.72	11	Pass
NVNT	n40	5670	Ant1	-3.71	0.12	-3.59	11	Pass
NVNT	ac20	5500	Ant1	-1.22	0.07	-1.15	11	Pass
NVNT	ac20	5600	Ant1	-1.4	0.07	-1.33	11	Pass
NVNT	ac20	5700	Ant1	-0.23	0.07	-0.16	11	Pass
NVNT	ac40	5510	Ant1	-4.07	0.07	-4	11	Pass
NVNT	ac40	5590	Ant1	-2.72	0.07	-2.65	11	Pass
NVNT	ac40	5670	Ant1	-3.62	0.07	-3.55	11	Pass
NVNT	ac80	5530	Ant1	-9.78	0.21	-9.57	11	Pass
NVNT	ac80	5610	Ant1	-9.32	0.21	-9.11	11	Pass
NVNT	ax20	5500	Ant1	-1.26	0.07	-1.19	11	Pass
NVNT	ax20	5600	Ant1	-1.44	0.07	-1.37	11	Pass
NVNT	ax20	5700	Ant1	-0.18	0.08	-0.1	11	Pass
NVNT	ax40	5510	Ant1	-3.8	0.08	-3.72	11	Pass
NVNT	ax40	5590	Ant1	-2.56	0.07	-2.49	11	Pass
NVNT	ax40	5670	Ant1	-3.42	0.07	-3.35	11	Pass
NVNT	ax80	5530	Ant1	-11.02	0.23	-10.79	11	Pass
NVNT	ax80	5610	Ant1	-10.08	0.23	-9.85	11	Pass




































Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-40.2	-27	Pass
NVNT	a	5700	Ant1	-36.9	-27	Pass
NVNT	n20	5500	Ant1	-38.24	-27	Pass
NVNT	n20	5700	Ant1	-39.21	-27	Pass
NVNT	n40	5510	Ant1	-40.93	-27	Pass
NVNT	n40	5670	Ant1	-39.05	-27	Pass
NVNT	ac20	5500	Ant1	-36.37	-27	Pass
NVNT	ac20	5700	Ant1	-38.97	-27	Pass
NVNT	ac40	5510	Ant1	-39.67	-27	Pass
NVNT	ac40	5670	Ant1	-39.07	-27	Pass
NVNT	ac80	5530	Ant1	-40.85	-27	Pass
NVNT	ac80	5610	Ant1	-40.69	-27	Pass
NVNT	ax20	5500	Ant1	-39.4	-27	Pass
NVNT	ax20	5700	Ant1	-36.43	-27	Pass
NVNT	ax40	5510	Ant1	-40.08	-27	Pass
NVNT	ax40	5670	Ant1	-39.32	-27	Pass
NVNT	ax80	5530	Ant1	-37.82	-27	Pass
NVNT	ax80	5610	Ant1	-40.33	-27	Pass


Test Graphs


Band Edge NVNT a 5500MHz Low Ant1





Band Edge NVNT a 5700MHz High Ant1























Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-34.65	-27	Pass
NVNT	a	5600	Ant1	-34.93	-27	Pass
NVNT	a	5700	Ant1	-34.87	-27	Pass
NVNT	n20	5500	Ant1	-34.05	-27	Pass
NVNT	n20	5600	Ant1	-34.4	-27	Pass
NVNT	n20	5700	Ant1	-35.08	-27	Pass
NVNT	n40	5510	Ant1	-36.2	-27	Pass
NVNT	n40	5590	Ant1	-36.55	-27	Pass
NVNT	n40	5670	Ant1	-36.93	-27	Pass
NVNT	ac20	5500	Ant1	-34.78	-27	Pass
NVNT	ac20	5600	Ant1	-33.99	-27	Pass
NVNT	ac20	5700	Ant1	-34.12	-27	Pass
NVNT	ac40	5510	Ant1	-34.23	-27	Pass
NVNT	ac40	5590	Ant1	-34.37	-27	Pass
NVNT	ac40	5670	Ant1	-34.62	-27	Pass
NVNT	ac80	5530	Ant1	-34.24	-27	Pass
NVNT	ac80	5610	Ant1	-34.69	-27	Pass
NVNT	ax20	5500	Ant1	-34.93	-27	Pass
NVNT	ax20	5600	Ant1	-34.82	-27	Pass
NVNT	ax20	5700	Ant1	-34.83	-27	Pass
NVNT	ax40	5510	Ant1	-34.72	-27	Pass
NVNT	ax40	5590	Ant1	-34.98	-27	Pass
NVNT	ax40	5670	Ant1	-35	-27	Pass
NVNT	ax80	5530	Ant1	-35.38	-27	Pass
NVNT	ax80	5610	Ant1	-34.9	-27	Pass

