

24mm

OCL

 ACL GmbH
 Apelsteinallee 5
04416
Markkleeberg
Germany
 www.acl.de
 +493412307860
 service@acl.de
OR-PC® 21

 MS90031

 00

Input: 100-240V~
50/60Hz

max. 1.10A @ 100V
max. 0.45A @ 240V



88mm

AvERP 110-00062
„21 Basic“

24mm

OCL

 ACL GmbH
 Apelsteinallee 5
04416
Markkleeberg
Germany
 www.acl.de
 +493412307860
 service@acl.de
OR-PC® 21

 MS90032

 00

Input: 100-240V~
50/60Hz

max. 1.10A @ 100V
max. 0.45A @ 240V



88mm

AvERP 110-00067
„21 Pro“

24mm

OCL

 ACL GmbH
 Apelsteinallee 5
04416
Markkleeberg
Germany
 www.acl.de
 +493412307860
 service@acl.de
OR-PC® 24

 MS90033

 00

Input: 100-240V~
50/60Hz

max. 1.10A @ 100V
max. 0.45A @ 240V



88mm

AvERP 110-00061
„24 Basic“

24mm

OCL

 ACL GmbH
 Apelsteinallee 5
04416
Markkleeberg
Germany
 www.acl.de
 +493412307860
 service@acl.de
OR-PC® 24

 MS90034

 00

Input: 100-240V~
50/60Hz

max. 1.10A @ 100V
max. 0.45A @ 240V



88mm

AvERP 110-00068
„24 Pro“

[red] fields indicate an assumed content
after the certification is finished, the
certification marks are not used beforehand

								type plate			
								description thermo-transfer foil, white TZe-251 (AvERP 810-00002) or clear TZe-151 (AvERP 810-00068) or similar			
	Revision	Date	Name		Date	Name					
1.0	created	06.01.2021	RT	created	22.04.2021	RT					
1.1	consumpt.+test mark	22.04.2021	RT	approved	22.04.2021	KK					

ACL



ACL GmbH



Apelsteinallee 5
04416

Markkleeberg
Germany



www.acl.de



+493412307860



service@acl.de

OR-PC® 21



REF MS90031



RI 00

Input: 100-240V~
50/60Hz

max. 1.10A @ 100V

max. 0.45A @ 240V



[E500364]



FCC ID: [2AUWB2]

[CAN ICES-3 (B) /NMB-3 (B)]

ACL



ACL GmbH



Apelsteinallee 5

04416

Markkleeberg

Germany



www.acl.de



+493412307860



service@acl.de

OR-PC® 21



MS90032



00

Input: 100-240V~

50/60Hz

max. 1.10A @ 100V

max. 0.45A @ 240V



FCC ID: [2AUWB2]

[CAN ICES-3 (B) /NMB-3 (B)]

ACL



ACL GmbH



Apelsteinallee 5

04416

Markkleeberg

Germany



www.acl.de



+493412307860



service@acl.de

OR-PC® 24



MS90033



00

Input: 100-240V~

50/60Hz

max. 1.10A @ 100V

max. 0.45A @ 240V



[E500364]



FCC ID: [2AUWB2]

[CAN ICES-3 (B) /NMB-3 (B)]

ACL



ACL GmbH



Apelsteinallee 5
04416

Markkleeberg
Germany



www.acl.de



+493412307860



service@acl.de

OR-PC® 24



REF MS90034



RI 00

Input: 100-240V~
50/60Hz

max. 1.10A @ 100V

max. 0.45A @ 240V



FCC ID: [2AUWB2]

[CAN ICES-3 (B) /NMB-3 (B)]