FCC RF Test Report

APPLICANT	:	FairPhone B.V.
EQUIPMENT	:	Fairphone 4 5G
BRAND NAME	:	FAIRPHONE
MODEL NAME	:	FP4
FCC ID	:	2AUWUFP4
STANDARD	:	47 CFR Part 2, Part 27 Subpart Q
CLASSIFICATION	:	PCS Licensed Transmitter Held to Ear (PCE)
TEST DATE(S)	:	Mar. 04, 2022 ~ Mar. 18, 2022

We, Sporton International Inc. (Kunshan), would like to declare that the tested sample has been evaluated in accordance with the procedures given in ANSI C63.26-2015 and shown compliance with the applicable technical standards.

The test results in this report apply exclusively to the tested model / sample. Without written approval of Sporton International Inc. (Kunshan), the test report shall not be reproduced except in full.

Jason Jia

Reviewed by: Jason Jia / Supervisor

Alex wang

Approved by: Alex Wang / Manager

ACCREDITED
Cert #5145.02

Sporton International Inc. (Kunshan)

No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China

TABLE OF CONTENTS

REVISION HISTORY **3**
SUMMARY OF TEST RESULT **4**
1 GENERAL DESCRIPTION **5**
1.1 Applicant 5
1.2 Manufacturer 5
1.3 Product Feature of Equipment Under Test 5
1.4 Product Specification of Equipment Under Test 5
1.5 Modification of EUT 6
1.6 Maximum EIRP Power and Emission Designator 6
1.7 Testing Site 6
1.8 Test Software 7
1.9 Applied Standards 7
2 TEST CONFIGURATION OF EQUIPMENT UNDER TEST **8**
2.1 Test Mode 8
2.2 Connection Diagram of Test System 9
2.3 Support Unit used in test configuration and system 9
2.4 Measurement Results Explanation Example 9
2.5 Frequency List of Low/Middle/High Channels 10
3 CONDUCTED TEST ITEMS **11**
3.1 Measuring Instruments 11
3.2 Test Setup 11
3.3 Test Result of Conducted Test 11
3.4 Conducted Output Power Measurement 12
3.5 Peak-to-Average Ratio 13
3.6 EIRP 14
3.7 Occupied Bandwidth 15
3.8 Conducted Band Edge Measurement 16
3.9 Conducted Spurious Emission Measurement 17
3.10 Frequency Stability Measurement 18
4 RADIATED TEST ITEMS **19**
4.1 Measuring Instruments 19
4.2 Test Setup 19
4.3 Test Result of Radiated Test 20
4.4 Radiated Spurious Emission Measurement 21
5 LIST OF MEASURING EQUIPMENT **22**
6 UNCERTAINTY OF EVALUATION **23**
APPENDIX A. TEST RESULTS OF CONDUCTED TEST
APPENDIX B. TEST RESULTS OF RADIATED TEST
APPENDIX C. TEST SETUP PHOTOGRAPHS

REVISION HISTORY

REPORT NO.	VERSION	DESCRIPTION	ISSUED DATE
FG152403-02D	Rev. 01	Initial issue of report	Apr. 08, 2022

SUMMARY OF TEST RESULT

Report Section	FCC Rule	Description	Limit	Result	Remark
3.4	§2.1046	Conducted Output Power	—	Report Only	-
3.5	§27.50 (k)(4)	Peak-to-Average Ratio	<13dB	PASS	
3.6	§27.50 (k)(3)	EIRP	EIRP < 1W (30dBm)	PASS	-
3.7	§2.1049	Occupied Bandwidth	—	Report Only	-
3.8	§2.1051 §27.53 (n)(2)	Conducted Band Edge Measurement	-13dBm/MHz	PASS	-
3.9	§2.1051 §27.53 (n)(2)	Conducted Spurious Emission	-13dBm/MHz	PASS	-
3.10	§2.1055 §27.54	Frequency Stability Temperature & Voltage	Within the band	PASS	-
4.4	§2.1053 §27.53 (n)(2)	Radiated Spurious Emission	-13dBm/MHz	PASS	Under limit 38.68 dB at 10356.000 MHz

Declaration of Conformity:
The test results with all measurement uncertainty excluded are presented in accordance with the regulation limits or requirements declared by manufacturers.
Comments and Explanations:
The declared of product specification for EUT presented in the report are provided by the manufacturer, and the manufacturer takes all the responsibilities for the accuracy of product specification.

1 General Description

1.1 Applicant

FairPhone B.V.
Van Diemenstraat 200, 1013 CP, Amsterdam, The Netherlands

1.2 Manufacturer

FairPhone B.V.
Van Diemenstraat 200, 1013 CP, Amsterdam, The Netherlands

1.3 Product Feature of Equipment Under Test

Product Feature	
Equipment	Fairphone 4 5G
Brand Name	FAIRPHONE
Model Name	FP4
FCC ID	2AUWUFP4
IMEI Code	Conducted : 355870090016855/355870090016863 Radiation : 355870090012078/355870090012086
HW Version	1.0
SW Version	FP4.FC1G.A.017-userdebug.20210804
EUT Stage	Identical Prototype

1.4 Product Specification of Equipment Under Test

Product Feature	
Tx/Rx Frequency	5G NR n77: 3450 MHz ~ 3550 MHz 5G NR n78: 3450 MHz ~ 3550 MHz
Bandwidth	5G NR n77: 20MHz / 40MHz / 50MHz / 60MHz / 70MHz / 80MHz / 90MHz / 100MHz 5G NR n78: 20MHz / 30MHz / 40MHz / 50MHz / 60MHz / 70MHz / 80MHz / 90MHz / 100MHz
SCS	30kHz
Maximum Output Power to Antenna	**<Ant. 4>** 5G NR n77 : 23.83 dBm 5G NR n78 : 26.80 dBm
Antenna Gain	5G NR n77/n78 : 0 dBi
Type of Modulation	CP-OFDM: QPSK / 16QAM / 64QAM / 256QAM DFT-s-OFDM: PI/2 BPSK / QPSK / 16QAM / 64QAM / 256QAM

Remark:

1. 5G NR n77/n78 supports SA and NSA mode. According to the maximum power between SA and NSA mode, NSA covers SA mode and 5G NR n78 covers 5G NR n77.
2. The EN-DC mode combination: DC_7A_n77A, DC_7A_n78A, DC_41A_n78A, DC_38A_n78A.
3. The device supports HPUE mode for 5G NR n78.

4. The device supports n77/n78 SRS resources on ant. 7, only the test data of worst ant.4 is showed in the report according to the maximum power.

1.5 Modification of EUT

No modifications are made to the EUT during all test items.

1.6 Maximum EIRP Power and Emission Designator

5G NR n77 SA		PI/2 BPSK / QPSK		16QAM / 64QAM / 256QAM	
BW (MHz)	Frequency Range (MHz)	Maximum EIRP(W)	Emission Designator (99%OBW)	Maximum EIRP(W)	Emission Designator (99%OBW)
100	3500.01	0.2415	97M7G7D	0.1589	98M1W7D
5G NR n78 SA		PI/2 BPSK / QPSK		16QAM / 64QAM / 256QAM	
BW (MHz)	Frequency Range (MHz)	Maximum EIRP(W)	Emission Designator (99%OBW)	Maximum EIRP(W)	Emission Designator (99%OBW)
100	3500.01	0.4786	97M7G7D	0.3206	98M1W7D

Remark:

1. 5G NR Band n78 overlaps the entire frequency range of Band n77. Therefore, the test results of conducted test items provided in this report covers Band n78 as well as Band n77
2. All modulations have been tested, only the maximum bandwidth and the worst modulation test results are shown in the report.

1.7 Testing Site

Sporton International Inc. (Kunshan) is accredited to ISO/IEC 17025:2017 by American Association for Laboratory Accreditation with Certificate Number 5145.02.

Test Firm	Sporton International Inc. (Kunshan)		
Test Site Location	No. 1098, Pengxi North Road, Kunshan Economic Development Zone Jiangsu Province 215300 People's Republic of China TEL : +86-512-57900158 FAX : +86-512-57900958		
Test Site No.	**Sporton Site No.**	**FCC Designation No.**	**FCC Test Firm Registration No.**
	03CH04-KS TH01-KS	CN1257	314309

1.8 Test Software

Item	Site	Manufacturer	Name	Version
1.	03CH04-KS	AUDIX	E3	6.2009-8-24a

1.9 Applied Standards

According to the specifications of the manufacturer, the EUT must comply with the requirements of the following standards:

- 47 CFR Part 2, Part 27 Subpart Q
- ANSI C63.26-2015
- FCC KDB 971168 Power Meas License Digital Systems D01 v03r01
- FCC KDB 412172 D01 Determining ERP and EIRP v01r01
-

Remark:

1. All test items were verified and recorded according to the standards and without any deviation during the test.
2. This EUT has also been tested and complied with the requirements of FCC Part 15, Subpart B, recorded in a separate test report.

2 Test Configuration of Equipment Under Test

2.1 Test Mode

Antenna port conducted and radiated test items listed below are performed according to KDB 971168 D01 Power Meas. License Digital Systems v03r01 with maximum output power.

For radiated measurement, pre-scanned in three orthogonal panels, X, Y, Z and accessory configurations. The worst-cases (Y Plane with adapter) were recorded in this report.

Test Cases	Band	Bandwidth (MHz)	Modulation	RB #	Test Channel
		eg. 5M, 10M, 15M, 20M	eg. QPSK, 16QAM, 64QAM	1RB, Partial RB, Full RB	L/M/H
Max. Output Power	5G n77	20M, 40M, 50M, 60M, 70M, 80M, 90M ,100M	PI/2 BPSK, QPSK, 16QAM, 64QAM, 256QAM	1RB, Partial RB, Full RB	L, M, H
	5G n78	20M, 30M, 40M, 50M, 60M, 70M, 80M, 90M ,100M	PI/2 BPSK, QPSK, 16QAM, 64QAM, 256QAM	1RB, Partial RB, Full RB	L, M, H
Peak-to-Average Ratio	5G n78	100M	PI/2 BPSK, QPSK, 16QAM, 64QAM, 256QAM	Full RB	M
E.I.R.P	5G n77	20M, 40M, 50M, 60M, 70M, 80M, 90M ,100M	PI/2 BPSK, QPSK, 16QAM, 64QAM, 256QAM	1RB, Partial RB, Full RB	L, M, H
	5G n78	20M, 30M, 40M, 50M, 60M, 70M, 80M, 90M ,100M	PI/2 BPSK, QPSK, 16QAM, 64QAM, 256QAM	1RB, Partial RB, Full RB	L, M, H
26dB and 99% Bandwidth	5G n78	100M	QPSK, 16QAM	Full RB	M
Conducted Band Edge	5G n78	20M, 30M, 40M, 50M, 60M, 70M, 80M, 90M ,100M	PI/2 BPSK, QPSK, 16QAM, 64QAM, 256QAM	1RB, Full RB	L, H
Conducted Spurious Emission	5G n78	20M, 30M, 40M, 50M, 60M, 70M, 80M, 90M ,100M	QPSK	1RB	L, M, H
Frequency Stability	5G n78	100M	QPSK	1RB	M
Radiated Spurious Emission	5G n78	Worst case from maximum power			M

Note:

1. The device is investigated from 30MHz to 10 times of fundamental signal for radiated spurious emission test under different RB size/offset and modulations in exploratory test. Subsequently, only the worst case emissions are reported.
2. Based on engineering evaluation, only the worst modulations test results are shown in the report.
3. 5G NR Band n78 overlaps the entire frequency range of Band n77. Therefore, the test results of conducted test items provided in this report covers Band n78 as well as Band n77

2.2 Connection Diagram of Test System



2.3 Support Unit used in test configuration and system

Item	Equipment	Trade Name	Model No.	FCC ID	Data Cable	Power Cord
1.	DC Power Supply	GW	GPS-3030D	N/A	N/A	Unshielded, 1.8 m
2.	Base Station	Anritsu	MT8820C	N/A	N/A	Unshielded,1.8m
3.	Base Station	Anritsu	MT8000A	N/A	N/A	Unshielded,1.8m

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuator factor between EUT conducted output port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly the EUT RF output level.

The spectrum analyzer offset is derived from RF cable loss and attenuator factor.

Offset = RF cable loss + attenuator factor.

Following shows an offset computation example with cable loss 3.49 dB and 10dB attenuator.

Example :

Offset(dB) = RF cable loss(dB) + attenuator factor(dB).

= 3.49 + 10 = 13.49 (dB)

2.5 Frequency List of Low/Middle/High Channels

5G n77/n78 Channel and Frequency List				
BW [MHz]	Channel/Frequency(MHz)	Lowest	Middle	Highest
100	Channel	-	633334	-
	Frequency	-	3500.01	-
90	Channel	633000	633334	633668
	Frequency	3495	3500.01	3505.02
80	Channel	632668	633334	634000
	Frequency	3490.02	3500.01	3510
70	Channel	632334	633334	634334
	Frequency	3485.01	3500.01	3515.01
60	Channel	632000	633334	634668
	Frequency	3480	3500.01	3520.02
50	Channel	631668	633334	635000
	Frequency	3475.02	3500.01	3525
40	Channel	631334	633334	635334
	Frequency	3470.01	3500.01	3530.01
30	Channel	631000	633334	635668
	Frequency	3465	3500.01	3535.02
20	Channel	630668	633334	636000
	Frequency	3460.02	3500.01	3540

3 Conducted Test Items

3.1 Measuring Instruments

See list of measuring instruments of this test report.

3.2 Test Setup

3.2.1 Conducted Output Power



3.2.2 Peak-to-Average Ratio, Occupied / 26dB Bandwidth, Band-Edge and Conducted Spurious Emission



3.2.3 Frequency Stability



3.3 Test Result of Conducted Test

Please refer to Appendix A.

3.4 Conducted Output Power Measurement

3.4.1 Description of the Conducted Output Power Measurement

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals shall be reported.

3.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2
2. The transmitter output port was connected to the system simulator.
3. Set EUT at maximum power through the system simulator.
4. Select lowest, middle, and highest channels for each band and different modulation.
5. Measure and record the power level from the system simulator.

3.5 Peak-to-Average Ratio

3.5.1 Description of the PAR Measurement

Power Complementary Cumulative Distribution Function (CCDF) curves provide a means for characterizing the power peaks of a digitally modulated signal on a statistical basis. A CCDF curve depicts the probability of the peak signal amplitude exceeding the average power level. Most contemporary measurement instrumentation include the capability to produce CCDF curves for an input signal provided that the instrument's resolution bandwidth can be set wide enough to accommodate the entire input signal bandwidth. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

3.5.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.2.6 (PAPR).
2. The EUT was connected to spectrum and system simulator via a power divider.
3. Set EUT in maximum power output.
4. Set the RBW = 1MHz, VBW = 3MHz, Detector = Peak, Trace mode = max hold, Set span ≥ 2 × OBW in spectrum analyzer.
5. Set the RBW = 1MHz, VBW = 3MHz, Detector = power averaging, Trace mode = max hold, Set span ≥ 2 × OBW in spectrum analyzer.
6. Add [10 log (1/duty cycle)] to the measured maximum power level to compute the average power during continuous transmission.
7. PAPR (dB) = P_{Pk} (dBm) − P_{Avg} (dBm)

   where

   PAPR peak-to-average power ratio, in dB

   P_{Pk} measured peak power level, in dBm

   P_{Avg} measured average power level, in dBm
8. Record the deviation as Peak to Average Ratio.

3.6 EIRP

3.6.1 Description of EIRP Limit

§ 27.50 (k)(3)

Mobile devices are limited to 1Watt (30 dBm) EIRP. Mobile devices operating in these bands must employ a means for limiting power to the minimum necessary for successful communications

3.6.2 Test Procedures

1. According to KDB 412172 D01 Power Approach,
2. EIRP = $P_T + G_T – L_C$, ERP = EIRP -2.15, where

   P_T = transmitter output power in dBm

   G_T = gain of the transmitting antenna in dBi

   L_C = signal attenuation in the connecting cable between the transmitter and antenna in dB

3.7 Occupied Bandwidth

3.7.1 Description of Occupied Bandwidth Measurement

The occupied bandwidth is the width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5% of the total mean transmitted power.

The 26 dB emission bandwidth is defined as the frequency range between two points, one above and one below the carrier frequency, at which the spectral density of the emission is attenuated 26 dB below the maximum in-band spectral density of the modulated signal. Spectral density (power per unit bandwidth) is to be measured with a detector of resolution bandwidth equal to approximately 1.0% of the emission bandwidth.

3.7.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.4
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The spectrum analyzer center frequency is set to the nominal EUT channel center frequency. The span range for the spectrum analyzer shall be between two and five times the anticipated OBW.
4. The nominal resolution bandwidth (RBW) shall be in the range of 1 to 5 % of the anticipated OBW, and the VBW shall be at least 3 times the RBW.
5. Set the detection mode to peak, and the trace mode to max hold.
6. Determine the reference value: Set the EUT to transmit a modulated signal. Allow the trace to stabilize. Set the spectrum analyzer marker to the highest level of the displayed trace.
   (this is the reference value)
7. Determine the “-26 dB down amplitude” as equal to (Reference Value – X).
8. Place two markers, one at the lowest and the other at the highest frequency of the envelope of the spectral display such that each marker is at or slightly below the “–X dB down amplitude” determined in step 6. If a marker is below this “-X dB down amplitude” value it shall be placed as close as possible to this value. The OBW is the positive frequency difference between the two markers.
9. Use the 99 % power bandwidth function of the spectrum analyzer and report the measured bandwidth.

3.8 Conducted Band Edge Measurement

3.8.1 Description of Conducted Band Edge Measurement

§ 27.53 (n)(2)

For mobile operations in the 3450-3550 MHz band, the conducted power of any emission outside the licensee's authorized bandwidth shall not exceed −13 dBm/MHz.

Compliance with this paragraph is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed, but limited to a maximum of 200 kHz. In the bands between 1 and 5 MHz removed from the licensee's frequency block, the minimum resolution bandwidth for the measurement shall be 500 kHz.

3.8.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The band edges of low and high channels for the highest RF powers were measured.
4. Set RBW ≥ 1% EBW but limited to a maximum of 200 kHz in the 1MHz band immediately outside and adjacent to the band edge.
5. Beyond the 1 MHz and 5 MHz removed from the band edge, set RBW ≥ 500KHz.
6. Beyond the 5 MHz removed from the band edge, set RBW = 1MHz.
7. Set spectrum analyzer with RMS detector.
8. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
9. Checked that all the results comply with the emission limit line.

3.9 Conducted Spurious Emission Measurement

3.9.1 Description of Conducted Spurious Emission Measurement

The power of any emission outside of the authorized operating frequency ranges shall not exceed −13 dBm/MHz.

It is measured by means of a calibrated spectrum analyzer and scanned from 9 kHz up to a frequency including its 10th harmonic.

3.9.2 Test Procedures

1. The testing follows ANSI C63.26 section 5.7
2. The EUT was connected to spectrum analyzer and system simulator via a power divider.
3. The RF output of EUT was connected to the spectrum analyzer by RF cable and attenuator. The path loss was compensated to the results for each measurement.
4. The middle channel for the highest RF power within the transmitting frequency was measured.
5. The conducted spurious emission for the whole frequency range was taken.
6. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz.
7. Set spectrum analyzer with RMS detector.
8. Taking the record of maximum spurious emission.
9. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.
10. Checked that all the results comply with the emission limit line.

3.10 Frequency Stability Measurement

3.10.1 Description of Frequency Stability Measurement

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block.

3.10.2 Test Procedures for Temperature Variation

1. The testing follows ANSI C63.26 section 5.6.4
2. The EUT was set up in the thermal chamber and connected with the system simulator.
3. With power OFF, the temperature was decreased to -30°C and the EUT was stabilized before testing. Power was applied and the maximum change in frequency was recorded within one minute.
4. With power OFF, the temperature was raised in 10°C step up to 50°C. The EUT was stabilized at each step for at least half an hour. Power was applied and the maximum frequency change was recorded within one minute.

3.10.3 Test Procedures for Voltage Variation

1. The testing follows ANSI C63.26 section 5.6.5.
2. The EUT was placed in a temperature chamber at 20±5°C and connected with the system simulator.
3. The power supply voltage to the EUT was varied from 85% to 115% of the nominal value for other than hand carried battery equipment.
4. For hand carried, battery powered equipment, reduce the primary ac or dc supply voltage to the battery operating end point, which shall be specified by the manufacturer.
5. The variation in frequency was measured for the worst case.

4 Radiated Test Items

4.1 Measuring Instruments

See list of measuring instruments of this test report.

4.2 Test Setup

4.2.1 For radiated test below 30MHz



4.2.2 For radiated test from 30MHz to 1GHz



4.2.3 For radiated test above 1GHz



4.3 Test Result of Radiated Test

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.

Please refer to Appendix B.

4.4 Radiated Spurious Emission Measurement

4.4.1 Description of Radiated Spurious Emission

The radiated spurious emission was measured by substitution method according to ANSI/TIA-603-E. The power of any emission outside of the authorized operating frequency ranges shall not exceed −13 dBm/MHz.

The spectrum is scanned from 30 MHz up to a frequency including its 10th harmonic.

4.4.2 Test Procedures

1. The testing follows ANSI C63.26 Section 5.5
2. The EUT was placed on a turntable with 0.8 meter height for frequency below 1GHz and 1.5 meter height for frequency above 1GHz respectively above ground.
3. The EUT was set 3 meters from the receiving antenna mounted on the antenna tower.
4. The table was rotated 360 degrees to determine the position of the highest spurious emission.
5. The height of the receiving antenna is varied between 1m to 4m to search the maximum spurious emission for both horizontal and vertical polarizations.
6. During the measurement, the system simulator parameters were set to force the EUT transmitting at maximum output power.
7. Make the measurement with the spectrum analyzer's RBW = 1MHz, VBW = 3MHz, taking the record of maximum spurious emission.
8. A horn antenna was substituted in place of the EUT and was driven by a signal generator.
9. Tune the output power of signal generator to the same emission level with EUT maximum spurious emission.
   EIRP (dBm) = S.G. Power – Tx Cable Loss + Tx Antenna Gain
   ERP (dBm) = EIRP - 2.15
10. The RF fundamental frequency should be excluded against the limit line in the operating frequency band.

5 List of Measuring Equipment

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Test Date	Due Date	Remark
Spectrum Analyzer	R&S	FSV40	101040	10Hz~40GHz	Oct. 14, 2021	Mar. 04, 2022~ Mar. 08, 2022	Oct. 13, 2022	Conducted (TH01-KS)
Power divider	STI	STI08-0055	-	0.5~40GHz	Aug. 26, 2021	Mar. 04, 2022~ Mar. 08, 2022	Aug. 25, 2022	Conducted (TH01-KS)
Temperature & humidity chamber	Hongzhan	LP-150U	H2014011440	-40~+150°C 20%~95%RH	Jul. 12, 2021	Mar. 04, 2022~ Mar. 08, 2022	Jul. 11, 2022	Conducted (TH01-KS)
EXA Spectrum Analyzer	Keysight	N9010A	MY55150244	10Hz-44G,MAX 30dB	Apr. 13, 2021	Mar. 18, 2022	Apr. 12, 2022	Radiation (03CH04-KS)
Loop Antenna	R&S	HFH2-Z2	100321	9kHz~30MHz	Oct. 30, 2021	Mar. 18, 2022	Oct. 29, 2022	Radiation (03CH04-KS)
Bilog Antenna	TeseQ	CBL6111D	49922	30MHz-1GHz	May 30, 2021	Mar. 18, 2022	May 29, 2022	Radiation (03CH04-KS)
Horn Antenna	Schwarzbeck	BBHA9120D	1356	1GHz~18GHz	Apr. 18, 2021	Mar. 18, 2022	Apr. 17, 2022	Radiation (03CH04-KS)
SHF-EHF Horn	Com-power	AH-840	101070	18GHz~40GHz	Jan. 05, 2022	Mar. 18, 2022	Jan. 04 2023	Radiation (03CH04-KS)
Amplifier	SONOMA	310N	187289	9KHz-1GHz	Jan. 05, 2022	Mar. 18, 2022	Jan. 04, 2023	Radiation (03CH04-KS)
Amplifier	MITEQ	EM18G40G GA	060728	18~40GHz	Jan. 05, 2022	Mar. 18, 2022	Jan. 04 2023	Radiation (03CH04-KS)
high gain Amplifier	MITEQ	AMF-7D-00 101800-30-1 0P	2025788	1Ghz-18Ghz	Jul. 30, 2021	Mar. 18, 2022	Jul. 29, 2022	Radiation (03CH04-KS)
Amplifier	Keysight	83017A	MY57280106	500MHz~26.5GHz	Oct. 13, 2021	Mar. 18, 2022	Oct. 12, 2022	Radiation (03CH04-KS)
AC Power Source	Chroma	61601	F104090004	N/A	NCR	Mar. 18, 2022	NCR	Radiation (03CH04-KS)
Turn Table	ChamPro	EM 1000-T	060762-T	0~360 degree	NCR	Mar. 18, 2022	NCR	Radiation (03CH04-KS)
Antenna Mast	ChamPro	EM 1000-A	060762-A	1 m~4 m	NCR	Mar. 18, 2022	NCR	Radiation (03CH04-KS)

NCR: No Calibration Required

6 Uncertainty of Evaluation

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI 63.26-2015. All the measurement uncertainty value were shown with a coverage K=2 to indicate 95% level of confidence. The measurement data show herein meets or exceeds the CISPR measurement uncertainty values specified in CISPR 16-4-2 and can be compared directly to specified limit to determine compliance.

Uncertainty of Radiated Emission Measurement (30 MHz ~ 1000 MHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	**3.3dB**

Uncertainty of Radiated Emission Measurement (1 GHz ~ 40 GHz)

Measuring Uncertainty for a Level of Confidence of 95% (U = 2Uc(y))	**2.8dB**

---------- THE END ----------

Appendix A. Test Results of Conducted Test

Test Engineer :	Lex Wu	**Temperature :**	22~23℃
		Relative Humidity :	40~42%

Conducted Output Power(Average power) and EIRP

5G NR n77:

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Gain	EIRP	EIRP	EIRP
Channel					633334			L	M	H
Frequency (MHz)					3500.01					
100	PI/2 BPSK	1	1		23.00		0.00		0.1995	
100	PI/2 BPSK	1	137		23.02		0.00		0.2004	
100	PI/2 BPSK	1	271		23.26		0.00		0.2118	
100	PI/2 BPSK	135	0		22.45		0.00		0.1758	
100	PI/2 BPSK	135	67		23.01		0.00		0.2000	
100	PI/2 BPSK	135	138		22.59		0.00		0.1816	
100	PI/2 BPSK	270	0		22.54		0.00		0.1795	
100	QPSK	1	1		22.72		0.00		0.1871	
100	QPSK	1	137		22.89		0.00		0.1945	
100	QPSK	1	271		23.83		0.00		0.2415	
100	QPSK	135	0		21.95		0.00		0.1567	
100	QPSK	135	67		23.02		0.00		0.2004	
100	QPSK	135	138		22.13		0.00		0.1633	
100	QPSK	270	0		22.00		0.00		0.1585	
100	16QAM	1	1		22.01		0.00		0.1589	
100	64QAM	1	1		19.98		0.00		0.0995	
100	256QAM	1	1		18.32		0.00		0.0679	
Channel				633000	633334	633668	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3495	3500.01	3505.02				
90	PI/2 BPSK	1	1	23.01	22.89	22.98	0.00	0.2000	0.1945	0.1986
Channel				632668	633334	634000	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3490.02	3500.01	3510				
80	PI/2 BPSK	1	1	22.85	23.10	22.98	0.00	0.1928	0.2042	0.1986
Channel				632334	633334	634334	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3485.01	3500.01	3515.01				
70	PI/2 BPSK	1	1	22.86	22.93	22.79	0.00	0.1932	0.1963	0.1901
Channel				632000	633334	634668	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3480	3500.01	3520.02				
60	PI/2 BPSK	1	1	23.26	23.01	23.21	0.00	0.2118	0.2000	0.2094
Channel				631668	633334	635000	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3475.02	3500.01	3525				
50	PI/2 BPSK	1	1	23.29	23.31	23.36	0.00	0.2133	0.2143	0.2168
Channel				631334	633334	635334	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3470.01	3500.01	3530.01				
40	PI/2 BPSK	1	1	23.49	23.35	23.61	0.00	0.2234	0.2163	0.2296
Channel				630668	633334	636000	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3460.02	3500.01	3540				
20	PI/2 BPSK	1	1	23.23	23.17	23.27	0.00	0.2104	0.2075	0.2123

5G NR n78:

BW [MHz]	Modulation	RB Size	RB Offset	Power Low Ch. / Freq.	Power Middle Ch. / Freq.	Power High Ch. / Freq.	Gain	EIRP	EIRP	EIRP
Channel					633334			L	M	H
Frequency (MHz)					3500.01					
100	PI/2 BPSK	1	1		26.26		0.00		0.4227	
100	PI/2 BPSK	1	137		26.64		0.00		0.4613	
100	PI/2 BPSK	1	271		26.80		0.00		0.4786	
100	PI/2 BPSK	135	0		25.91		0.00		0.3899	
100	PI/2 BPSK	135	67		26.54		0.00		0.4508	
100	PI/2 BPSK	135	138		26.20		0.00		0.4169	
100	PI/2 BPSK	270	0		26.14		0.00		0.4111	
100	QPSK	1	1		26.23		0.00		0.4198	
100	QPSK	1	137		26.56		0.00		0.4529	
100	QPSK	1	271		26.74		0.00		0.4721	
100	QPSK	135	0		25.45		0.00		0.3508	
100	QPSK	135	67		26.67		0.00		0.4645	
100	QPSK	135	138		26.01		0.00		0.3990	
100	QPSK	270	0		25.55		0.00		0.3589	
100	16QAM	1	1		25.06		0.00		0.3206	
100	64QAM	1	1		23.37		0.00		0.2173	
100	256QAM	1	1		21.54		0.00		0.1426	
Channel				633000	633334	633668	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3495	3500.01	3505.02				
90	PI/2 BPSK	1	1	25.98	26.01	26.03	0.00	0.3963	0.3990	0.4009
Channel				632668	633334	634000	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3490.02	3500.01	3510				
80	PI/2 BPSK	1	1	26.12	26.08	26.02	0.00	0.4093	0.4055	0.3999
Channel				632334	633334	634334	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3485.01	3500.01	3515.01				
70	QPSK	1	1	26.15	26.21	26.07	0.00	0.4121	0.4178	0.4046
Channel				632000	633334	634668	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3480	3500.01	3520.02				
60	PI/2 BPSK	1	1	26.08	26.01	26.21	0.00	0.4055	0.3990	0.4178
Channel				631668	633334	635000	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3475.02	3500.01	3525				
50	PI/2 BPSK	1	1	25.97	26.05	26.18	0.00	0.3954	0.4027	0.4150
Channel				631334	633334	635334	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3470.01	3500.01	3530.01				
40	PI/2 BPSK	1	1	26.78	26.64	27.01	0.00	0.4764	0.4613	0.5023
Channel				631000	633334	635668	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3465	3500.01	3535.02				
30	PI/2 BPSK	1	1	26.49	26.55	26.62	0.00	0.4457	0.4519	0.4592
Channel				630668	633334	636000	Gain	EIRP	EIRP	EIRP
Frequency (MHz)				3460.02	3500.01	3540				
20	PI/2 BPSK	1	1	26.28	26.32	26.41	0.00	0.4246	0.4285	0.4375

FR1 n78

Peak-to-Average Ratio

Mode	FR1 n78 / 100MHz / DFT-S OFDM				
Mod.	100M				Limit: 13dB
RB Size	BPSK	QPSK	16QAM	64QAM	Result
Middle CH	5.28	5.36	5.19	5.23	PASS
RB Size	256QAM				
Middle CH	5.31				

BPSK-A



BPSK-P



QPSK-A



QPSK-P



16QAM-A



16QAM-P



64QAM-A	64QAM-P
	
256QAM-A	**256QAM-P**
	

26dB Bandwidth

Mode	FR1 n78 : 26dB BW(MHz) / DFT-S OFDM	
BW	100M	
Mod.	QPSK	16QAM
Middle CH	102.7	102.5

100M	
QPSK	16QAM
	

Occupied Bandwidth

Mode	FR1 n78: OB BW(MHz) / DFT-S OFDM	
BW	100M	
Mod.	QPSK	16QAM
Middle CH	97.70	98.10

100M	
QPSK	16QAM
	

Conducted Band Edge

FR1 n78 / 20MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44431 GHz	-41.86 dBm	-28.86 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44895 GHz	-33.95 dBm	-20.95 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.45000 GHz	-18.86 dBm	-5.86 dB
3.450 GHz	3.470 GHz	100.000 kHz	3.45108 GHz	17.34 dBm	-12.66 dB

Date: 4.MAR.2022 21:45:38

Highest Band Edge / 1RBmax



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	3.54887 GHz	17.36 dBm	-12.64 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-18.79 dBm	-5.79 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55116 GHz	-37.28 dBm	-24.28 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55514 GHz	-42.00 dBm	-29.00 dB

Date: 4.MAR.2022 21:56:42

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44188 GHz	-23.77 dBm	-10.77 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44712 GHz	-30.34 dBm	-17.34 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44997 GHz	-27.73 dBm	-14.73 dB
3.450 GHz	3.470 GHz	100.000 kHz	3.46367 GHz	4.64 dBm	-25.36 dB

Date: 4.MAR.2022 21:25:04

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	3.54499 GHz	5.05 dBm	-24.95 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55001 GHz	-27.55 dBm	-14.55 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55156 GHz	-27.23 dBm	-14.23 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55800 GHz	-23.48 dBm	-10.48 dB

Date: 4.MAR.2022 21:55:25

FR1 n78 / 20MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44478 GHz	-42.11 dBm	-29.11 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44899 GHz	-34.42 dBm	-21.42 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44998 GHz	-17.81 dBm	-4.81 dB
3.450 GHz	3.470 GHz	100.000 kHz	3.45106 GHz	17.53 dBm	-12.47 dB

Date: 4.MAR.2022 21:47:29

Highest Band Edge / 1RBmax



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	3.54899 GHz	17.57 dBm	-12.43 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-18.74 dBm	-5.74 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55103 GHz	-35.34 dBm	-22.34 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55797 GHz	-41.43 dBm	-28.43 dB

Date: 4.MAR.2022 22:11:16

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44486 GHz	-22.42 dBm	-9.42 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44717 GHz	-26.68 dBm	-13.68 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44988 GHz	-26.85 dBm	-13.85 dB
3.450 GHz	3.470 GHz	100.000 kHz	3.46628 GHz	4.38 dBm	-25.62 dB

Date: 4.MAR.2022 21:25:57

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	3.54735 GHz	4.32 dBm	-25.68 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55016 GHz	-25.34 dBm	-12.34 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55103 GHz	-25.88 dBm	-12.88 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55697 GHz	-22.23 dBm	-9.23 dB

Date: 4.MAR.2022 22:01:20

FR1 n78 / 20MHz / DFT-S OFDM / 16Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44431 GHz	-41.61 dBm	-28.61 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44897 GHz	-35.73 dBm	-22.73 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-18.91 dBm	-5.91 dB
3.450 GHz	3.470 GHz	100.000 kHz	3.45090 GHz	17.83 dBm	-12.17 dB

Date: 4.MAR.2022 21:35:20

Highest Band Edge / 1RBmax



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	3.54890 GHz	17.25 dBm	-12.75 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55001 GHz	-17.93 dBm	-4.93 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55103 GHz	-36.96 dBm	-23.96 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55513 GHz	-39.28 dBm	-26.28 dB

Date: 4.MAR.2022 22:10:06

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44492 GHz	-24.04 dBm	-11.04 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44835 GHz	-28.38 dBm	-15.38 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-28.79 dBm	-15.79 dB
3.450 GHz	3.470 GHz	100.000 kHz	3.45452 GHz	3.05 dBm	-26.95 dB

Date: 4.MAR.2022 21:27:22

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	3.53310 GHz	3.32 dBm	-26.68 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55027 GHz	-28.35 dBm	-15.35 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55113 GHz	-27.12 dBm	-14.12 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55537 GHz	-23.74 dBm	-10.74 dB

Date: 4.MAR.2022 22:02:58

FR1 n78 / 20MHz / DFT-S OFDM / 64Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44474 GHz	-42.38 dBm	-29.38 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44898 GHz	-35.03 dBm	-22.03 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44998 GHz	-19.55 dBm	-6.55 dB
3.450 GHz	3.470 GHz	100.000 kHz	3.45090 GHz	17.32 dBm	-12.68 dB

Date: 4.MAR.2022 21:34:03

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	3.54888 GHz	17.17 dBm	-12.83 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55002 GHz	-17.28 dBm	-4.28 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55108 GHz	-34.67 dBm	-21.67 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55664 GHz	-42.18 dBm	-29.18 dB

Date: 4.MAR.2022 22:08:47

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44499 GHz	-26.28 dBm	-13.28 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44895 GHz	-29.41 dBm	-16.41 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44997 GHz	-29.53 dBm	-16.53 dB
3.450 GHz	3.470 GHz	100.000 kHz	3.45232 GHz	2.57 dBm	-27.43 dB

Date: 4.MAR.2022 21:30:44

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	3.53235 GHz	2.95 dBm	-27.05 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55018 GHz	-29.23 dBm	-16.23 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55237 GHz	-29.33 dBm	-16.33 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55687 GHz	-24.87 dBm	-11.87 dB

Date: 4.MAR.2022 22:04:19

FR1 n78 / 20MHz / DFT-S OFDM / 256Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44470 GHz	-41.98 dBm	-28.98 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44895 GHz	-35.66 dBm	-22.66 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-19.60 dBm	-6.60 dB
3.450 GHz	3.470 GHz	100.000 kHz	3.45096 GHz	17.25 dBm	-12.75 dB

Date: 4.MAR.2022 21:32:42

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	3.54893 GHz	16.63 dBm	-13.37 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55001 GHz	-21.44 dBm	-8.44 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55105 GHz	-37.96 dBm	-24.96 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55655 GHz	-39.77 dBm	-26.77 dB

Date: 4.MAR.2022 22:06:42

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44491 GHz	-30.84 dBm	-17.84 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44707 GHz	-35.58 dBm	-22.58 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-34.17 dBm	-21.17 dB
3.450 GHz	3.470 GHz	100.000 kHz	3.45497 GHz	0.51 dBm	-29.49 dB

Date: 4.MAR.2022 21:31:41

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.530 GHz	3.550 GHz	100.000 kHz	3.53457 GHz	1.40 dBm	-28.60 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55034 GHz	-32.37 dBm	-19.37 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55245 GHz	-31.78 dBm	-18.78 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55525 GHz	-28.02 dBm	-15.02 dB

Date: 4.MAR.2022 22:05:17

FR1 n78/ 30MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44301 GHz	-42.32 dBm	-29.32 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44898 GHz	-35.33 dBm	-22.33 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44996 GHz	-23.52 dBm	-10.52 dB
3.450 GHz	3.480 GHz	100.000 kHz	3.45102 GHz	17.15 dBm	-12.85 dB

Date: 4.MAR.2022 22:25:44

Highest Band Edge / 1RBmax



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.520 GHz	3.550 GHz	100.000 kHz	3.54887 GHz	17.80 dBm	-12.20 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-22.95 dBm	-9.95 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55100 GHz	-36.01 dBm	-23.01 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55629 GHz	-41.96 dBm	-28.96 dB

Date: 4.MAR.2022 22:41:04

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.43677 GHz	-22.92 dBm	-9.92 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44897 GHz	-28.47 dBm	-15.47 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44991 GHz	-27.64 dBm	-14.64 dB
3.450 GHz	3.480 GHz	100.000 kHz	3.45215 GHz	3.11 dBm	-26.89 dB

Date: 4.MAR.2022 22:15:02

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.520 GHz	3.550 GHz	100.000 kHz	3.54026 GHz	3.47 dBm	-26.53 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55045 GHz	-29.44 dBm	-16.44 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55156 GHz	-30.01 dBm	-17.01 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.56174 GHz	-23.99 dBm	-10.99 dB

Date: 4.MAR.2022 22:40:03

FR1 n78 / 30MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44482 GHz	-41.77 dBm	-28.77 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44900 GHz	-36.14 dBm	-23.14 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-22.85 dBm	-9.85 dB
3.450 GHz	3.480 GHz	100.000 kHz	3.45117 GHz	17.32 dBm	-12.68 dB

Date: 4.MAR.2022 22:27:29

Highest Band Edge / 1RBmax



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.520 GHz	3.550 GHz	100.000 kHz	3.54884 GHz	18.31 dBm	-11.69 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55001 GHz	-22.13 dBm	-9.13 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55101 GHz	-35.97 dBm	-22.97 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55504 GHz	-41.71 dBm	-28.71 dB

Date: 4.MAR.2022 22:45:57

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44372 GHz	-21.92 dBm	-8.92 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44780 GHz	-26.27 dBm	-13.27 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44980 GHz	-26.73 dBm	-13.73 dB
3.450 GHz	3.480 GHz	100.000 kHz	3.45770 GHz	2.89 dBm	-27.11 dB

Date: 4.MAR.2022 22:36:28

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.520 GHz	3.550 GHz	100.000 kHz	3.52468 GHz	1.94 dBm	-28.06 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-29.59 dBm	-16.59 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55306 GHz	-27.74 dBm	-14.74 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55551 GHz	-22.93 dBm	-9.93 dB

Date: 4.MAR.2022 22:56:15

FR1 n78 / 30MHz / DFT-S OFDM / 16Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44428 GHz	-41.94 dBm	-28.94 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44898 GHz	-36.75 dBm	-23.75 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44998 GHz	-23.25 dBm	-10.25 dB
3.450 GHz	3.480 GHz	100.000 kHz	3.45104 GHz	17.50 dBm	-12.50 dB

Date: 4.MAR.2022 22:28:34

Highest Band Edge / 1RBmax



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.520 GHz	3.550 GHz	100.000 kHz	3.54880 GHz	18.69 dBm	-11.31 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55001 GHz	-21.85 dBm	-8.85 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55105 GHz	-36.32 dBm	-23.32 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.56275 GHz	-41.54 dBm	-28.54 dB

Date: 4.MAR.2022 22:48:16

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44485 GHz	-22.18 dBm	-9.18 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44842 GHz	-27.39 dBm	-14.39 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44924 GHz	-28.12 dBm	-15.12 dB
3.450 GHz	3.480 GHz	100.000 kHz	3.45286 GHz	1.56 dBm	-28.44 dB

Date: 4.MAR.2022 22:34:59

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.520 GHz	3.550 GHz	100.000 kHz	3.53711 GHz	1.99 dBm	-28.01 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-30.06 dBm	-17.06 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55185 GHz	-28.33 dBm	-15.33 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55575 GHz	-23.43 dBm	-10.43 dB

Date: 4.MAR.2022 22:55:24

FR1 n78 / 30MHz / DFT-S OFDM / 64Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44457 GHz	-41.57 dBm	-28.57 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44889 GHz	-35.99 dBm	-22.99 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.45000 GHz	-21.54 dBm	-8.54 dB
3.450 GHz	3.480 GHz	100.000 kHz	3.45107 GHz	17.48 dBm	-12.52 dB

Date: 4.MAR.2022 22:29:36

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.520 GHz	3.550 GHz	100.000 kHz	3.54880 GHz	17.42 dBm	-12.58 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-21.48 dBm	-8.48 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55105 GHz	-36.99 dBm	-23.99 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55582 GHz	-41.62 dBm	-28.62 dB

Date: 4.MAR.2022 22:49:43

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44236 GHz	-25.35 dBm	-12.35 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44895 GHz	-29.88 dBm	-16.88 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44968 GHz	-31.16 dBm	-18.16 dB
3.450 GHz	3.480 GHz	100.000 kHz	3.46279 GHz	1.84 dBm	-28.16 dB

Date: 4.MAR.2022 22:33:43

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.520 GHz	3.550 GHz	100.000 kHz	3.53058 GHz	2.00 dBm	-28.00 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55047 GHz	-30.30 dBm	-17.30 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55135 GHz	-30.86 dBm	-17.86 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55617 GHz	-24.69 dBm	-11.69 dB

Date: 4.MAR.2022 22:53:46

FR1 n78 / 30MHz / DFT-S OFDM / 256Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44284 GHz	-42.32 dBm	-29.32 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44899 GHz	-36.21 dBm	-23.21 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.45000 GHz	-24.45 dBm	-11.45 dB
3.450 GHz	3.480 GHz	100.000 kHz	3.45104 GHz	16.93 dBm	-13.07 dB

Date: 4.MAR.2022 22:31:36

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.520 GHz	3.550 GHz	100.000 kHz	3.54884 GHz	16.85 dBm	-13.15 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55001 GHz	-22.45 dBm	-9.45 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55103 GHz	-37.66 dBm	-24.66 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.56229 GHz	-42.54 dBm	-29.54 dB

Date: 4.MAR.2022 22:51:03

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44405 GHz	-31.16 dBm	-18.16 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44754 GHz	-36.15 dBm	-23.15 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44997 GHz	-35.78 dBm	-22.78 dB
3.450 GHz	3.480 GHz	100.000 kHz	3.47627 GHz	-0.63 dBm	-30.63 dB

Date: 4.MAR.2022 22:32:33

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.520 GHz	3.550 GHz	100.000 kHz	3.54657 GHz	0.10 dBm	-29.90 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55005 GHz	-35.33 dBm	-22.33 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55298 GHz	-34.51 dBm	-21.51 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55527 GHz	-29.28 dBm	-16.28 dB

Date: 4.MAR.2022 22:52:47

FR1 n78 / 40MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44387 GHz	-42.02 dBm	-29.02 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44883 GHz	-35.71 dBm	-22.71 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-21.80 dBm	-8.80 dB
3.450 GHz	3.490 GHz	100.000 kHz	3.45110 GHz	17.74 dBm	-12.26 dB

Date: 4.MAR.2022 23:03:34

Highest Band Edge / 1RBmax



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.510 GHz	3.550 GHz	100.000 kHz	3.54902 GHz	17.77 dBm	-12.23 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55001 GHz	-23.72 dBm	-10.72 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55119 GHz	-36.13 dBm	-23.13 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.56779 GHz	-41.12 dBm	-28.12 dB

Date: 8.MAR.2022 11:03:36

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.43388 GHz	-24.29 dBm	-11.29 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44890 GHz	-28.85 dBm	-15.85 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44996 GHz	-27.80 dBm	-14.80 dB
3.450 GHz	3.490 GHz	100.000 kHz	3.48286 GHz	1.90 dBm	-28.10 dB

Date: 4.MAR.2022 23:02:13

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.510 GHz	3.550 GHz	100.000 kHz	3.51440 GHz	1.93 dBm	-28.07 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55028 GHz	-33.48 dBm	-20.48 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55413 GHz	-30.49 dBm	-17.49 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.56533 GHz	-26.48 dBm	-13.48 dB

Date: 8.MAR.2022 10:56:02

FR1 n78 / 40MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44429 GHz	-42.04 dBm	-29.04 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44899 GHz	-37.25 dBm	-24.25 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.45000 GHz	-21.80 dBm	-8.80 dB
3.450 GHz	3.490 GHz	100.000 kHz	3.45106 GHz	18.00 dBm	-12.00 dB

Date: 4.MAR.2022 23:06:39

Highest Band Edge / 1RBmax



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.510 GHz	3.550 GHz	100.000 kHz	3.54896 GHz	17.80 dBm	-12.20 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-23.04 dBm	-10.04 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55101 GHz	-35.45 dBm	-22.45 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.56795 GHz	-41.12 dBm	-28.12 dB

Date: 8.MAR.2022 11:02:13

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44429 GHz	-42.04 dBm	-29.04 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44899 GHz	-37.25 dBm	-24.25 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.45000 GHz	-21.80 dBm	-8.80 dB
3.450 GHz	3.490 GHz	100.000 kHz	3.45106 GHz	18.00 dBm	-12.00 dB

Date: 4.MAR.2022 23:06:39

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.510 GHz	3.550 GHz	100.000 kHz	3.54896 GHz	17.80 dBm	-12.20 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-23.04 dBm	-10.04 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55101 GHz	-35.45 dBm	-22.45 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.56795 GHz	-41.12 dBm	-28.12 dB

Date: 8.MAR.2022 11:02:13

FR1 n78 / 40MHz / DFT-S OFDM / 16Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44491 GHz	-41.35 dBm	-28.35 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44894 GHz	-35.53 dBm	-22.53 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.45000 GHz	-21.62 dBm	-8.62 dB
3.450 GHz	3.490 GHz	100.000 kHz	3.45102 GHz	18.71 dBm	-11.29 dB

Date: 4.MAR.2022 23:09:25

Highest Band Edge / 1RBmax



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.510 GHz	3.550 GHz	100.000 kHz	3.54902 GHz	17.84 dBm	-12.16 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55001 GHz	-21.29 dBm	-8.29 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55118 GHz	-35.89 dBm	-22.89 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55801 GHz	-41.11 dBm	-28.11 dB

Date: 8.MAR.2022 11:01:27

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44457 GHz	-22.50 dBm	-9.50 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44517 GHz	-28.73 dBm	-15.73 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44993 GHz	-30.19 dBm	-17.19 dB
3.450 GHz	3.490 GHz	100.000 kHz	3.46935 GHz	0.88 dBm	-29.12 dB

Date: 4.MAR.2022 23:14:32

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.510 GHz	3.550 GHz	100.000 kHz	3.54193 GHz	0.88 dBm	-29.12 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55054 GHz	-30.21 dBm	-17.21 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55147 GHz	-28.01 dBm	-15.01 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55527 GHz	-22.76 dBm	-9.76 dB

Date: 8.MAR.2022 10:57:21

FR1 n78 / 40MHz / DFT-S OFDM / 64Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44406 GHz	-41.74 dBm	-28.74 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44892 GHz	-35.90 dBm	-22.90 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.45000 GHz	-20.50 dBm	-7.50 dB
3.450 GHz	3.490 GHz	100.000 kHz	3.45111 GHz	17.21 dBm	-12.79 dB

Date: 4.MAR.2022 23:10:23

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.510 GHz	3.550 GHz	100.000 kHz	3.54887 GHz	17.35 dBm	-12.65 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-22.60 dBm	-9.60 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55115 GHz	-36.71 dBm	-23.71 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55530 GHz	-41.00 dBm	-28.00 dB

Date: 8.MAR.2022 11:00:40

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44470 GHz	-25.34 dBm	-12.34 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44789 GHz	-30.61 dBm	-17.61 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44986 GHz	-32.21 dBm	-19.21 dB
3.450 GHz	3.490 GHz	100.000 kHz	3.47826 GHz	0.27 dBm	-29.73 dB

Date: 4.MAR.2022 23:12:46

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.510 GHz	3.550 GHz	100.000 kHz	3.51569 GHz	0.12 dBm	-29.88 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55049 GHz	-32.97 dBm	-19.97 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55177 GHz	-30.71 dBm	-17.71 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55564 GHz	-25.05 dBm	-12.05 dB

Date: 8.MAR.2022 10:58:02

FR1 n78 / 40MHz / DFT-S OFDM / 256Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44310 GHz	-42.47 dBm	-29.47 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44893 GHz	-37.00 dBm	-24.00 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.45000 GHz	-22.74 dBm	-9.74 dB
3.450 GHz	3.490 GHz	100.000 kHz	3.45102 GHz	17.97 dBm	-12.03 dB

Date: 4.MAR.2022 23:11:11

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.510 GHz	3.550 GHz	100.000 kHz	3.54894 GHz	16.49 dBm	-13.51 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-24.20 dBm	-11.20 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55114 GHz	-37.51 dBm	-24.51 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55599 GHz	-41.27 dBm	-28.27 dB

Date: 8.MAR.2022 10:59:55

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44371 GHz	-31.00 dBm	-18.00 dB
3.445 GHz	3.449 GHz	200.000 kHz	3.44895 GHz	-36.91 dBm	-23.91 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-37.82 dBm	-24.82 dB
3.450 GHz	3.490 GHz	100.000 kHz	3.48574 GHz	-1.99 dBm	-31.99 dB

Date: 4.MAR.2022 23:12:03

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.510 GHz	3.550 GHz	100.000 kHz	3.54510 GHz	-0.89 dBm	-30.89 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55044 GHz	-38.89 dBm	-25.89 dB
3.551 GHz	3.555 GHz	200.000 kHz	3.55107 GHz	-37.14 dBm	-24.14 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55669 GHz	-32.16 dBm	-19.16 dB

Date: 8.MAR.2022 10:58:50

FR1 n78 / 50MHz / DFT-S OFDM / BPSK

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44415 GHz	-42.26 dBm	-29.26 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44891 GHz	-33.74 dBm	-20.74 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-27.69 dBm	-14.69 dB
3.450 GHz	3.500 GHz	100.000 kHz	3.45117 GHz	15.71 dBm	-14.29 dB

Date: 7.MAR.2022 21:33:08

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.500 GHz	3.550 GHz	100.000 kHz	3.54876 GHz	16.22 dBm	-13.78 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-30.84 dBm	-17.84 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55106 GHz	-33.96 dBm	-20.96 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55515 GHz	-41.29 dBm	-28.29 dB

Date: 7.MAR.2022 21:52:08

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44404 GHz	-19.99 dBm	-6.99 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44584 GHz	-22.58 dBm	-9.58 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44900 GHz	-28.56 dBm	-15.56 dB
3.450 GHz	3.500 GHz	100.000 kHz	3.47023 GHz	2.05 dBm	-27.95 dB

Date: 7.MAR.2022 21:22:03

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.500 GHz	3.550 GHz	100.000 kHz	3.52223 GHz	1.45 dBm	-28.55 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55066 GHz	-29.60 dBm	-16.60 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55260 GHz	-21.48 dBm	-8.48 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55566 GHz	-21.51 dBm	-8.51 dB

Date: 7.MAR.2022 21:42:27

FR1 n78 / 50MHz / DFT-S OFDM / QPSK

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44335 GHz	-41.34 dBm	-28.34 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44900 GHz	-30.60 dBm	-17.60 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-26.28 dBm	-13.28 dB
3.450 GHz	3.500 GHz	100.000 kHz	3.45134 GHz	17.70 dBm	-12.30 dB

Date: 7.MAR.2022 21:32:11

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.500 GHz	3.550 GHz	100.000 kHz	3.54866 GHz	17.79 dBm	-12.21 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55001 GHz	-29.97 dBm	-16.97 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55101 GHz	-31.38 dBm	-18.38 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55525 GHz	-40.95 dBm	-27.95 dB

Date: 7.MAR.2022 21:49:28

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44380 GHz	-21.70 dBm	-8.70 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44727 GHz	-23.32 dBm	-10.32 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44927 GHz	-28.76 dBm	-15.76 dB
3.450 GHz	3.500 GHz	100.000 kHz	3.46689 GHz	1.28 dBm	-28.72 dB

Date: 7.MAR.2022 21:23:31

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.500 GHz	3.550 GHz	100.000 kHz	3.51851 GHz	0.81 dBm	-29.19 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55081 GHz	-29.66 dBm	-16.66 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55394 GHz	-23.48 dBm	-10.48 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55519 GHz	-22.13 dBm	-9.13 dB

Date: 7.MAR.2022 21:43:11

FR1 n78 / 50MHz / DFT-S OFDM / 16Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44489 GHz	-41.03 dBm	-28.03 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44882 GHz	-28.12 dBm	-15.12 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44998 GHz	-24.96 dBm	-11.96 dB
3.450 GHz	3.500 GHz	100.000 kHz	3.45136 GHz	17.52 dBm	-12.48 dB

Date: 7.MAR.2022 21:30:47

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.500 GHz	3.550 GHz	100.000 kHz	3.54871 GHz	18.16 dBm	-11.84 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-25.98 dBm	-12.98 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55108 GHz	-33.03 dBm	-20.03 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55510 GHz	-40.94 dBm	-27.94 dB

Date: 7.MAR.2022 21:48:37

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44289 GHz	-25.20 dBm	-12.20 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44683 GHz	-27.02 dBm	-14.02 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44988 GHz	-32.25 dBm	-19.25 dB
3.450 GHz	3.500 GHz	100.000 kHz	3.46412 GHz	0.37 dBm	-29.63 dB

Date: 7.MAR.2022 21:25:03

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.500 GHz	3.550 GHz	100.000 kHz	3.51920 GHz	0.10 dBm	-29.90 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55049 GHz	-33.54 dBm	-20.54 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55420 GHz	-25.84 dBm	-12.84 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55506 GHz	-24.80 dBm	-11.80 dB

Date: 7.MAR.2022 21:43:52

FR1 n78 / 50MHz / DFT-S OFDM / 64Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44321 GHz	-41.77 dBm	-28.77 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44891 GHz	-30.60 dBm	-17.60 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-26.23 dBm	-13.23 dB
3.450 GHz	3.500 GHz	100.000 kHz	3.45117 GHz	17.14 dBm	-12.86 dB

Date: 7.MAR.2022 21:29:22

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.500 GHz	3.550 GHz	100.000 kHz	3.54873 GHz	17.68 dBm	-12.32 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-29.64 dBm	-16.64 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55109 GHz	-33.40 dBm	-20.40 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55537 GHz	-41.06 dBm	-28.06 dB

Date: 7.MAR.2022 21:47:54

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44302 GHz	-25.91 dBm	-12.91 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44511 GHz	-29.16 dBm	-16.16 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44907 GHz	-34.61 dBm	-21.61 dB
3.450 GHz	3.500 GHz	100.000 kHz	3.46749 GHz	-0.73 dBm	-30.73 dB

Date: 7.MAR.2022 21:26:00

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.500 GHz	3.550 GHz	100.000 kHz	3.51410 GHz	-0.32 dBm	-30.32 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55097 GHz	-35.28 dBm	-22.28 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55129 GHz	-28.81 dBm	-15.81 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55769 GHz	-27.21 dBm	-14.21 dB

Date: 7.MAR.2022 21:44:34

FR1 n78 / 50MHz / DFT-S OFDM / 256Q

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44481 GHz	-41.68 dBm	-28.68 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44895 GHz	-35.05 dBm	-22.05 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.45000 GHz	-27.66 dBm	-14.66 dB
3.450 GHz	3.500 GHz	100.000 kHz	3.45117 GHz	16.71 dBm	-13.29 dB

Date: 7.MAR.2022 21:27:39

Highest Band Edge / 1RB24



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.500 GHz	3.550 GHz	100.000 kHz	3.54864 GHz	17.00 dBm	-13.00 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-27.48 dBm	-14.48 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55110 GHz	-32.96 dBm	-19.96 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55578 GHz	-40.91 dBm	-27.91 dB

Date: 7.MAR.2022 21:46:58

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44338 GHz	-30.43 dBm	-17.43 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44531 GHz	-33.46 dBm	-20.46 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44996 GHz	-39.27 dBm	-26.27 dB
3.450 GHz	3.500 GHz	100.000 kHz	3.47633 GHz	-2.49 dBm	-32.49 dB

Date: 7.MAR.2022 21:27:00

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.500 GHz	3.550 GHz	100.000 kHz	3.52634 GHz	-2.45 dBm	-32.45 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55017 GHz	-39.48 dBm	-26.48 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55471 GHz	-33.25 dBm	-20.25 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55595 GHz	-31.46 dBm	-18.46 dB

Date: 7.MAR.2022 21:45:39

FR1 n78 / 60MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / 1RB0



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44351 GHz	-42.10 dBm	-29.10 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44897 GHz	-30.68 dBm	-17.68 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44992 GHz	-21.42 dBm	-8.42 dB
3.450 GHz	3.510 GHz	100.000 kHz	3.45088 GHz	15.39 dBm	-14.61 dB

Date: 8.MAR.2022 01:44:57

Highest Band Edge / 1RBmax



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.490 GHz	3.550 GHz	100.000 kHz	3.54887 GHz	16.45 dBm	-13.55 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-22.82 dBm	-9.82 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55112 GHz	-33.68 dBm	-20.68 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55660 GHz	-41.58 dBm	-28.58 dB

Date: 8.MAR.2022 01:56:44

Lowest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.430 GHz	3.445 GHz	1.000 MHz	3.44385 GHz	-27.30 dBm	-14.30 dB
3.445 GHz	3.449 GHz	500.000 kHz	3.44753 GHz	-26.62 dBm	-13.62 dB
3.449 GHz	3.450 GHz	200.000 kHz	3.44999 GHz	-30.43 dBm	-17.43 dB
3.450 GHz	3.510 GHz	100.000 kHz	3.47444 GHz	0.34 dBm	-29.66 dB

Date: 8.MAR.2022 01:37:04

Highest Band Edge / Full RB



Spurious Emissions

Range Low	Range Up	RBW	Frequency	Power Abs	ΔLimit
3.490 GHz	3.550 GHz	100.000 kHz	3.54896 GHz	-3.88 dBm	-33.88 dB
3.550 GHz	3.551 GHz	200.000 kHz	3.55000 GHz	-38.68 dBm	-25.68 dB
3.551 GHz	3.555 GHz	500.000 kHz	3.55271 GHz	-33.38 dBm	-20.38 dB
3.555 GHz	3.575 GHz	1.000 MHz	3.55508 GHz	-33.31 dBm	-20.31 dB

Date: 8.MAR.2022 01:53:18