















































APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode	TX Mode
-----------	---------

Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		0.0181	47.28	15.01	62.29	122.45	-60.16	AVG		
2	*	0.0720	41.29	13.73	55.02	110.46	-55.44	AVG		
3		0.1352	34.26	13.78	48.04	104.99	-56.95	AVG		

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.3976	40.78	13.64	54.42	95.62	-41.20	AVG		
2	*	2.1101	39.56	12.21	51.77	69.54	-17.77	QP		
3		3.4174	38.64	11.99	50.63	69.54	-18.91	QP		

Test Mode	TX Mode
-----------	---------

Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	0.0183	47.69	14.94	62.63	122.36	-59.73	AVG		
2		0.0834	25.64	13.76	39.40	109.18	-69.78	AVG		
3		0.1271	26.83	13.78	40.61	105.52	-64.91	AVG		

Test Mode	TX Mode
-----------	---------

Ant 90°




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.3976	40.59	13.64	54.23	95.62	-41.39	AVG		
2	*	2.1101	39.57	12.21	51.78	69.54	-17.76	QP		
3		3.1900	38.82	11.97	50.79	69.54	-18.75	QP		

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)

Test Mode WCDMA Band IV_TX CH1413

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		34.850	-62.45	-5.40	-67.85	-13.00	-54.85	peak	
2		63.465	-61.73	-5.40	-67.13	-13.00	-54.13	peak	
3		164.830	-67.53	-2.87	-70.40	-13.00	-57.40	peak	
4		562.045	-72.73	4.01	-68.72	-13.00	-55.72	peak	
5		822.975	-72.55	8.93	-63.62	-13.00	-50.62	peak	
6	*	970.900	-74.37	11.41	-62.96	-13.00	-49.96	peak	

Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.425	-68.49	-5.73	-74.22	-13.00	-61.22	peak	
2		161.920	-65.96	-2.82	-68.78	-13.00	-55.78	peak	
3		216.725	-62.31	-5.36	-67.67	-13.00	-54.67	peak	
4		322.940	-65.13	-0.87	-66.00	-13.00	-53.00	peak	
5		581.930	-72.52	4.55	-67.97	-13.00	-54.97	peak	
6	*	906.395	-72.87	10.06	-62.81	-13.00	-49.81	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M
-----------	----------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.425	-60.79	-5.73	-66.52	-13.00	-53.52	peak	
2		62.980	-63.73	-5.33	-69.06	-13.00	-56.06	peak	
3		184.230	-62.45	-4.60	-67.05	-13.00	-54.05	peak	
4		266.680	-69.63	-2.71	-72.34	-13.00	-59.34	peak	
5		514.030	-72.56	3.22	-69.34	-13.00	-56.34	peak	
6	*	921.430	-73.16	10.52	-62.64	-13.00	-49.64	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M
-----------	----------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		85.775	-64.76	-9.06	-73.82	-13.00	-60.82	peak	
2		162.405	-64.99	-2.83	-67.82	-13.00	-54.82	peak	
3		215.755	-62.52	-5.40	-67.92	-13.00	-54.92	peak	
4		327.305	-65.39	-0.79	-66.18	-13.00	-53.18	peak	
5		513.060	-73.07	3.22	-69.85	-13.00	-56.85	peak	
6	*	987.390	-73.85	11.42	-62.43	-13.00	-49.43	peak	


Test Mode	LTE Band 4_TX CH20175_5M
-----------	--------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		63.465	-59.60	-5.40	-65.00	-13.00	-52.00	peak	
2		163.860	-65.81	-2.87	-68.68	-13.00	-55.68	peak	
3		333.125	-71.51	-0.68	-72.19	-13.00	-59.19	peak	
4		525.670	-72.14	3.37	-68.77	-13.00	-55.77	peak	
5		797.270	-72.73	8.84	-63.89	-13.00	-50.89	peak	
6	*	998.060	-74.14	11.42	-62.72	-13.00	-49.72	peak	

Test Mode	LTE Band 4_TX CH20175_5M
-----------	--------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.425	-68.57	-5.73	-74.30	-13.00	-61.30	peak	
2		162.890	-63.40	-2.85	-66.25	-13.00	-53.25	peak	
3		215.755	-62.13	-5.40	-67.53	-13.00	-54.53	peak	
4		327.305	-64.98	-0.79	-65.77	-13.00	-52.77	peak	
5		572.230	-73.57	4.30	-69.27	-13.00	-56.27	peak	
6	*	922.885	-72.94	10.57	-62.37	-13.00	-49.37	peak	


Test Mode	LTE Band 4_TX CH20175_20M
-----------	---------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		63.950	-59.06	-5.47	-64.53	-13.00	-51.53	peak	
2		163.860	-65.38	-2.87	-68.25	-13.00	-55.25	peak	
3		328.760	-71.48	-0.77	-72.25	-13.00	-59.25	peak	
4		601.815	-73.64	5.07	-68.57	-13.00	-55.57	peak	
5		803.575	-72.29	8.91	-63.38	-13.00	-50.38	peak	
6	*	991.270	-72.74	11.42	-61.32	-13.00	-48.32	peak	

Test Mode	LTE Band 4_TX CH20175_20M
-----------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		163.375	-63.49	-2.85	-66.34	-13.00	-53.34	peak	
2		215.270	-61.89	-5.42	-67.31	-13.00	-54.31	peak	
3		324.880	-65.35	-0.84	-66.19	-13.00	-53.19	peak	
4		493.660	-72.97	2.94	-70.03	-13.00	-57.03	peak	
5		741.495	-73.07	7.45	-65.62	-13.00	-52.62	peak	
6	*	969.445	-74.35	11.41	-62.94	-13.00	-49.94	peak	

Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		34.365	-60.97	-5.44	-66.41	-25.00	-41.41	peak	
2		63.950	-63.51	-5.47	-68.98	-25.00	-43.98	peak	
3		184.715	-62.27	-4.66	-66.93	-25.00	-41.93	peak	
4		259.890	-69.42	-2.97	-72.39	-25.00	-47.39	peak	
5		506.755	-73.36	3.13	-70.23	-25.00	-45.23	peak	
6	*	956.835	-74.06	11.41	-62.65	-25.00	-37.65	peak	

Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		62.980	-68.76	-5.33	-74.09	-25.00	-49.09	peak	
2		162.890	-65.18	-2.85	-68.03	-25.00	-43.03	peak	
3		214.300	-62.01	-5.46	-67.47	-25.00	-42.47	peak	
4		328.760	-65.64	-0.77	-66.41	-25.00	-41.41	peak	
5		453.405	-71.98	2.24	-69.74	-25.00	-44.74	peak	
6	*	946.650	-73.87	11.29	-62.58	-25.00	-37.58	peak	

Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		62.980	-59.97	-5.33	-65.30	-25.00	-40.30	peak	
2		161.920	-66.53	-2.82	-69.35	-25.00	-44.35	peak	
3		334.095	-71.69	-0.68	-72.37	-25.00	-47.37	peak	
4		459.225	-72.29	2.34	-69.95	-25.00	-44.95	peak	
5		754.590	-71.55	7.77	-63.78	-25.00	-38.78	peak	
6	*	989.330	-73.63	11.42	-62.21	-25.00	-37.21	peak	

Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		31.940	-68.08	-5.80	-73.88	-25.00	-48.88	peak	
2		163.375	-64.70	-2.85	-67.55	-25.00	-42.55	peak	
3		214.785	-62.38	-5.44	-67.82	-25.00	-42.82	peak	
4		323.425	-65.75	-0.86	-66.61	-25.00	-41.61	peak	
5		455.345	-72.23	2.28	-69.95	-25.00	-44.95	peak	
6	*	986.905	-73.97	11.43	-62.54	-25.00	-37.54	peak	

Test Mode:	LTE Band 12_TX CH23095_1.4M
------------	-----------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		63.465	-59.88	-5.40	-65.28	-13.00	-52.28	peak	
2		163.375	-65.25	-2.85	-68.10	-13.00	-55.10	peak	
3		331.670	-71.75	-0.71	-72.46	-13.00	-59.46	peak	
4		531.490	-73.45	3.45	-70.00	-13.00	-57.00	peak	
5		814.730	-73.08	8.93	-64.15	-13.00	-51.15	peak	
6	*	998.545	-74.51	11.44	-63.07	-13.00	-50.07	peak	

Test Mode:	LTE Band 12_TX CH23095_1.4M
------------	-----------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		86.260	-64.54	-9.04	-73.58	-13.00	-60.58	peak	
2		162.405	-63.99	-2.83	-66.82	-13.00	-53.82	peak	
3		215.270	-62.22	-5.42	-67.64	-13.00	-54.64	peak	
4		328.275	-65.42	-0.77	-66.19	-13.00	-53.19	peak	
5		452.920	-72.36	2.23	-70.13	-13.00	-57.13	peak	
6	*	960.715	-73.12	11.41	-61.71	-13.00	-48.71	peak	


Test Mode: LTE Band 12_TX CH23095_5M

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		63.465	-60.17	-5.40	-65.57	-13.00	-52.57	peak	
2		162.890	-65.15	-2.85	-68.00	-13.00	-55.00	peak	
3		329.245	-71.01	-0.76	-71.77	-13.00	-58.77	peak	
4		559.620	-71.74	3.95	-67.79	-13.00	-54.79	peak	
5		789.510	-72.32	8.64	-63.68	-13.00	-50.68	peak	
6	*	951.015	-73.50	11.39	-62.11	-13.00	-49.11	peak	


Test Mode:	LTE Band 12_TX CH23095_5M
------------	---------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		86.260	-64.54	-9.04	-73.58	-13.00	-60.58	peak	
2		162.405	-63.99	-2.83	-66.82	-13.00	-53.82	peak	
3		215.270	-62.22	-5.42	-67.64	-13.00	-54.64	peak	
4		328.275	-65.42	-0.77	-66.19	-13.00	-53.19	peak	
5		452.920	-72.36	2.23	-70.13	-13.00	-57.13	peak	
6	*	960.715	-73.12	11.41	-61.71	-13.00	-48.71	peak	

Test Mode: LTE Band 12_TX CH23095_10M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		63.465	-60.23	-5.40	-65.63	-13.00	-52.63	peak	
2		163.375	-65.32	-2.85	-68.17	-13.00	-55.17	peak	
3		337.975	-71.77	-0.59	-72.36	-13.00	-59.36	peak	
4		578.050	-71.58	4.45	-67.13	-13.00	-54.13	peak	
5		811.335	-72.91	8.92	-63.99	-13.00	-50.99	peak	
6	*	942.770	-73.78	11.17	-62.61	-13.00	-49.61	peak	

Test Mode: LTE Band 12_TX CH23095_10M

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		30.000	-68.15	-5.84	-73.99	-13.00	-60.99	peak	
2		163.375	-63.77	-2.85	-66.62	-13.00	-53.62	peak	
3		216.240	-61.63	-5.38	-67.01	-13.00	-54.01	peak	
4		322.940	-65.91	-0.87	-66.78	-13.00	-53.78	peak	
5		500.935	-72.03	3.05	-68.98	-13.00	-55.98	peak	
6	*	939.860	-73.24	11.08	-62.16	-13.00	-49.16	peak	

Test Mode: LTE Band 17_TX CH23790_5M

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		85.775	-65.11	-9.06	-74.17	-13.00	-61.17	peak	
2		164.345	-64.51	-2.87	-67.38	-13.00	-54.38	peak	
3		215.755	-62.45	-5.40	-67.85	-13.00	-54.85	peak	
4		327.305	-65.75	-0.79	-66.54	-13.00	-53.54	peak	
5		491.720	-72.35	2.90	-69.45	-13.00	-56.45	peak	
6	*	927.735	-71.77	10.72	-61.05	-13.00	-48.05	peak	


Test Mode: LTE Band 17_TX CH23790_5M

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		85.775	-65.11	-9.06	-74.17	-13.00	-61.17	peak	
2		164.345	-64.51	-2.87	-67.38	-13.00	-54.38	peak	
3		215.755	-62.45	-5.40	-67.85	-13.00	-54.85	peak	
4		327.305	-65.75	-0.79	-66.54	-13.00	-53.54	peak	
5		491.720	-72.35	2.90	-69.45	-13.00	-56.45	peak	
6	*	927.735	-71.77	10.72	-61.05	-13.00	-48.05	peak	

Test Mode:	LTE Band 17_TX CH23790_10M
------------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		62.495	-62.16	-5.26	-67.42	-13.00	-54.42	peak	
2		166.770	-65.00	-2.92	-67.92	-13.00	-54.92	peak	
3		335.550	-71.83	-0.64	-72.47	-13.00	-59.47	peak	
4		570.775	-72.23	4.25	-67.98	-13.00	-54.98	peak	
5		779.810	-73.41	8.40	-65.01	-13.00	-52.01	peak	
6	*	914.640	-72.41	10.31	-62.10	-13.00	-49.10	peak	


Test Mode:	LTE Band 17_TX CH23790_10M
------------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		84.320	-65.74	-9.05	-74.79	-13.00	-61.79	peak	
2		162.405	-65.14	-2.83	-67.97	-13.00	-54.97	peak	
3		217.210	-61.96	-5.33	-67.29	-13.00	-54.29	peak	
4		324.880	-65.69	-0.84	-66.53	-13.00	-53.53	peak	
5		452.920	-73.49	2.23	-71.26	-13.00	-58.26	peak	
6	*	973.325	-73.96	11.41	-62.55	-13.00	-49.55	peak	

Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		31.940	-61.19	-5.80	-66.99	-25.00	-41.99	peak	
2		64.435	-62.01	-5.55	-67.56	-25.00	-42.56	peak	
3		168.225	-67.05	-2.95	-70.00	-25.00	-45.00	peak	
4		353.980	-72.30	-0.29	-72.59	-25.00	-47.59	peak	
5		592.600	-72.78	4.83	-67.95	-25.00	-42.95	peak	
6 *		942.770	-72.38	11.17	-61.21	-25.00	-36.21	peak	

Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------

Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.425	-68.95	-5.73	-74.68	-25.00	-49.68	peak	
2		163.375	-67.07	-2.85	-69.92	-25.00	-44.92	peak	
3		214.785	-62.62	-5.44	-68.06	-25.00	-43.06	peak	
4		321.485	-65.09	-0.90	-65.99	-25.00	-40.99	peak	
5		464.560	-72.58	2.44	-70.14	-25.00	-45.14	peak	
6	*	996.120	-72.69	11.43	-61.26	-25.00	-36.26	peak	


Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		33.880	-60.85	-5.50	-66.35	-25.00	-41.35	peak	
2		62.980	-62.22	-5.33	-67.55	-25.00	-42.55	peak	
3		171.135	-66.36	-3.11	-69.47	-25.00	-44.47	peak	
4		383.080	-72.77	0.41	-72.36	-25.00	-47.36	peak	
5		586.780	-71.84	4.68	-67.16	-25.00	-42.16	peak	
6	*	913.670	-71.56	10.28	-61.28	-25.00	-36.28	peak	

Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------



No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	32.425	-69.54	-5.73	-75.27	-25.00	-50.27	peak	
2	162.890	-66.66	-2.85	-69.51	-25.00	-44.51	peak	
3	213.815	-62.63	-5.47	-68.10	-25.00	-43.10	peak	
4	324.880	-65.14	-0.84	-65.98	-25.00	-40.98	peak	
5	631.400	-73.21	5.55	-67.66	-25.00	-42.66	peak	
6 *	984.480	-72.12	11.42	-60.70	-25.00	-35.70	peak	

Test Mode	LTE Band 41_TX CH40640_5M
-----------	---------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.425	-61.36	-5.73	-67.09	-25.00	-42.09	peak	
2		63.950	-61.24	-5.47	-66.71	-25.00	-41.71	peak	
3		170.650	-66.62	-3.05	-69.67	-25.00	-44.67	peak	
4		327.305	-71.30	-0.79	-72.09	-25.00	-47.09	peak	
5		729.855	-71.89	7.19	-64.70	-25.00	-39.70	peak	
6	*	941.315	-73.43	11.12	-62.31	-25.00	-37.31	peak	

Test Mode	LTE Band 41_TX CH40640_5M
-----------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		32.425	-68.11	-5.73	-73.84	-25.00	-48.84	peak	
2		162.405	-66.57	-2.83	-69.40	-25.00	-44.40	peak	
3		216.240	-62.69	-5.38	-68.07	-25.00	-43.07	peak	
4		322.940	-65.05	-0.87	-65.92	-25.00	-40.92	peak	
5		462.135	-72.44	2.40	-70.04	-25.00	-45.04	peak	
6	*	726.460	-71.32	7.11	-64.21	-25.00	-39.21	peak	

Test Mode	LTE Band 41_TX CH40640_20M
-----------	----------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.910	-61.42	-5.65	-67.07	-25.00	-42.07	peak	
2		63.465	-61.10	-5.40	-66.50	-25.00	-41.50	peak	
3		171.135	-66.33	-3.11	-69.44	-25.00	-44.44	peak	
4		339.915	-71.49	-0.56	-72.05	-25.00	-47.05	peak	
5		747.800	-71.41	7.59	-63.82	-25.00	-38.82	peak	
6	*	956.835	-73.36	11.41	-61.95	-25.00	-36.95	peak	

Test Mode	LTE Band 41_TX CH40640_20M
-----------	----------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		32.425	-67.79	-5.73	-73.52	-25.00	-48.52	peak	
2		163.860	-66.65	-2.87	-69.52	-25.00	-44.52	peak	
3		214.300	-62.29	-5.46	-67.75	-25.00	-42.75	peak	
4		324.395	-65.29	-0.85	-66.14	-25.00	-41.14	peak	
5		595.510	-72.43	4.92	-67.51	-25.00	-42.51	peak	
6	*	986.905	-73.93	11.43	-62.50	-25.00	-37.50	peak	

Test Mode LTE Band 66_TX CH132322_5M


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		31.940	-61.47	-5.80	-67.27	-13.00	-54.27	peak	
2		64.435	-61.43	-5.55	-66.98	-13.00	-53.98	peak	
3		163.375	-66.76	-2.85	-69.61	-13.00	-56.61	peak	
4		331.185	-71.78	-0.72	-72.50	-13.00	-59.50	peak	
5		630.430	-72.30	5.53	-66.77	-13.00	-53.77	peak	
6	*	912.700	-73.07	10.25	-62.82	-13.00	-49.82	peak	

Test Mode LTE Band 66_TX CH132322_5M


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		32.425	-68.99	-5.73	-74.72	-13.00	-61.72	peak	
2		164.345	-65.62	-2.87	-68.49	-13.00	-55.49	peak	
3		215.755	-61.54	-5.40	-66.94	-13.00	-53.94	peak	
4		324.880	-65.17	-0.84	-66.01	-13.00	-53.01	peak	
5		629.945	-72.61	5.53	-67.08	-13.00	-54.08	peak	
6	*	791.935	-70.72	8.70	-62.02	-13.00	-49.02	peak	

Test Mode	LTE Band 66_TX CH132322_20M
-----------	-----------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		34.850	-62.34	-5.40	-67.74	-13.00	-54.74	peak	
2		63.465	-61.93	-5.40	-67.33	-13.00	-54.33	peak	
3		163.860	-67.32	-2.87	-70.19	-13.00	-57.19	peak	
4		331.670	-72.52	-0.71	-73.23	-13.00	-60.23	peak	
5		611.515	-72.94	5.23	-67.71	-13.00	-54.71	peak	
6 *		988.845	-73.64	11.43	-62.21	-13.00	-49.21	peak	

Test Mode LTE Band 66_TX CH132322_20M

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		32.425	-68.44	-5.73	-74.17	-13.00	-61.17	peak	
2		164.345	-66.22	-2.87	-69.09	-13.00	-56.09	peak	
3		215.755	-61.66	-5.40	-67.06	-13.00	-54.06	peak	
4		324.395	-65.19	-0.85	-66.04	-13.00	-53.04	peak	
5		532.945	-71.99	3.47	-68.52	-13.00	-55.52	peak	
6	*	967.990	-74.04	11.41	-62.63	-13.00	-49.63	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5879.000	-70.67	18.63	-52.04	-13.00	-39.04	peak	

Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5063.000	-72.01	17.93	-54.08	-13.00	-41.08	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M
-----------	----------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3473.500	-66.82	13.19	-53.63	-13.00	-40.63	peak	
2	*	5199.000	-61.32	18.08	-43.24	-13.00	-30.24	peak	


Test Mode	LTE Band 4_TX CH20175_1.4M
-----------	----------------------------

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5199.000	-63.71	18.08	-45.63	-13.00	-32.63	peak	

Test Mode	LTE Band 4_TX CH20175_5M
-----------	--------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3465.000	-64.17	13.17	-51.00	-13.00	-38.00	peak	
2	*	5199.000	-59.14	18.08	-41.06	-13.00	-28.06	peak	

Test Mode	LTE Band 4_TX CH20175_5M
-----------	--------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5199.000	-62.02	18.08	-43.94	-13.00	-30.94	peak	


Test Mode	LTE Band 4_TX CH20175_20M
-----------	---------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		3465.000	-63.24	13.17	-50.07	-13.00	-37.07	peak	
2	*	5199.000	-60.08	18.08	-42.00	-13.00	-29.00	peak	

Test Mode	LTE Band 4_TX CH20175_20M
-----------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5199.000	-61.24	18.08	-43.16	-13.00	-30.16	peak	

Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5067.250	-66.21	17.94	-48.27	-25.00	-23.27	peak	
2		7604.500	-71.55	22.65	-48.90	-25.00	-23.90	peak	
3	*	10141.750	-73.08	25.01	-48.07	-25.00	-23.07	peak	

Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5080.000	-69.57	17.95	-51.62	-25.00	-26.62	peak	

Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5080.000	-68.52	17.95	-50.57	-25.00	-25.57	peak	

Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5080.000	-70.69	17.95	-52.74	-25.00	-27.74	peak	

Test Mode	LTE Band 12_TX CH23095_1.4M
-----------	-----------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4247.000	-62.74	15.05	-47.69	-13.00	-34.69	peak	

Test Mode	LTE Band 12_TX CH23095_1.4M
-----------	-----------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2122.000	-60.38	9.70	-50.68	-13.00	-37.68	peak	
2		4247.000	-66.96	15.05	-51.91	-13.00	-38.91	peak	


Test Mode	LTE Band 12_TX CH23095_5M
-----------	---------------------------

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	1425.000	-61.34	5.45	-55.89	-13.00	-42.89	peak	


Test Mode	LTE Band 12_TX CH23095_5M
-----------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2122.000	-68.45	9.70	-58.75	-13.00	-45.75	peak	

Test Mode	LTE Band 12_TX CH23095_10M
-----------	----------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4247.000	-62.99	15.05	-47.94	-13.00	-34.94	peak	

Test Mode	LTE Band 12_TX CH23095_10M
-----------	----------------------------


Horizontal



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2122.000	-60.05	9.70	-50.35	-13.00	-37.35	peak	
2		4247.000	-66.88	15.05	-51.83	-13.00	-38.83	peak	

Test Mode	LTE Band 17_TX CH23790_5M
-----------	---------------------------


Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4272.500	-68.01	15.07	-52.94	-13.00	-39.94	peak	

Test Mode	LTE Band 17_TX CH23790_5M
-----------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2130.500	-66.10	9.72	-56.38	-13.00	-43.38	peak	


Test Mode	LTE Band 12_TX CH23790_10M
-----------	----------------------------

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4264.000	-69.38	15.06	-54.32	-13.00	-41.32	peak	


Test Mode	LTE Band 12_TX CH23790_10M
-----------	----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2130.500	-67.75	9.72	-58.03	-13.00	-45.03	peak	


Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5194.750	-70.75	18.08	-52.67	-25.00	-27.67	peak	


Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5194.750	-70.50	18.08	-52.42	-25.00	-27.42	peak	


Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5003.500	-71.84	17.86	-53.98	-25.00	-28.98	peak	


Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5972.500	-71.15	18.69	-52.46	-25.00	-27.46	peak	

Test Mode	LTE Band 41_TX CH40640_5M
-----------	---------------------------


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		5194.750	-70.97	18.08	-52.89	-25.00	-27.89	peak	
2	*	7783.000	-71.62	22.59	-49.03	-25.00	-24.03	peak	


Test Mode	LTE Band 41_TX CH40640_5M
-----------	---------------------------

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4327.750	-69.88	15.12	-54.76	-25.00	-29.76	peak	

Test Mode	LTE Band 41_TX CH40640_20M
-----------	----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	3881.500	-69.01	14.41	-54.60	-25.00	-29.60	peak	

Test Mode	LTE Band 41_TX CH40640_20M
-----------	----------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	6712.000	-71.91	20.65	-51.26	-25.00	-26.26	peak	


Test Mode	LTE Band 66_TX CH132322_5M
-----------	----------------------------

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5245.750	-67.48	18.13	-49.35	-13.00	-36.35	peak	

Test Mode	LTE Band 66_TX CH132322_5M
-----------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5233.000	-69.07	18.12	-50.95	-13.00	-37.95	peak	

Test Mode	LTE Band 66_TX CH132322_20M
-----------	-----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		3490.500	-67.12	13.24	-53.88	-13.00	-40.88	peak	
2	*	5241.500	-61.06	18.12	-42.94	-13.00	-29.94	peak	

Test Mode	LTE Band 66_TX CH132322_20M
-----------	-----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5224.500	-63.05	18.10	-44.95	-13.00	-31.95	peak	

APPENDIX G - BAND EDGE

