





















































APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode	TX Mode
-----------	---------

Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	0.0223	47.56	14.24	61.80	120.64	-58.84	AVG	
2		0.0300	44.69	14.06	58.75	118.06	-59.31	AVG	
3		0.0627	38.52	13.61	52.13	111.66	-59.53	AVG	

Test Mode	TX Mode
-----------	---------


Ant 0°



No. Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	0.4485	34.58	13.40	47.98	94.57	-46.59	AVG	
2 *	2.1201	37.42	12.04	49.46	69.54	-20.08	QP	
3	2.9558	28.95	11.73	40.68	69.54	-28.86	QP	

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		0.0153	48.32	15.77	64.09	123.91	-59.82	AVG	
2		0.0607	36.97	13.61	50.58	111.94	-61.36	AVG	
3	*	0.0871	36.25	13.64	49.89	108.80	-58.91	AVG	

Test Mode	TX Mode
-----------	---------

Ant 90°




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBuV	dB	dBuV/m	dBuV/m	dB		
1		0.3428	35.96	13.51	49.47	96.90	-47.43	AVG	
2	*	2.0604	33.48	12.07	45.55	69.54	-23.99	QP	
3		2.8962	28.41	11.75	40.16	69.54	-29.38	QP	

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)


Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		55.705	-50.08	-17.07	-67.15	-13.00	-54.15	peak	
2		158.040	-56.44	-16.10	-72.54	-13.00	-59.54	peak	
3		194.415	-54.83	-15.76	-70.59	-13.00	-57.59	peak	
4		457.285	-54.62	-14.95	-69.57	-13.00	-56.57	peak	
5		694.935	-50.26	-14.71	-64.97	-13.00	-51.97	peak	
6	*	914.640	-49.48	-13.68	-63.16	-13.00	-50.16	peak	

Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		49.885	-58.94	-17.13	-76.07	-13.00	-63.07	peak	
2		167.255	-56.67	-16.01	-72.68	-13.00	-59.68	peak	
3		267.165	-54.99	-15.17	-70.16	-13.00	-57.16	peak	
4		486.385	-54.11	-14.96	-69.07	-13.00	-56.07	peak	
5		666.805	-50.37	-14.81	-65.18	-13.00	-52.18	peak	
6 *		871.960	-47.64	-13.93	-61.57	-13.00	-48.57	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.190	-48.35	-17.06	-65.41	-13.00	-52.41	peak	
2		158.525	-55.00	-16.09	-71.09	-13.00	-58.09	peak	
3		194.415	-52.37	-15.76	-68.13	-13.00	-55.13	peak	
4		396.175	-57.08	-14.92	-72.00	-13.00	-59.00	peak	
5		609.575	-52.46	-15.03	-67.49	-13.00	-54.49	peak	
6	*	833.160	-48.86	-14.15	-63.01	-13.00	-50.01	peak	


Test Mode	LTE Band 4_TX CH20175_1.4M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.190	-58.28	-17.06	-75.34	-13.00	-62.34	peak	
2		160.465	-56.70	-16.08	-72.78	-13.00	-59.78	peak	
3		267.650	-53.82	-15.17	-68.99	-13.00	-55.99	peak	
4		465.530	-55.33	-14.96	-70.29	-13.00	-57.29	peak	
5		653.710	-50.96	-14.86	-65.82	-13.00	-52.82	peak	
6	*	885.540	-49.42	-13.84	-63.26	-13.00	-50.26	peak	


Test Mode	LTE Band 4_TX CH20175_5M
-----------	--------------------------

Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.190	-48.36	-17.06	-65.42	-13.00	-52.42	peak	
2		160.465	-56.07	-16.08	-72.15	-13.00	-59.15	peak	
3		199.265	-56.50	-15.72	-72.22	-13.00	-59.22	peak	
4		471.835	-54.57	-14.95	-69.52	-13.00	-56.52	peak	
5		676.020	-50.79	-14.78	-65.57	-13.00	-52.57	peak	
6	*	866.625	-49.29	-13.95	-63.24	-13.00	-50.24	peak	


Test Mode	LTE Band 4_TX CH20175_5M
-----------	--------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		56.190	-57.65	-17.06	-74.71	-13.00	-61.71	peak	
2		160.950	-54.61	-16.07	-70.68	-13.00	-57.68	peak	
3		267.650	-56.27	-15.17	-71.44	-13.00	-58.44	peak	
4		500.935	-54.76	-14.98	-69.74	-13.00	-56.74	peak	
5		738.100	-49.89	-14.56	-64.45	-13.00	-51.45	peak	
6	*	917.065	-49.55	-13.67	-63.22	-13.00	-50.22	peak	


Test Mode	LTE Band 4_TX CH20175_20M
-----------	---------------------------

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		56.190	-49.08	-17.06	-66.14	-13.00	-53.14	peak	
2		158.040	-56.17	-16.10	-72.27	-13.00	-59.27	peak	
3		194.415	-54.08	-15.76	-69.84	-13.00	-56.84	peak	
4		396.175	-58.42	-14.92	-73.34	-13.00	-60.34	peak	
5		645.950	-50.99	-14.89	-65.88	-13.00	-52.88	peak	
6	*	845.770	-50.09	-14.08	-64.17	-13.00	-51.17	peak	

Test Mode	LTE Band 4_TX CH20175_20M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.705	-58.33	-17.07	-75.40	-13.00	-62.40	peak	
2		159.495	-55.76	-16.09	-71.85	-13.00	-58.85	peak	
3		267.650	-56.28	-15.17	-71.45	-13.00	-58.45	peak	
4		450.010	-56.40	-14.95	-71.35	-13.00	-58.35	peak	
5		644.495	-51.68	-14.90	-66.58	-13.00	-53.58	peak	
6	*	817.155	-48.44	-14.24	-62.68	-13.00	-49.68	peak	

Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		37.275	-48.78	-17.28	-66.06	-25.00	-41.06	peak	
2		48.915	-50.87	-17.15	-68.02	-25.00	-43.02	peak	
3	*	76.560	-48.92	-16.85	-65.77	-25.00	-40.77	peak	
4		150.280	-51.36	-16.17	-67.53	-25.00	-42.53	peak	
5		182.290	-52.39	-15.88	-68.27	-25.00	-43.27	peak	
6		284.625	-56.80	-15.04	-71.84	-25.00	-46.84	peak	


Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		78.985	-53.98	-16.83	-70.81	-25.00	-45.81	peak	
2	*	148.825	-50.59	-16.18	-66.77	-25.00	-41.77	peak	
3		193.930	-53.00	-15.77	-68.77	-25.00	-43.77	peak	
4		285.595	-52.59	-15.02	-67.61	-25.00	-42.61	peak	
5		319.545	-53.89	-14.91	-68.80	-25.00	-43.80	peak	
6		454.375	-56.12	-14.94	-71.06	-25.00	-46.06	peak	


Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------

Vertical




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	37.760	-48.08	-17.28	-65.36	-25.00	-40.36	peak	
2		76.075	-48.92	-16.85	-65.77	-25.00	-40.77	peak	
3		159.980	-53.34	-16.08	-69.42	-25.00	-44.42	peak	
4		184.230	-54.33	-15.86	-70.19	-25.00	-45.19	peak	
5		287.050	-56.21	-15.01	-71.22	-25.00	-46.22	peak	
6		462.135	-55.35	-14.95	-70.30	-25.00	-45.30	peak	

Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		78.985	-53.98	-16.83	-70.81	-25.00	-45.81	peak	
2	*	148.825	-50.59	-16.18	-66.77	-25.00	-41.77	peak	
3		193.930	-53.00	-15.77	-68.77	-25.00	-43.77	peak	
4		285.595	-52.59	-15.02	-67.61	-25.00	-42.61	peak	
5		319.545	-53.89	-14.91	-68.80	-25.00	-43.80	peak	
6		454.375	-56.12	-14.94	-71.06	-25.00	-46.06	peak	

Test Mode: LTE Band 12_TX CH23095_1.4M



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		37.760	-48.91	-17.28	-66.19	-13.00	-53.19	peak	
2	*	78.015	-49.25	-16.84	-66.09	-13.00	-53.09	peak	
3		149.795	-52.26	-16.18	-68.44	-13.00	-55.44	peak	
4		293.355	-55.92	-14.96	-70.88	-13.00	-57.88	peak	
5		473.775	-55.15	-14.95	-70.10	-13.00	-57.10	peak	
6		674.565	-52.85	-14.78	-67.63	-13.00	-54.63	peak	


Test Mode: LTE Band 12_TX CH23095_1.4M



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		78.015	-53.95	-16.84	-70.79	-13.00	-57.79	peak	
2	*	146.885	-50.94	-16.20	-67.14	-13.00	-54.14	peak	
3		193.445	-53.77	-15.77	-69.54	-13.00	-56.54	peak	
4		283.655	-54.10	-15.04	-69.14	-13.00	-56.14	peak	
5		321.970	-55.56	-14.91	-70.47	-13.00	-57.47	peak	
6		453.405	-55.94	-14.95	-70.89	-13.00	-57.89	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		36.790	-48.68	-17.30	-65.98	-13.00	-52.98	peak	
2		77.530	-49.16	-16.84	-66.00	-13.00	-53.00	peak	
3		150.765	-52.19	-16.17	-68.36	-13.00	-55.36	peak	
4		288.505	-56.17	-15.01	-71.18	-13.00	-58.18	peak	
5		455.830	-55.39	-14.95	-70.34	-13.00	-57.34	peak	
6	*	749.255	-49.31	-14.52	-63.83	-13.00	-50.83	peak	

Test Mode: LTE Band 12_TX CH23095_5M


Horizontal



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1		78.985	-54.49	-16.83	-71.32	-13.00	-58.32	peak	
2	*	148.340	-50.33	-16.19	-66.52	-13.00	-53.52	peak	
3		194.415	-54.09	-15.76	-69.85	-13.00	-56.85	peak	
4		285.110	-52.02	-15.03	-67.05	-13.00	-54.05	peak	
5		328.275	-55.14	-14.91	-70.05	-13.00	-57.05	peak	
6		522.760	-55.05	-15.00	-70.05	-13.00	-57.05	peak	


Test Mode: LTE Band 12_TX CH23095_10M

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	37.760	-48.37	-17.28	-65.65	-13.00	-52.65	peak	
2		48.915	-50.93	-17.15	-68.08	-13.00	-55.08	peak	
3		77.045	-49.33	-16.84	-66.17	-13.00	-53.17	peak	
4		157.555	-54.29	-16.10	-70.39	-13.00	-57.39	peak	
5		286.080	-57.60	-15.02	-72.62	-13.00	-59.62	peak	
6		516.940	-55.33	-14.99	-70.32	-13.00	-57.32	peak	

Test Mode: LTE Band 12_TX CH23095_10M




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		78.985	-54.75	-16.83	-71.58	-13.00	-58.58	peak	
2	*	146.400	-50.24	-16.21	-66.45	-13.00	-53.45	peak	
3		194.900	-54.71	-15.76	-70.47	-13.00	-57.47	peak	
4		286.565	-51.83	-15.02	-66.85	-13.00	-53.85	peak	
5		318.575	-54.61	-14.91	-69.52	-13.00	-56.52	peak	
6		482.990	-55.89	-14.97	-70.86	-13.00	-57.86	peak	

Test Mode: LTE Band 17_TX CH23790_5M



No. Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	36.790	-52.95	-17.30	-70.25	-13.00	-57.25	peak	
2	167.255	-55.05	-16.01	-71.06	-13.00	-58.06	peak	
3	333.125	-56.70	-14.91	-71.61	-13.00	-58.61	peak	
4	460.680	-55.33	-14.95	-70.28	-13.00	-57.28	peak	
5	591.145	-52.94	-15.05	-67.99	-13.00	-54.99	peak	
6 *	736.645	-50.35	-14.57	-64.92	-13.00	-51.92	peak	


Test Mode:	LTE Band 17_TX CH23790_5M
------------	---------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		152.220	-52.26	-16.15	-68.41	-13.00	-55.41	peak	
2		197.810	-54.77	-15.73	-70.50	-13.00	-57.50	peak	
3		291.415	-55.93	-14.98	-70.91	-13.00	-57.91	peak	
4		453.890	-55.27	-14.94	-70.21	-13.00	-57.21	peak	
5		693.965	-50.12	-14.71	-64.83	-13.00	-51.83	peak	
6	*	770.110	-48.84	-14.44	-63.28	-13.00	-50.28	peak	

Test Mode: LTE Band 17_TX CH23790_10M


Vertical



No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1		36.790	-51.67	-17.30	-68.97	-13.00	-55.97	peak	
2		68.315	-53.86	-16.93	-70.79	-13.00	-57.79	peak	
3		151.735	-55.71	-16.15	-71.86	-13.00	-58.86	peak	
4		344.280	-58.45	-14.91	-73.36	-13.00	-60.36	peak	
5		441.765	-55.81	-14.94	-70.75	-13.00	-57.75	peak	
6	*	621.215	-50.47	-14.98	-65.45	-13.00	-52.45	peak	


Test Mode: LTE Band 17_TX CH23790_10M

Horizontal




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		46.490	-58.41	-17.18	-75.59	-13.00	-62.59	peak	
2	*	148.825	-52.34	-16.18	-68.52	-13.00	-55.52	peak	
3		193.930	-53.97	-15.77	-69.74	-13.00	-56.74	peak	
4		285.110	-55.53	-15.03	-70.56	-13.00	-57.56	peak	
5		338.460	-55.79	-14.92	-70.71	-13.00	-57.71	peak	
6		446.615	-55.10	-14.94	-70.04	-13.00	-57.04	peak	

Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		50.370	-80.59	11.74	-68.85	-25.00	-43.85	peak	
2		166.770	-84.91	11.74	-73.17	-25.00	-48.17	peak	
3		387.445	-85.30	11.74	-73.56	-25.00	-48.56	peak	
4		521.305	-80.43	11.74	-68.69	-25.00	-43.69	peak	
5		644.010	-79.06	11.74	-67.32	-25.00	-42.32	peak	
6	*	757.500	-76.10	11.74	-64.36	-25.00	-39.36	peak	


Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		48.915	-88.41	11.74	-76.67	-25.00	-51.67	peak	
2		141.065	-81.14	11.74	-69.40	-25.00	-44.40	peak	
3		196.840	-83.58	11.74	-71.84	-25.00	-46.84	peak	
4		243.400	-84.68	11.74	-72.94	-25.00	-47.94	peak	
5		418.485	-83.02	11.74	-71.28	-25.00	-46.28	peak	
6	*	712.395	-77.22	11.74	-65.48	-25.00	-40.48	peak	


Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		48.430	-79.59	11.74	-67.85	-25.00	-42.85	peak	
2		176.470	-86.01	11.74	-74.27	-25.00	-49.27	peak	
3		339.430	-84.89	11.74	-73.15	-25.00	-48.15	peak	
4		523.730	-81.23	11.74	-69.49	-25.00	-44.49	peak	
5		666.805	-77.22	11.74	-65.48	-25.00	-40.48	peak	
6	*	796.785	-75.76	11.74	-64.02	-25.00	-39.02	peak	

Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		47.460	-87.06	11.74	-75.32	-25.00	-50.32	peak	
2		149.310	-80.91	11.74	-69.17	-25.00	-44.17	peak	
3		197.325	-83.51	11.74	-71.77	-25.00	-46.77	peak	
4		242.915	-85.58	11.74	-73.84	-25.00	-48.84	peak	
5		279.775	-82.59	11.74	-70.85	-25.00	-45.85	peak	
6	*	590.660	-79.36	11.74	-67.62	-25.00	-42.62	peak	

Test Mode	LTE Band 41_TX CH40640_5M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		49.400	-52.69	-17.14	-69.83	-25.00	-44.83	peak	
2		147.370	-54.73	-16.20	-70.93	-25.00	-45.93	peak	
3		358.345	-58.77	-14.92	-73.69	-25.00	-48.69	peak	
4		551.375	-53.52	-15.02	-68.54	-25.00	-43.54	peak	
5		689.115	-50.72	-14.73	-65.45	-25.00	-40.45	peak	
6	*	806.000	-48.92	-14.30	-63.22	-25.00	-38.22	peak	

Test Mode	LTE Band 41_TX CH40640_5M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		58.130	-58.82	-17.05	-75.87	-25.00	-50.87	peak	
2		143.975	-53.40	-16.23	-69.63	-25.00	-44.63	peak	
3		198.295	-56.37	-15.73	-72.10	-25.00	-47.10	peak	
4		279.775	-54.90	-15.07	-69.97	-25.00	-44.97	peak	
5		465.045	-54.68	-14.95	-69.63	-25.00	-44.63	peak	
6	*	674.080	-50.96	-14.78	-65.74	-25.00	-40.74	peak	

Test Mode	LTE Band 41_TX CH40640_20M
-----------	----------------------------




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	48.430	-52.39	-17.16	-69.55	-25.00	-44.55	peak	
2	147.855	-55.21	-16.19	-71.40	-25.00	-46.40	peak	
3	369.015	-58.89	-14.92	-73.81	-25.00	-48.81	peak	
4	577.565	-52.55	-15.04	-67.59	-25.00	-42.59	peak	
5	729.370	-49.57	-14.59	-64.16	-25.00	-39.16	peak	
6 *	888.935	-48.52	-13.82	-62.34	-25.00	-37.34	peak	

Test Mode	LTE Band 41_TX CH40640_20M
-----------	----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		55.705	-59.38	-17.07	-76.45	-25.00	-51.45	peak	
2		142.520	-53.15	-16.24	-69.39	-25.00	-44.39	peak	
3		194.415	-54.36	-15.76	-70.12	-25.00	-45.12	peak	
4		321.485	-57.58	-14.91	-72.49	-25.00	-47.49	peak	
5		485.900	-54.26	-14.97	-69.23	-25.00	-44.23	peak	
6	*	650.315	-51.43	-14.87	-66.30	-25.00	-41.30	peak	

Test Mode	LTE Band 66_TX CH132322_5M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		49.885	-52.14	-17.13	-69.27	-13.00	-56.27	peak	
2		193.930	-57.85	-15.77	-73.62	-13.00	-60.62	peak	
3		408.300	-56.05	-14.92	-70.97	-13.00	-57.97	peak	
4		627.035	-52.64	-14.96	-67.60	-13.00	-54.60	peak	
5		757.015	-50.40	-14.49	-64.89	-13.00	-51.89	peak	
6	*	848.195	-48.50	-14.06	-62.56	-13.00	-49.56	peak	


Test Mode	LTE Band 66_TX CH132322_5M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		48.430	-59.37	-17.16	-76.53	-13.00	-63.53	peak	
2		162.405	-53.91	-16.06	-69.97	-13.00	-56.97	peak	
3		194.415	-55.46	-15.76	-71.22	-13.00	-58.22	peak	
4		267.650	-54.18	-15.17	-69.35	-13.00	-56.35	peak	
5		497.540	-55.43	-14.97	-70.40	-13.00	-57.40	peak	
6 *		715.305	-50.32	-14.64	-64.96	-13.00	-51.96	peak	


Test Mode	LTE Band 66_TX CH132322_20M
-----------	-----------------------------

Vertical



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		49.885	-52.10	-17.13	-69.23	-13.00	-56.23	peak	
2		181.805	-55.92	-15.88	-71.80	-13.00	-58.80	peak	
3		294.325	-58.81	-14.96	-73.77	-13.00	-60.77	peak	
4		434.005	-55.62	-14.93	-70.55	-13.00	-57.55	peak	
5		653.710	-51.64	-14.86	-66.50	-13.00	-53.50	peak	
6	*	753.135	-49.49	-14.50	-63.99	-13.00	-50.99	peak	


Test Mode	LTE Band 66_TX CH132322_20M
-----------	-----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		49.885	-59.09	-17.13	-76.22	-13.00	-63.22	peak	
2		141.550	-54.68	-16.25	-70.93	-13.00	-57.93	peak	
3		197.325	-56.65	-15.74	-72.39	-13.00	-59.39	peak	
4		279.775	-56.63	-15.07	-71.70	-13.00	-58.70	peak	
5		466.985	-55.64	-14.95	-70.59	-13.00	-57.59	peak	
6	*	610.545	-51.43	-15.02	-66.45	-13.00	-53.45	peak	


APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)

Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	4391.500	-69.25	15.20	-54.05	-13.00	-41.05	peak	

Test Mode	WCDMA Band IV_TX CH1413
-----------	-------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4485.000	-69.04	15.31	-53.73	-13.00	-40.73	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M
-----------	----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5581.500	-70.62	18.45	-52.17	-13.00	-39.17	peak	

Test Mode	LTE Band 4_TX CH20175_1.4M
-----------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	5122.500	-71.23	17.99	-53.24	-13.00	-40.24	peak	

Test Mode	LTE Band 4_TX CH20175_5M
-----------	--------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5012.000	-71.07	17.88	-53.19	-13.00	-40.19	peak	

Test Mode	LTE Band 4_TX CH20175_5M
-----------	--------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4400.000	-69.09	15.21	-53.88	-13.00	-40.88	peak	

Test Mode	LTE Band 4_TX CH20175_20M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4493.500	-69.62	15.32	-54.30	-13.00	-41.30	peak	

Test Mode	LTE Band 4_TX CH20175_20M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5199.000	-70.10	18.08	-52.02	-13.00	-39.02	peak	

Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	6265.750	-69.38	19.20	-50.18	-25.00	-25.18	peak	


Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	6457.000	-69.95	19.57	-50.38	-25.00	-25.38	peak	


Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5143.750	-71.60	18.02	-53.58	-25.00	-28.58	peak	

Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	6342.250	-70.04	19.34	-50.70	-25.00	-25.70	peak	

Test Mode	LTE Band 12_TX CH23095_1.4M
-----------	-----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2122.000	-62.21	9.70	-52.51	-13.00	-39.51	peak	

Test Mode	LTE Band 12_TX CH23095_1.4M
-----------	-----------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		1416.500	-62.01	5.44	-56.57	-13.00	-43.57	peak	
2	*	2122.000	-54.46	9.70	-44.76	-13.00	-31.76	peak	

Test Mode	LTE Band 12_TX CH23095_5M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2113.500	-59.71	9.70	-50.01	-13.00	-37.01	peak	

Test Mode	LTE Band 12_TX CH23095_5M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2113.500	-47.09	9.70	-37.39	-13.00	-24.39	peak	

Test Mode	LTE Band 12_TX CH23095_10M
-----------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2105.000	-62.86	9.69	-53.17	-13.00	-40.17	peak	

Test Mode	LTE Band 12_TX CH23095_10M
-----------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2105.000	-47.78	9.69	-38.09	-13.00	-25.09	peak	

Test Mode	LTE Band 17_TX CH23790_5M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	2122.000	-66.09	9.70	-56.39	-13.00	-43.39	peak	

Test Mode	LTE Band 17_TX CH23790_5M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2122.000	-53.20	9.70	-43.50	-13.00	-30.50	peak	

Test Mode	LTE Band 17_TX CH23790_10M
-----------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2113.500	-61.04	9.70	-51.34	-13.00	-38.34	peak	

Test Mode	LTE Band 12_TX CH23790_10M
-----------	----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	2113.500	-47.49	9.70	-37.79	-13.00	-24.79	peak	


Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	5806.750	-71.30	18.59	-52.71	-25.00	-27.71	peak	

Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	6661.000	-71.55	20.41	-51.14	-25.00	-26.14	peak	


Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	6431.500	-69.94	19.51	-50.43	-25.00	-25.43	peak	

Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	5666.500	-70.25	18.51	-51.74	-25.00	-26.74	peak	

Test Mode	LTE Band 41_TX CH40640_5M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	6189.250	-70.33	19.06	-51.27	-25.00	-26.27	peak	

Test Mode	LTE Band 41_TX CH40640_5M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4850.500	-70.16	17.10	-53.06	-25.00	-28.06	peak	

Test Mode	LTE Band 41_TX CH40640_20M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5577.250	-70.92	18.45	-52.47	-25.00	-27.47	peak	


Test Mode	LTE Band 41_TX CH40640_20M
-----------	----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	6508.000	-69.02	19.68	-49.34	-25.00	-24.34	peak	


Test Mode	LTE Band 66_TX CH132322_5M
-----------	----------------------------

Vertical




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4417.000	-69.64	15.23	-54.41	-13.00	-41.41	peak	

Test Mode	LTE Band 66_TX CH132322_5M
-----------	----------------------------




No. Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1 *	4659.250	-70.17	16.13	-54.04	-13.00	-41.04	peak	

Test Mode	LTE Band 66_TX CH132322_20M
-----------	-----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	5794.000	-70.92	18.58	-52.34	-13.00	-39.34	peak	

Test Mode	LTE Band 66_TX CH132322_20M
-----------	-----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	6520.750	-70.75	19.73	-51.02	-13.00	-38.02	peak	

APPENDIX G - BAND EDGE

