


Test Mode	TX N(HT40) Mode 2442 MHz	Polarization	Horizontal
-----------	--------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	X	2431.300	97.26	5.54	102.80	74.00	28.80	peak	No Limit
2	*	2431.700	90.02	5.54	95.56	54.00	41.56	AVG	No Limit
3		2483.500	50.65	5.68	56.33	74.00	-17.67	peak	
4		2483.500	38.30	5.68	43.98	54.00	-10.02	AVG	
5		2488.100	49.08	5.70	54.78	74.00	-19.22	peak	
6		2488.100	41.46	5.70	47.16	54.00	-6.84	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT40) Mode 2442 MHz	Polarization	Horizontal
-----------	--------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		4485.778	39.97	1.08	41.05	74.00	-32.95	peak	
2	*	4485.860	27.41	1.08	28.49	54.00	-25.51	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT40) Mode 2447 MHz	Polarization	Vertical
-----------	--------------------------	--------------	----------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2433.200	82.35	5.55	87.90	54.00	33.90	AVG	No Limit
2	X	2433.500	90.31	5.55	95.86	74.00	21.86	peak	No Limit
3		2483.500	41.63	5.68	47.31	74.00	-26.69	peak	
4		2483.500	32.52	5.68	38.20	54.00	-15.80	AVG	
5		2487.900	42.66	5.70	48.36	74.00	-25.64	peak	
6		2487.900	34.01	5.70	39.71	54.00	-14.29	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT40) Mode 2447 MHz	Polarization	Vertical
-----------	--------------------------	--------------	----------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		4895.292	37.82	2.29	40.11	74.00	-33.89	peak	
2	*	4896.337	25.98	2.28	28.26	54.00	-25.74	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT40) Mode 2447 MHz	Polarization	Horizontal
-----------	--------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	*	2432.700	86.74	5.55	92.29	54.00	38.29	AVG	No Limit
2	X	2434.600	95.01	5.55	100.56	74.00	26.56	peak	No Limit
3		2483.500	46.99	5.68	52.67	74.00	-21.33	peak	
4		2483.500	36.69	5.68	42.37	54.00	-11.63	AVG	
5		2487.900	49.59	5.70	55.29	74.00	-18.71	peak	
6		2487.900	39.81	5.70	45.51	54.00	-8.49	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT40) Mode 2447 MHz	Polarization	Horizontal
-----------	--------------------------	--------------	------------




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1		4891.642	39.98	2.27	42.25	74.00	-31.75	peak	
2	*	4896.233	27.45	2.28	29.73	54.00	-24.27	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT40) Mode 2452 MHz	Polarization	Vertical
-----------	--------------------------	--------------	----------

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1	2465.2000	89.46	5.63	95.09	74.00	21.09	Peak	No Limit
2 *	2469.3000	82.44	5.64	88.08	54.00	34.08	AVG	No Limit
3	2483.5000	44.05	5.68	49.73	74.00	-24.27	Peak	
4	2483.5000	32.10	5.68	37.78	54.00	-16.22	AVG	
5	2489.4000	43.29	5.69	48.98	74.00	-25.02	Peak	
6	2489.4000	34.07	5.69	39.76	54.00	-14.24	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT40) Mode 2452 MHz	Polarization	Vertical
-----------	--------------------------	--------------	----------

80 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4901.7850	25.86	2.30	28.16	54.00	-25.84	AVG	
2	4901.9169	37.00	2.30	39.30	74.00	-34.70	Peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT40) Mode 2452 MHz	Polarization	Horizontal
-----------	--------------------------	--------------	------------

120 dBuV/m




No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	2469.0000	86.79	5.64	92.43	54.00	38.43	AVG	No Limit
2	2469.4000	93.92	5.64	99.56	74.00	25.56	Peak	No Limit
3	2483.5000	46.23	5.68	51.91	74.00	-22.09	Peak	
4	2483.5000	35.86	5.68	41.54	54.00	-12.46	AVG	
5	2489.3000	47.78	5.69	53.47	74.00	-20.53	Peak	
6	2489.3000	39.58	5.69	45.27	54.00	-8.73	AVG	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	TX N(HT40) Mode 2452 MHz	Polarization	Horizontal
-----------	--------------------------	--------------	------------

80 dBuV/m



No.	Freq. MHz	Reading Level dBuV/m	Correct Factor dB	Measure ment dBuV/m	Limit dBuV/m	Margin dB	Detector	Comment
1 *	4902.5280	27.48	2.30	29.78	54.00	-24.22	AVG	
2	4902.8300	39.72	2.30	42.02	74.00	-31.98	Peak	

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

APPENDIX E - BANDWIDTH


Test Mode	TX B Mode
-----------	-----------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	8.120	12.720	0.5	Complies
06	2437	9.070	13.200	0.5	Complies
11	2462	8.070	12.880	0.5	Complies

CH01




Date: 27.OCT.2021 09:03:39

CH06
6 dB Bandwidth



Date: 27.OCT.2021 09:05:31

CH11




Date: 27.OCT.2021 09:07:28


99 % Occupied Bandwidth



Date: 27.OCT.2021 09:03:47



Date: 27.OCT.2021 09:05:39




Date: 27.OCT.2021 09:07:36


Test Mode	TX G Mode
-----------	-----------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	15.160	16.800	0.5	Complies
06	2437	15.140	16.880	0.5	Complies
11	2462	15.479	16.800	0.5	Complies

CH01




Date: 27.OCT.2021 09:09:14

CH06
6 dB Bandwidth



Date: 27.OCT.2021 09:11:09

CH11




Date: 27.OCT.2021 09:12:50


99 % Occupied Bandwidth



Date: 27.OCT.2021 09:09:42



Date: 27.OCT.2021 09:11:17




Date: 27.OCT.2021 09:12:50

Test Mode	TX N(HT20) Mode
-----------	-----------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
01	2412	15.990	17.840	0.5	Complies
06	2437	13.919	17.920	0.5	Complies
11	2462	13.940	17.840	0.5	Complies

CH01




Date: 27.OCT.2021 09:14:48

CH06
6 dB Bandwidth




Date: 27.OCT.2021 09:16:29

CH11




Date: 27.OCT.2021 09:18:18


99 % Occupied Bandwidth



Date: 27.OCT.2021 09:14:56



Date: 27.OCT.2021 09:16:37




Date: 27.OCT.2021 09:18:27

Test Mode	TX N(HT40) Mode
-----------	-----------------

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
03	2422	35.240	36.480	0.5	Complies
06	2437	35.280	36.800	0.5	Complies
09	2452	33.880	36.160	0.5	Complies


CH03



Date: 27.OCT.2021 09:20:14


CH06

6 dB Bandwidth




Date: 27.OCT.2021 09:22:08

CH09




Date: 27.OCT.2021 09:23:43


99 % Occupied Bandwidth



Date: 27.OCT.2021 09:20:22



Date: 27.OCT.2021 09:22:16



Date: 27.OCT.2021 09:23:51

APPENDIX F - MAXIMUM OUTPUT POWER

Test Mode	TX B Mode
-----------	-----------

Channel	Frequency (MHz)	Peak Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	16.74	30.00	1.0000	Complies
06	2437	20.59	30.00	1.0000	Complies
11	2462	16.27	30.00	1.0000	Complies

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	14.08	0.00	14.08	30.00	1.0000	Complies
06	2437	18.09	0.00	18.09	30.00	1.0000	Complies
11	2462	13.72	0.00	13.72	30.00	1.0000	Complies

Test Mode	TX G Mode
-----------	-----------

Channel	Frequency (MHz)	Peak Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	24.04	30.00	1.0000	Complies
06	2437	24.72	30.00	1.0000	Complies
07	2442	25.15	30.00	1.0000	Complies
10	2457	21.84	30.00	1.0000	Complies
11	2462	21.15	30.00	1.0000	Complies

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	14.92	0.11	15.03	30.00	1.0000	Complies
06	2437	17.37	0.11	17.48	30.00	1.0000	Complies
07	2442	17.28	0.11	17.39	30.00	1.0000	Complies
10	2457	12.43	0.11	12.54	30.00	1.0000	Complies
11	2462	11.51	0.11	11.62	30.00	1.0000	Complies

Test Mode	TX N(HT20) Mode
-----------	-----------------

Channel	Frequency (MHz)	Peak Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	23.94	30.00	1.0000	Complies
06	2437	24.93	30.00	1.0000	Complies
07	2442	25.02	30.00	1.0000	Complies
09	2452	24.64	30.00	1.0000	Complies
10	2457	23.14	30.00	1.0000	Complies
11	2462	21.99	30.00	1.0000	Complies

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
01	2412	14.03	0.13	14.16	30.00	1.0000	Complies
06	2437	16.35	0.13	16.48	30.00	1.0000	Complies
07	2442	16.22	0.13	16.35	30.00	1.0000	Complies
09	2452	15.03	0.13	15.16	30.00	1.0000	Complies
10	2457	12.33	0.13	12.46	30.00	1.0000	Complies
11	2462	11.32	0.13	11.45	30.00	1.0000	Complies

Test Mode	TX N(HT40) Mode
-----------	-----------------


Channel	Frequency (MHz)	Peak Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	20.94	30.00	1.0000	Complies
04	2427	22.11	30.00	1.0000	Complies
05	2432	22.64	30.00	1.0000	Complies
06	2437	23.25	30.00	1.0000	Complies
07	2442	21.57	30.00	1.0000	Complies
08	2447	20.36	30.00	1.0000	Complies
09	2452	19.94	30.00	1.0000	Complies

Channel	Frequency (MHz)	Average Output Power (dBm)	Duty Factor	Average Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
03	2422	11.08	0.23	11.31	30.00	1.0000	Complies
04	2427	12.18	0.23	12.41	30.00	1.0000	Complies
05	2432	13.02	0.23	13.25	30.00	1.0000	Complies
06	2437	13.22	0.23	13.45	30.00	1.0000	Complies
07	2442	12.11	0.23	12.34	30.00	1.0000	Complies
08	2447	10.03	0.23	10.26	30.00	1.0000	Complies
09	2452	10.02	0.23	10.25	30.00	1.0000	Complies

APPENDIX G - CONDUCTED SPURIOUS EMISSIONS


Test Mode TX B Mode

Bandedge-CH01




Date: 27.OCT.2021 09:03:56

Bandedge-CH11




Date: 27.OCT.2021 09:07:45


CH01 – 10th Harmonic of the fundamental frequency



Date: 27.OCT.2021 09:04:10




Date: 27.OCT.2021 09:04:19




Date: 27.OCT.2021 09:04:28


CH06 – 10th Harmonic of the fundamental frequency



Date: 27.OCT.2021 09:06:02




Date: 27.OCT.2021 09:06:11




Date: 27.OCT.2021 09:06:20


CH11 – 10th Harmonic of the fundamental frequency



Date: 27.OCT.2021 09:07:59



Date: 27.OCT.2021 09:08:08




Date: 27.OCT.2021 09:08:17

Test Mode


TX G Mode

Bandedge-CH01




Date: 27.OCT.2021 09:09:51

Bandedge-CH11




Date: 27.OCT.2021 09:13:07


CH01 – 10th Harmonic of the fundamental frequency



Date: 27.OCT.2021 09:10:05




Date: 27.OCT.2021 09:10:15




Date: 27.OCT.2021 09:10:23


CH06 – 10th Harmonic of the fundamental frequency



Date: 27.OCT.2021 09:11:40




Date: 27.OCT.2021 09:11:49




Date: 27.OCT.2021 09:11:58


CH11 – 10th Harmonic of the fundamental frequency



Date: 27.OCT.2021 09:13:21




Date: 27.OCT.2021 09:13:30



Date: 27.OCT.2021 09:13:39


Test Mode TX N(HT20) Mode

Bandedge-CH01




Date: 27.OCT.2021 09:15:05

Bandedge-CH11




Date: 27.OCT.2021 09:18:36


CH01 – 10th Harmonic of the fundamental frequency



Date: 27.OCT.2021 09:15:19




Date: 27.OCT.2021 09:15:28




Date: 27.OCT.2021 09:15:37


CH06 – 10th Harmonic of the fundamental frequency



Date: 27.OCT.2021 09:17:00




Date: 27.OCT.2021 09:17:09




Date: 27.OCT.2021 09:17:18


CH11 – 10th Harmonic of the fundamental frequency



Date: 27.OCT.2021 09:18:50




Date: 27.OCT.2021 09:18:59




Date: 27.OCT.2021 09:19:08

Test Mode TX N(HT40) Mode




Bandedge-CH03






Bandedge-CH09






CH03 – 10th Harmonic of the fundamental frequency



CH06 – 10th Harmonic of the fundamental frequency




CH09 – 10th Harmonic of the fundamental frequency




APPENDIX H - POWER SPECTRAL DENSITY

Test Mode	TX B Mode
-----------	-----------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.35	8.00	Complies
06	2437	-5.18	8.00	Complies
11	2462	-7.76	8.00	Complies



Date: 27.OCT.2021 09:04:38




Date: 27.OCT.2021 09:06:30




Date: 27.OCT.2021 09:08:27

Test Mode	TX G Mode
-----------	-----------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-11.04	8.00	Complies
06	2437	-7.89	8.00	Complies
11	2462	-14.09	8.00	Complies



Date: 27.OCT.2021 09:10:33




Date: 27.OCT.2021 09:12:08




Date: 27.OCT.2021 09:13:49

Test Mode	TX N(HT20) Mode
-----------	-----------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-11.11	8.00	Complies
06	2437	-9.25	8.00	Complies
11	2462	-13.87	8.00	Complies



Date: 27.OCT.2021 09:15:47




Date: 27.OCT.2021 09:17:28




Date: 27.OCT.2021 09:19:18

Test Mode	TX N(HT40) Mode
-----------	-----------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-17.30	8.00	Complies
06	2437	-15.49	8.00	Complies
09	2452	-18.41	8.00	Complies



Date: 27.OCT.2021 09:21:33



Date: 27.OCT.2021 09:23:10



Date: 27.OCT.2021 09:25:01

End of Test Report