

1.1.1 PCS1900_EIRP

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 PCS1900

Band: PCS1900							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
GSM	1850.2	20	3.3	-18.048	-0.0098	-2.5 to 2.5	Pass
			3.92	5.230	0.0028	-2.5 to 2.5	Pass
			4.53	1.776	0.0010	-2.5 to 2.5	Pass
		-30	3.92	7.652	0.0041	-2.5 to 2.5	Pass
		-20	3.92	1.162	0.0006	-2.5 to 2.5	Pass
		-10	3.92	-1.388	-0.0008	-2.5 to 2.5	Pass
		0	3.92	-0.936	-0.0005	-2.5 to 2.5	Pass
		10	3.92	9.008	0.0049	-2.5 to 2.5	Pass
		30	3.92	7.232	0.0039	-2.5 to 2.5	Pass
		40	3.92	3.196	0.0017	-2.5 to 2.5	Pass
		50	3.92	0.194	0.0001	-2.5 to 2.5	Pass
	1880	20	3.3	-0.420	-0.0002	-2.5 to 2.5	Pass
			3.92	-1.937	-0.0010	-2.5 to 2.5	Pass
			4.53	-1.259	-0.0007	-2.5 to 2.5	Pass
		-30	3.92	3.229	0.0017	-2.5 to 2.5	Pass
		-20	3.92	4.359	0.0023	-2.5 to 2.5	Pass
		-10	3.92	-18.597	-0.0099	-2.5 to 2.5	Pass
		0	3.92	12.721	0.0068	-2.5 to 2.5	Pass
		10	3.92	-0.161	-0.0001	-2.5 to 2.5	Pass
		30	3.92	-0.161	-0.0001	-2.5 to 2.5	Pass
		40	3.92	16.886	0.0090	-2.5 to 2.5	Pass
		50	3.92	5.973	0.0032	-2.5 to 2.5	Pass
	1909.8	20	3.3	4.907	0.0026	-2.5 to 2.5	Pass
			3.92	1.033	0.0005	-2.5 to 2.5	Pass
			4.53	2.260	0.0012	-2.5 to 2.5	Pass
		-30	3.92	0.549	0.0003	-2.5 to 2.5	Pass
		-20	3.92	1.065	0.0006	-2.5 to 2.5	Pass
		-10	3.92	7.006	0.0037	-2.5 to 2.5	Pass
		0	3.92	0.517	0.0003	-2.5 to 2.5	Pass
		10	3.92	1.550	0.0008	-2.5 to 2.5	Pass
		30	3.92	-1.033	-0.0005	-2.5 to 2.5	Pass
		40	3.92	7.523	0.0039	-2.5 to 2.5	Pass
GPRS	1850.2	20	3.3	-3.390	-0.0018	-2.5 to 2.5	Pass
			3.92	-1.743	-0.0009	-2.5 to 2.5	Pass
			4.53	-4.843	-0.0026	-2.5 to 2.5	Pass
		-30	3.92	-1.227	-0.0007	-2.5 to 2.5	Pass
		-20	3.92	-3.551	-0.0019	-2.5 to 2.5	Pass
		-10	3.92	-8.104	-0.0044	-2.5 to 2.5	Pass
		0	3.92	-1.130	-0.0006	-2.5 to 2.5	Pass
		10	3.92	-3.293	-0.0018	-2.5 to 2.5	Pass
		30	3.92	-4.133	-0.0022	-2.5 to 2.5	Pass
		40	3.92	0.678	0.0004	-2.5 to 2.5	Pass
		50	3.92	8.782	0.0047	-2.5 to 2.5	Pass
	1880	20	3.3	-4.229	-0.0022	-2.5 to 2.5	Pass
			3.92	-7.264	-0.0039	-2.5 to 2.5	Pass
			4.53	-2.647	-0.0014	-2.5 to 2.5	Pass

		-30	3.92	-3.099	-0.0016	-2.5 to 2.5	Pass
		-20	3.92	-2.357	-0.0013	-2.5 to 2.5	Pass
		-10	3.92	-2.680	-0.0014	-2.5 to 2.5	Pass
		0	3.92	-8.201	-0.0044	-2.5 to 2.5	Pass
		10	3.92	-3.745	-0.0020	-2.5 to 2.5	Pass
		30	3.92	-4.488	-0.0024	-2.5 to 2.5	Pass
		40	3.92	-27.185	-0.0145	-2.5 to 2.5	Pass
		50	3.92	47.299	0.0252	-2.5 to 2.5	Pass
	1909.8	20	3.3	-5.263	-0.0028	-2.5 to 2.5	Pass
			3.92	2.099	0.0011	-2.5 to 2.5	Pass
			4.53	-1.388	-0.0007	-2.5 to 2.5	Pass
		-30	3.92	-3.099	-0.0016	-2.5 to 2.5	Pass
		-20	3.92	-10.590	-0.0055	-2.5 to 2.5	Pass
		-10	3.92	-0.452	-0.0002	-2.5 to 2.5	Pass
		0	3.92	-3.584	-0.0019	-2.5 to 2.5	Pass
		10	3.92	-4.455	-0.0023	-2.5 to 2.5	Pass
		30	3.92	12.301	0.0064	-2.5 to 2.5	Pass
		40	3.92	-14.851	-0.0078	-2.5 to 2.5	Pass
		50	3.92	16.272	0.0085	-2.5 to 2.5	Pass
EGPRS	1850.2	20	3.3	-4.326	-0.0023	-2.5 to 2.5	Pass
			3.92	-3.874	-0.0021	-2.5 to 2.5	Pass
			4.53	-7.619	-0.0041	-2.5 to 2.5	Pass
		-30	3.92	-5.037	-0.0027	-2.5 to 2.5	Pass
		-20	3.92	13.302	0.0072	-2.5 to 2.5	Pass
		-10	3.92	-7.297	-0.0039	-2.5 to 2.5	Pass
		0	3.92	-2.195	-0.0012	-2.5 to 2.5	Pass
		10	3.92	-6.134	-0.0033	-2.5 to 2.5	Pass
		30	3.92	0.161	0.0001	-2.5 to 2.5	Pass
		40	3.92	-3.099	-0.0017	-2.5 to 2.5	Pass
		50	3.92	-3.874	-0.0021	-2.5 to 2.5	Pass
	1880	20	3.3	-2.163	-0.0012	-2.5 to 2.5	Pass
			3.92	-13.689	-0.0073	-2.5 to 2.5	Pass
			4.53	7.038	0.0037	-2.5 to 2.5	Pass
		-30	3.92	-1.324	-0.0007	-2.5 to 2.5	Pass
		-20	3.92	-7.200	-0.0038	-2.5 to 2.5	Pass
		-10	3.92	-1.679	-0.0009	-2.5 to 2.5	Pass
		0	3.92	-3.584	-0.0019	-2.5 to 2.5	Pass
		10	3.92	-1.227	-0.0007	-2.5 to 2.5	Pass
		30	3.92	-0.839	-0.0004	-2.5 to 2.5	Pass
		40	3.92	-4.811	-0.0026	-2.5 to 2.5	Pass
		50	3.92	1.001	0.0005	-2.5 to 2.5	Pass
	1909.8	20	3.3	-8.653	-0.0045	-2.5 to 2.5	Pass
			3.92	0.484	0.0003	-2.5 to 2.5	Pass
			4.53	-2.809	-0.0015	-2.5 to 2.5	Pass
		-30	3.92	-0.613	-0.0003	-2.5 to 2.5	Pass
		-20	3.92	-3.810	-0.0020	-2.5 to 2.5	Pass
		-10	3.92	-7.716	-0.0040	-2.5 to 2.5	Pass
		0	3.92	-5.941	-0.0031	-2.5 to 2.5	Pass
		10	3.92	-2.970	-0.0016	-2.5 to 2.5	Pass
		30	3.92	0.969	0.0005	-2.5 to 2.5	Pass
		40	3.92	-27.120	-0.0142	-2.5 to 2.5	Pass
		50	3.92	34.481	0.0181	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 PCS1900_OBW


Band: PCS1900						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	0.240	/	Pass
			1880	0.241	/	Pass
			1909.8	0.239	/	Pass
	GPRS	1 TX Slot	1850.2	0.246	/	Pass
			1880	0.245	/	Pass
			1909.8	0.244	/	Pass
	EGPRS	1 TX Slot	1850.2	0.249	/	Pass
			1880	0.242	/	Pass
			1909.8	0.247	/	Pass

3.1.2 PCS1900_XDB


Band: PCS1900						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	0.305	/	Pass
			1880	0.313	/	Pass
			1909.8	0.306	/	Pass
	GPRS	1 TX Slot	1850.2	0.313	/	Pass
			1880	0.315	/	Pass
			1909.8	0.324	/	Pass
	EGPRS	1 TX Slot	1850.2	0.303	/	Pass
			1880	0.302	/	Pass
			1909.8	0.316	/	Pass

3.2 Test Graph


3.2.1 PCS1900_OBW




PCS1900 GSM HCH 1909.8MHz GSM NTN




PCS1900_GPRS_LCH_1850.2MHz_1 TX Slot NTN




PCS1900 GPRS MCH 1880MHz 1 TX Slot_NTNV




PCS1900_GPRS_HCH_1909.8MHz_1 TX Slot_NTNV




PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot NTN




PCS1900 EGPRS MCH 1880MHz 1 TX Slot NTN




PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot NTNV




3.2.2 PCS1900_XDB




PCS1900 GSM HCH 1909.8MHz GSM NTN




PCS1900_GPRS_LCH_1850.2MHz_1 TX Slot NTN




PCS1900 GPRS MCH 1880MHz 1 TX Slot_NTNV




PCS1900_GPRS_HCH_1909.8MHz_1 TX Slot_NTNV




PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot NTN



PCS1900 EGPRS MCH 1880MHz 1 TX Slot NTN



PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 PCS1900


Band: PCS1900						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	9.55	<=13	Pass
			1880	9.81	<=13	Pass
			1909.8	9.68	<=13	Pass
	GPRS	4 TX Slots	1850.2	3.75	<=13	Pass
			1880	3.71	<=13	Pass
			1909.8	3.71	<=13	Pass
	EGPRS	4 TX Slots	1850.2	7.91	<=13	Pass
			1880	8.09	<=13	Pass
			1909.8	8.21	<=13	Pass

4.2 Test Graph


4.2.1 PCS1900




PCS1900 GSM HCH 1909.8MHz GSM NTN




PCS1900 GPRS LCH 1850.2MHz 4 TX Slots NTN




PCS1900_GPRS_MCH_1880MHz_4 TX Slots_NTNV




PCS1900_GPRS_HCH_1909.8MHz_4 TX Slots_NTNV




PCS1900 EGPRS LCH 1850.2MHz 4 TX Slots NTN



PCS1900 EGPRS MCH 1880MHz 4 TX Slots NTN



PCS1900 EGPRS HCH 1909.8MHz 4 TX Slots NTNV



5. Spurious Emission


5.1 Test Result

5.1.1 PCS1900


Band: PCS1900						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	GSM	GSM	1850.2	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1909.8	Refer To Test Graph	Pass	
	GPRS	1 TX Slot	1850.2	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1909.8	Refer To Test Graph	Pass	
	EGPRS	1 TX Slot	1850.2	Refer To Test Graph	Pass	
			1880	Refer To Test Graph	Pass	
			1909.8	Refer To Test Graph	Pass	

5.2 Test Graph


5.2.1 PCS1900




PCS1900 GSM LCH 1850.2MHz GSM NTN




PCS1900 GSM MCH 1880MHz GSM NTN




PCS1900 GSM MCH 1880MHz GSM NTN




PCS1900 GSM MCH 1880MHz GSM NTN




PCS1900 GSM HCH 1909.8MHz GSM NTN




PCS1900 GSM HCH 1909.8MHz GSM NTN




PCS1900 GSM HCH 1909.8MHz GSM NTN




PCS1900_GPRS_LCH_1850.2MHz_1 TX Slot NTN




PCS1900_GPRS_LCH_1850.2MHz_1 TX Slot_NTNV




PCS1900_GPRS_LCH_1850.2MHz_1 TX Slot_NTNV




PCS1900 GPRS MCH 1880MHz 1 TX Slot_NTNV




PCS1900_GPRS_MCH_1880MHz_1 TX Slot_NTNV




PCS1900 GPRS MCH 1880MHz 1 TX Slot_NTNV




PCS1900_GPRS_HCH_1909.8MHz_1 TX Slot_NTNV




PCS1900 GPRS HCH 1909.8MHz 1 TX Slot NTNV




PCS1900_GPRS_HCH_1909.8MHz_1 TX Slot_NTNV




PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot NTNV




PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot NTNV




PCS1900 EGPRS LCH 1850.2MHz 1 TX Slot NTN




PCS1900 EGPRS MCH 1880MHz 1 TX Slot NTN




PCS1900 EGPRS MCH 1880MHz 1 TX Slot NTN




PCS1900 EGPRS MCH 1880MHz 1 TX Slot NTN




PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot NTN



PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot NTN



PCS1900 EGPRS HCH 1909.8MHz 1 TX Slot NTNV



6. Field Strength of Spurious Radiation

GSM1900 ANT1-Low channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3700.4	-56.25	-13	-43.25	-61.11	3.58	8.44	Horizontal	Pass
5550.6	-60.32	-13	-47.32	-66.03	4.74	10.45	Horizontal	Pass
7400.8	-60.67	-13	-47.67	-67.35	4.94	11.62	Horizontal	Pass
3700.4	-59.02	-13	-46.02	-63.88	3.58	8.44	Vertical	Pass
5550.6	-56.16	-13	-43.16	-61.87	4.74	10.45	Vertical	Pass
7400.8	-60.18	-13	-47.18	-66.86	4.94	11.62	Vertical	Pass

GSM1900 ANT1-Middle channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3760.0	-55.47	-13	-42.47	-60.36	3.63	8.52	Horizontal	Pass
5640.0	-51.33	-13	-38.33	-57.03	4.75	10.45	Horizontal	Pass
7520.0	-60.25	-13	-47.25	-67.07	4.94	11.76	Horizontal	Pass
3760.0	-59.24	-13	-46.24	-64.13	3.63	8.52	Vertical	Pass
5640.0	-50.23	-13	-37.23	-55.93	4.75	10.45	Vertical	Pass
7520.0	-60.02	-13	-47.02	-66.84	4.94	11.76	Vertical	Pass

GSM1900 ANT1-High channel								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
3819.6	-56.56	-13	-43.56	-61.48	3.68	8.6	Horizontal	Pass
5729.4	-47.81	-13	-34.81	-53.5	4.76	10.45	Horizontal	Pass
7639.2	-59.78	-13	-46.78	-66.73	4.95	11.9	Horizontal	Pass
3819.6	-56.0	-13	-43.0	-60.92	3.68	8.6	Vertical	Pass
5729.4	-49.28	-13	-36.28	-54.97	4.76	10.45	Vertical	Pass
7639.2	-59.85	-13	-46.85	-66.8	4.95	11.9	Vertical	Pass