Band4 QAM16 BW=10MHz Channel=20000 RB Size=50 Position=#0

Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#0



Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0



Band4 QPSK BW=10MHz Channel=20350 RB Size=1 Position=#Max



Band4 QAM16 BW=10MHz Channel=20350 RB Size=1 Position=#0

Band4 QAM16 BW=10MHz Channel=20350 RB Size=1 Position=#Max



Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#0



Band4 QAM16 BW=10MHz Channel=20350 RB Size=50 Position=#0

Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 QPSK BW=15MHz Channel=20025 RB Size=1 Position=#Max



Band4 QAM16 BW=15MHz Channel=20025 RB Size=1 Position=#0



Band4 QAM16 BW=15MHz Channel=20025 RB Size=1 Position=#Max



Band4 QAM16 BW=15MHz Channel=20025 RB Size=75 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0



Band4 QPSK BW=15MHz Channel=20325 RB Size=1 Position=#Max



Band4 QAM16 BW=15MHz Channel=20325 RB Size=1 Position=#0



Band4 QAM16 BW=15MHz Channel=20325 RB Size=1 Position=#Max



Band4 QAM16 BW=15MHz Channel=20325 RB Size=75 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20050 RB Size=1 Position=#Max



Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#0



Band4 QAM16 BW=20MHz Channel=20050 RB Size=100 Position=#0



Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#Max



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#0



Band4 QPSK BW=20MHz Channel=20300 RB Size=1 Position=#Max



Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0



Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#Max



Band4 QAM16 BW=20MHz Channel=20300 RB Size=1 Position=#0



Band4 QAM16 BW=20MHz Channel=20300 RB Size=100 Position=#0



Band41 QAM16 BW=15MHz Channel=40465 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2551.25	2555	1000	2553.4175	-38.93	-25
2	2555	2565	1000	2562.88	-34.58	-13
3	2565	2569	1000	2568.624	-26.2	-10
4	2569	2570	300	2569.957	-24.68	-10

Band41 QAM16 BW=10MHz Channel=40840 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	200	2620.005	-38.83	-10
2	2621	2625	1000	2623.764	-32.74	-10
3	2625	2630	1000	2626.18	-34.45	-13
4	2630	2632.5	1000	2631.4675	-37.08	-25

Band41 QAM16 BW=15MHz Channel=40465 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2551.25	2555	1000	2554.80125	-36.42	-25
2	2555	2565	1000	2563.24	-35.65	-13
3	2565	2569	1000	2568.892	-29.42	-10
4	2569	2570	300	2569.804	-34.01	-10

Band41 QAM16 BW=15MHz Channel=40465 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2551.25	2555	1000	2554.62125	-35.18	-25
2	2555	2565	1000	2556.33	-34.21	-13
3	2565	2569	1000	2568.352	-38.79	-10
4	2569	2570	300	2569.276	-44.1	-10

Band41 QAM16 BW=10MHz Channel=40840 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	200	2620.008	-28.81	-10
2	2621	2625	1000	2621.012	-22.29	-10
3	2625	2630	1000	2626.46	-36.26	-13
4	2630	2632.5	1000	2630.235	-38.35	-25

Band41 QAM16 BW=10MHz Channel=40440 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2557.5	2560	1000	2559.7375	-32.11	-25
2	2560	2565	1000	2561.385	-31.85	-13
3	2565	2569	1000	2568.848	-36.5	-10
4	2569	2570	200	2569.145	-46.16	-10

Band41 QAM16 BW=10MHz Channel=40440 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2557.5	2560	1000	2559.6475	-39.52	-25
2	2560	2565	1000	2564.745	-37.03	-13
3	2565	2569	1000	2569	-21.4	-10
4	2569	2570	200	2569.978	-26.31	-10

Band41 QAM16 BW=10MHz Channel=40840 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	200	2620.787	-45.05	-10
2	2621	2625	1000	2624.844	-37.27	-10
3	2625	2630	1000	2628.865	-36.46	-13
4	2630	2632.5	1000	2631.0475	-36.54	-25

Band41 QAM16 BW=10MHz Channel=40440 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2557.5	2560	1000	2559.775	-38.14	-25
2	2560	2565	1000	2564.58	-32.9	-13
3	2565	2569	1000	2565.544	-33.21	-10
4	2569	2570	200	2569.995	-35.76	-10

Band41 QAM16 BW=5MHz Channel=40415 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2560	2564	1000	2563.768	-36.39	-25
2	2564	2565	1000	2564.989	-34.59	-13
3	2565	2569	1000	2569	-11.95	-10
4	2569	2570	100	2569.999	-24.2	-10

Band41 QAM16 BW=20MHz Channel=40790 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	430	2620.518	-33.18	-10
2	2621	2625	1000	2621.888	-32.42	-10
3	2625	2640	1000	2629.26	-36.34	-13
4	2640	2645	1000	2640.645	-38.98	-25

Band41 QAM16 BW=20MHz Channel=40790 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	430	2620.231	-24.16	-10
2	2621	2625	1000	2621.632	-27.46	-10
3	2625	2640	1000	2626.02	-35.98	-13
4	2640	2645	1000	2642.495	-39.29	-25

Band41 QAM16 BW=5MHz Channel=40865 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	100	2620.083	-46.76	-10
2	2621	2625	1000	2623.768	-28.85	-10
3	2625	2626	1000	2625.306	-28.77	-13
4	2626	2630	1000	2626.048	-33.22	-25

Band41 QAM16 BW=5MHz Channel=40415 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2560	2564	1000	2562.74	-38.2	-25
2	2564	2565	1000	2564.649	-36.3	-13
3	2565	2569	1000	2568.996	-23.77	-10
4	2569	2570	100	2569.943	-34.65	-10

Band41 QAM16 BW=5MHz Channel=40415 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2560	2564	1000	2563.94	-37.16	-25
2	2564	2565	1000	2564.918	-35.38	-13
3	2565	2569	1000	2566.392	-32.62	-10
4	2569	2570	100	2569.911	-48.36	-10

Band41 QAM16 BW=20MHz Channel=40790 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	430	2620.416	-41.31	-10
2	2621	2625	1000	2624.04	-39.19	-10
3	2625	2640	1000	2638.305	-31.3	-13
4	2640	2645	1000	2640.35	-36.46	-25

Band41 QAM16 BW=15MHz Channel=40815 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	300	2620.01	-34.43	-10
2	2621	2625	1000	2623.688	-34.46	-10
3	2625	2635	1000	2629.97	-32.91	-13
4	2635	2638.75	1000	2635.69375	-34.97	-25

Band41 QAM16 BW=15MHz Channel=40815 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	300	2620.123	-25.86	-10
2	2621	2625	1000	2621.096	-25.89	-10
3	2625	2635	1000	2628.48	-37.83	-13
4	2635	2638.75	1000	2635.37125	-39.49	-25

Band41 QAM16 BW=15MHz Channel=40815 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	300	2620.006	-42.91	-10
2	2621	2625	1000	2621.016	-38.2	-10
3	2625	2635	1000	2634.4	-32.91	-13
4	2635	2638.75	1000	2635.165	-34.48	-25

Band41 QAM16 BW=20MHz Channel=40490 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2545	2550	1000	2549.51	-39.84	-25
2	2550	2565	1000	2564.775	-36.19	-13
3	2565	2569	1000	2568.504	-32.5	-10
4	2569	2570	430	2569.976	-33.17	-10

Band41 QAM16 BW=20MHz Channel=40490 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2545	2550	1000	2549.475	-39.01	-25
2	2550	2565	1000	2551.35	-31.41	-13
3	2565	2569	1000	2568.756	-39.62	-10
4	2569	2570	430	2569.77	-43.07	-10

Band41 QAM16 BW=20MHz Channel=40490 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2545	2550	1000	2546.945	-39.25	-25
2	2550	2565	1000	2562.915	-34.69	-13
3	2565	2569	1000	2568.94	-24.06	-10
4	2569	2570	430	2569.928	-23.37	-10

Band41 QPSK BW=15MHz Channel=40465 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2551.25	2555	1000	2551.8875	-38.23	-25
2	2555	2565	1000	2561.67	-35.99	-13
3	2565	2569	1000	2568.68	-31.85	-10
4	2569	2570	300	2569.957	-32.64	-10

Band41 QPSK BW=15MHz Channel=40465 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2551.25	2555	1000	2554.7525	-31.68	-25
2	2555	2565	1000	2557.31	-28.71	-13
3	2565	2569	1000	2568.84	-38.63	-10
4	2569	2570	300	2569.874	-43.85	-10

Band41 QPSK BW=15MHz Channel=40465 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2551.25	2555	1000	2554.06625	-39.41	-25
2	2555	2565	1000	2564.73	-34.72	-13
3	2565	2569	1000	2568.856	-25.34	-10
4	2569	2570	300	2569.963	-24.84	-10

Band41 QPSK BW=15MHz Channel=40815 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	300	2620.326	-42.73	-10
2	2621	2625	1000	2621.256	-37.23	-10
3	2625	2635	1000	2633.09	-32.46	-13
4	2635	2638.75	1000	2635.16875	-34.41	-25

Band41 QPSK BW=20MHz Channel=40490 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2545	2550	1000	2547.81	-40.02	-25
2	2550	2565	1000	2563.32	-34.97	-13
3	2565	2569	1000	2568.748	-26.37	-10
4	2569	2570	430	2569.953	-24.06	-10

Band41 QPSK BW=15MHz Channel=40815 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	300	2620.031	-33.38	-10
2	2621	2625	1000	2624.332	-32.01	-10
3	2625	2635	1000	2630.79	-33.69	-13
4	2635	2638.75	1000	2636.71	-34.84	-25

Band41 QPSK BW=15MHz Channel=40815 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	300	2620.015	-24.6	-10
2	2621	2625	1000	2621.132	-23.82	-10
3	2625	2635	1000	2626.76	-35.75	-13
4	2635	2638.75	1000	2635.20625	-38.94	-25

Band41 QPSK BW=10MHz Channel=40840 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	200	2620.121	-35.81	-10
2	2621	2625	1000	2621.028	-28.83	-10
3	2625	2630	1000	2625.995	-31.24	-13
4	2630	2632.5	1000	2631.5925	-36.09	-25

Band41 QPSK BW=10MHz Channel=40440 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2557.5	2560	1000	2559.765	-39.22	-25
2	2560	2565	1000	2564.485	-34.29	-13
3	2565	2569	1000	2569	-19.36	-10
4	2569	2570	200	2569.945	-24.4	-10

Band41 QAM16 BW=5MHz Channel=40865 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	100	2620.039	-36.02	-10
2	2621	2625	1000	2621.004	-26.28	-10
3	2625	2626	1000	2625.224	-33.52	-13
4	2626	2630	1000	2626.64	-37.66	-25

Band41 QAM16 BW=5MHz Channel=40865 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	100	2620.089	-22.79	-10
2	2621	2625	1000	2621.04	-11.79	-10
3	2625	2626	1000	2625.355	-30.56	-13
4	2626	2630	1000	2628.328	-33.93	-25

Band41 QPSK BW=10MHz Channel=40440 RB Size=1 Position=#Max

Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2557.5	2560	1000	2559.4425	-29.28	-25
2	2560	2565	1000	2560.73	-27.67	-13
3	2565	2569	1000	2568.896	-38.33	-10
4	2569	2570	200	2569.758	-45.85	-10

Band41 QPSK BW=10MHz Channel=40840 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	200	2620.021	-24.65	-10
2	2621	2625	1000	2621.016	-22.04	-10
3	2625	2630	1000	2625.275	-35.9	-13
4	2630	2632.5	1000	2631.9675	-38.95	-25

Band41 QPSK BW=10MHz Channel=40840 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	200	2620.652	-44.82	-10
2	2621	2625	1000	2623.948	-37.37	-10
3	2625	2630	1000	2628.445	-31.06	-13
4	2630	2632.5	1000	2630.31	-31.02	-25

Band41 QPSK BW=10MHz Channel=40440 RB Size=50 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2557.5	2560	1000	2559.9575	-38.23	-25
2	2560	2565	1000	2564.96	-37	-13
3	2565	2569	1000	2568.476	-30.99	-10
4	2569	2570	200	2569.928	-34.33	-10

Band41 QPSK BW=5MHz Channel=40415 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2560	2564	1000	2563.836	-38.28	-25
2	2564	2565	1000	2564.783	-36	-13
3	2565	2569	1000	2568.916	-23.66	-10
4	2569	2570	100	2569.983	-31.76	-10

Band41 QPSK BW=5MHz Channel=40415 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2560	2564	1000	2563.86	-38.57	-25
2	2564	2565	1000	2564.966	-34.15	-13
3	2565	2569	1000	2565.36	-31.22	-10
4	2569	2570	100	2569.949	-49.13	-10

Band41 QPSK BW=5MHz Channel=40865 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	100	2620.001	-46.35	-10
2	2621	2625	1000	2624.54	-27.83	-10
3	2625	2626	1000	2625.107	-28.25	-13
4	2626	2630	1000	2626.712	-34.84	-25

Band41 QPSK BW=5MHz Channel=40865 RB Size=25 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	100	2620.027	-36.43	-10
2	2621	2625	1000	2621.004	-24.08	-10
3	2625	2626	1000	2625.099	-33.82	-13
4	2626	2630	1000	2626.2	-36.14	-25

Band41 QPSK BW=5MHz Channel=40865 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	100	2620.261	-23.46	-10
2	2621	2625	1000	2621.004	-10.19	-10
3	2625	2626	1000	2625.871	-33.96	-13
4	2626	2630	1000	2626.22	-34.86	-25

Band41 QPSK BW=5MHz Channel=40415 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2560	2564	1000	2561.56	-37.51	-25
2	2564	2565	1000	2564.961	-34.44	-13
3	2565	2569	1000	2568.988	-10.65	-10
4	2569	2570	100	2569.985	-24.97	-10

Band41 QPSK BW=20MHz Channel=40490 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2545	2550	1000	2548.89	-39.09	-25
2	2550	2565	1000	2561.64	-36.83	-13
3	2565	2569	1000	2568.352	-33.15	-10
4	2569	2570	430	2569.985	-34.57	-10

Band41 QPSK BW=20MHz Channel=40490 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2545	2550	1000	2549.875	-38.49	-25
2	2550	2565	1000	2552.13	-32.17	-13
3	2565	2569	1000	2568.976	-39.62	-10
4	2569	2570	430	2569.827	-42.38	-10

Band41 QPSK BW=20MHz Channel=40790 RB Size=1 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	430	2620.268	-41.96	-10
2	2621	2625	1000	2621.1	-38.8	-10
3	2625	2640	1000	2637.525	-33.81	-13
4	2640	2645	1000	2640.32	-38.32	-25

Band41 QPSK BW=20MHz Channel=40790 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	430	2620.31	-34.39	-10
2	2621	2625	1000	2621.228	-30.92	-10
3	2625	2640	1000	2628.405	-35.09	-13
4	2640	2645	1000	2644.385	-37.77	-25

Band41 QPSK BW=20MHz Channel=40790 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2620	2621	430	2620.03	-25.16	-10
2	2621	2625	1000	2621.036	-26.67	-10
3	2625	2640	1000	2625.12	-34.46	-13
4	2640	2645	1000	2641.34	-39.51	-25

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#Max

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#Max

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0

Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0

Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#Max

Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#Max

Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0

Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#Max

Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#0

Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#Max

Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=1 Position=#Max

Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#0



Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#0



Band5 QAM16 BW=5MHz Channel=20425 RB Size=25 Position=#0



Band5 QPSK BW=5MHz Channel=20625 RB Size=1 Position=#Max



Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#0



Band5 QAM16 BW=5MHz Channel=20625 RB Size=1 Position=#Max



Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#0



Band5 QAM16 BW=5MHz Channel=20625 RB Size=25 Position=#0



Band5 QPSK BW=10MHz Channel=20450 RB Size=1 Position=#Max



Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#0



Band5 QAM16 BW=10MHz Channel=20450 RB Size=1 Position=#Max



Band5 QAM16 BW=10MHz Channel=20450 RB Size=50 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#0



Band5 QPSK BW=10MHz Channel=20600 RB Size=1 Position=#Max



Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0



Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#0



Band5 QAM16 BW=10MHz Channel=20600 RB Size=1 Position=#Max



Band5 QAM16 BW=10MHz Channel=20600 RB Size=50 Position=#0



Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#Max

Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0

Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=1 Position=#0

Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=1 Position=#Max

Band66 QAM16 BW=1.4MHz Channel=131979 RB Size=6 Position=#0



Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#Max

Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0

Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=1 Position=#0

Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=1 Position=#Max

Band66 QAM16 BW=1.4MHz Channel=132665 RB Size=6 Position=#0

Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#Max



Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0

Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 QAM16 BW=3MHz Channel=131987 RB Size=1 Position=#0

Band66 QAM16 BW=3MHz Channel=131987 RB Size=1 Position=#Max



Band66 QAM16 BW=3MHz Channel=131987 RB Size=15 Position=#0



Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0

Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#Max

Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0



Band66 QAM16 BW=3MHz Channel=132657 RB Size=1 Position=#0

Band66 QAM16 BW=3MHz Channel=132657 RB Size=1 Position=#Max