Designed in Orange County

California

Quick Start Guide

OC ACOUSTIC

Touch Control

Installing to wall

Power on

Pairing with Bluetooth

Listening to music

Welcome to Newport



Less is More!

Controlling the volume, play, and pause of your music are done completely through your connected device. There are no controls on the Newport Plug-in Speaker.

1

Fold-out the prongs and plug the speaker into the wall outlet.



2

Once the speaker is pluged in, press the power button to turn the speaker on. It will automatically enter Bluetooth pairing mode.

3

Go to Bluetooth settings on your phone, tablet or computer to find the device named Newport_xxxxx.



4 Enjoy Newport Plug-in Speaker!

Next time speaker and connected device will pair automatically...

The Newport Plug-in Speaker will always be on as long as your connected device is within Bluetooth range. Once your connected device is out of Bluetooth range, the speaker will be disconnected and in standby mode.

When the connected device returns to the Bluetooth range, the speaker will automatically detect and reconnect it.

When there are more than one Newport Plug-in Speakers, you can enable Party mode. To learn more, please go to ocacoustic.com's support page on how to operate Party mode.

USB Type-A port is for charging the phone/tablet only.

Specifications

•Transducer: 1 x 52mm full range
•Amplifier power: 5W RMS
•Frequency Response: 20Hz to 20KHz
•System Sensitivity: 80dB SPL @1W 1 meter
•Power requirement: AC 100~240V 50/60Hz
•Bluetooth version: 5.1
•Supported audio formats: A2DP / AVRCP
•Dimensions (W x H x D): 3.64" x 3.35" x 2.48"
•Weight: 0.47lb

To learn more, troubleshooting, operation tips, please visit www.ocacoustic.com. Please click support page for more information.

Please register your product via the website. We can inform you about new product launches and exclusive offers!