









Appendix F:Band Edge

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-47.73	-30	Pass
b	2462	Ant1	-53.32	-30	Pass
g	2412	Ant1	-39.58	-30	Pass
g	2462	Ant1	-47.27	-30	Pass
n20	2412	Ant1	-39.31	-30	Pass
n20	2462	Ant1	-48.7	-30	Pass

Note: Max Value (dBc)= Max Value (Unwanted transmission outside 2400-2483.5 MHz) - Reference Value (Mark 1)








Appendix G: Conducted RF Spurious Emission


Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-50.58	-30	Pass
b	2437	Ant1	-48.96	-30	Pass
b	2462	Ant1	-46.61	-30	Pass
g	2412	Ant1	-49.54	-30	Pass
g	2437	Ant1	-49.14	-30	Pass
g	2462	Ant1	-49.35	-30	Pass
n20	2412	Ant1	-47.52	-30	Pass
n20	2437	Ant1	-49.16	-30	Pass
n20	2462	Ant1	-47.94	-30	Pass


Note: Max Value (dBc) = Max Value (Unwanted transmission except fundamental signal) - Reference Value (Mark 1)














END OF REPORT