




Appendix C:6dB Bandwidth

Mode	Frequency (MHz)	Antenna	6 dB Bandwidth (MHz)	Limit 6 dB Bandwidth (MHz)	Verdict
b	2412	Ant1	8.748	≥ 0.5	Pass
b	2437	Ant1	8.776	≥ 0.5	Pass
b	2462	Ant1	8.828	≥ 0.5	Pass
g	2412	Ant1	16.241	≥ 0.5	Pass
g	2437	Ant1	16.332	≥ 0.5	Pass
g	2462	Ant1	16.318	≥ 0.5	Pass
n20	2412	Ant1	17.08	≥ 0.5	Pass
n20	2437	Ant1	16.928	≥ 0.5	Pass
n20	2462	Ant1	17.024	≥ 0.5	Pass









Appendix D:Occupied Channel Bandwidth

Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
b	2412	Ant1	12.878
b	2437	Ant1	12.905
b	2462	Ant1	12.92
g	2412	Ant1	16.333
g	2437	Ant1	16.355
g	2462	Ant1	16.363
n20	2412	Ant1	17.251
n20	2437	Ant1	17.264
n20	2462	Ant1	17.239










Appendix E:Maximum Power Spectral Density Level

Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
b	2412	Ant1	-17.23	8	Pass
b	2437	Ant1	-16.71	8	Pass
b	2462	Ant1	-16.01	8	Pass
g	2412	Ant1	-15.9	8	Pass
g	2437	Ant1	-15.49	8	Pass
g	2462	Ant1	-14.81	8	Pass
n20	2412	Ant1	-16.5	8	Pass
n20	2437	Ant1	-16.36	8	Pass
n20	2462	Ant1	-15.57	8	Pass

Note: 1. The Duty Cycle Factor (refer to section 7.5) had already compensated to the test data.








Appendix F:Band Edge

Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-47.8	-30	Pass
b	2462	Ant1	-50.41	-30	Pass
g	2412	Ant1	-34.2	-30	Pass
g	2462	Ant1	-41.76	-30	Pass
n20	2412	Ant1	-33.05	-30	Pass
n20	2462	Ant1	-42.24	-30	Pass


Note: Max Value (dBc)= Max Value (Unwanted transmission outside 2400-2483.5 MHz) - Reference Value (Mark 1)

Test Graphs

Band Edge NVNT b 2412MHz Ant1




Band Edge NVNT b 2462MHz Ant1



Band Edge NVNT g 2412MHz Ant1








Appendix G: Conducted RF Spurious Emission


Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
b	2412	Ant1	-51.98	-30	Pass
b	2437	Ant1	-52.73	-30	Pass
b	2462	Ant1	-51.96	-30	Pass
g	2412	Ant1	-50.84	-30	Pass
g	2437	Ant1	-53.21	-30	Pass
g	2462	Ant1	-52.48	-30	Pass
n20	2412	Ant1	-53.95	-30	Pass
n20	2437	Ant1	-52.37	-30	Pass
n20	2462	Ant1	-50.86	-30	Pass


Note: Max Value (dBc) = Max Value (Unwanted transmission except fundamental signal) - Reference Value (Mark 1)














END OF REPORT