

惠州启泰电子科技有限公司

Huizhou Qitai Electronic Technology Co., LTD



SPECIFICATIONS SHEET

规格图面

CUSTOMER :	
客户	
DESCRIPTION :	
品名描述	
CUSTOMER P/N :	
客户品名	
PART NUMBER :	A14875
制造商料号	
DATE OF APPLICATION :	2024-12-6
提出日期	

CLASSIFICATION OF SPEC. PRESENTATION. (Tick the relevant box "√")

规格图面提出区分

- ☐ New application
- 新规格
- ☒ New part is added to accepted specification
- 新产品规格追加记录
- ☐ Revision of accepted specification
- 既存规格图面变更

ACCEPTANCE STAMP (客户受领印)

APPROVAL BY 承 昆子奇	CHECK BY 审 查	PREPARE BY 制 作 冯欣
-------------------------	-----------------	-------------------------

ADDRESS : 3rd Floor, No. 181, Mingyue 2nd Road, Shiwang Town, Boluo County, Huizhou city

TELEPHONE : 0752-6668681


E-MAIL : 839689578@qq.com

惠州启泰电子科技有限公司							
Huizhou Qitai Electronic Technology Co., LTD							
History For Revised Specification 规格修订记录				CUSTOMER P/N : 客 户 品 名			
				PART NUMBER : 制 造 商 料 号			
				星科微			
				A14875			
Item 项次	DESCRIPTION (Content Or Reason For Changed) 变 更 内 容			Rev. 版本	Cust Rev. 客户版本	Date 日期	Revisor 修订者
1	Initial Release (初版发行)			A0		2024-12-6	冯欣
APPROVED BY 承 认		CHECKED BY 审 查		PREPARED BY 制 作		DATE 日 期	
昆子奇				冯欣		2024-12-6	
						PAGE 页 码	
						1 of 3	

Specification 规格内容	CUSTOMER P/N : 客户品名	星科微
	PART NUMBER : 制造商料号	A14875

1. DIMENSIONS (外形尺寸) : (Unit: mm)

单位 (Unit) : 毫米 (mm)



A	B	C	D	E	F	G	
21Max	14.5±0.5	7.5±0.5	6±1	2±1	2.2±0.1	2.7MAX	

1. The adhesive is white adhesive, $\phi 18.0$.
2. Magnet Specifications:: $\phi 7.5*2.5$ Magnetic field:3600GS±100GS.
3. Open a slot at the soft magnetic outlet.

APPROVED BY 承认	CHECKED BY 审查	PREPARED BY 制作	DATE 日期	PAGE 页码
昆子奇		冯欣	2024-12-6	2 of 3

Huizhou Qitai Electronic Technology Co., LTD

星科微

A14875

相交 是/否
Intersect
Yes/Not

是 (Yes)

测试仪器
TEST EQUIPMENTS

UC2906A

UC2906A

UC2906A

PAGE
页 码

3 of 3