



Mode:

N40-5755




★ PK Detector ★ AV Detector




★ PK Detector ★ AV Detector

Mode:	N40-5795
-------	----------




★ PK Detector ★ AV Detector




★ PK Detector ★ AV Detector

Appendix I: Conducted Emission

Mode:	A-5745
-------	--------



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.693	10.26	31.34	56.00	24.66	20.59	46.00	25.41	L1	PASS
2	1.29	10.34	34.24	56.00	21.76	21.08	46.00	24.92	L1	PASS
3	2.481	10.28	33.02	56.00	22.98	21.71	46.00	24.29	L1	PASS
4	4.761	10.33	36.45	56.00	19.55	24.04	46.00	21.96	L1	PASS
5	6.273	10.39	34.92	60.00	25.08	23.76	50.00	26.24	L1	PASS
6	13.471	10.52	34.94	60.00	25.06	22.62	50.00	27.38	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.576	10.25	33.51	56.00	22.49	21.25	46.00	24.75	N	PASS
2	1.026	10.26	31.51	56.00	24.49	21.94	46.00	24.06	N	PASS
3	2.802	10.39	35.03	56.00	20.97	21.41	46.00	24.59	N	PASS
4	5.439	10.41	35.71	60.00	24.29	23.18	50.00	26.82	N	PASS
5	8.262	10.43	35.29	60.00	24.71	23.40	50.00	26.60	N	PASS
6	15.433	10.66	34.19	60.00	25.81	23.27	50.00	26.73	N	PASS

All modes were tested, and the data only represent the maximum power mode data.