


18GHz-25GHz

Mode:	B-2412
-------	--------




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18298.2149	-4.93	45.81	74.00	28.19	45.21	54.00	8.79	100	208	Horizontal	PASS
2	19436.4718	-3.91	45.48	74.00	28.52	43.55	54.00	10.45	100	150	Horizontal	PASS
3	20360.5180	-2.57	46.96	74.00	27.04	45.93	54.00	8.07	100	30	Horizontal	PASS
4	21394.8197	-1.66	46.47	74.00	27.53	45.18	54.00	8.82	100	171	Horizontal	PASS
5	22528.5264	-0.40	46.17	74.00	27.83	44.54	54.00	9.46	100	73	Horizontal	PASS
6	24046.5523	3.12	50.29	74.00	23.71	49.07	54.00	4.93	100	256	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18077.0039	-5.06	44.89	74.00	29.11	43.92	54.00	10.08	100	224	Vertical	PASS
2	19478.1239	-3.84	46.06	74.00	27.94	44.62	54.00	9.38	100	31	Vertical	PASS
3	20512.0756	-2.34	46.22	74.00	27.78	44.44	54.00	9.56	100	68	Vertical	PASS
4	21334.9667	-1.65	45.61	74.00	28.39	44.28	54.00	9.72	100	326	Vertical	PASS
5	22392.7196	-0.75	46.22	74.00	27.78	44.08	54.00	9.92	100	142	Vertical	PASS
6	23869.4435	2.83	50.60	74.00	23.40	48.67	54.00	5.33	100	199	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Mode:	B-2437
-------	--------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18151.9076	-5.02	46.55	74.00	27.45	45.42	54.00	8.58	100	0	Horizontal	PASS
2	19155.4078	-4.29	45.88	74.00	28.12	44.93	54.00	9.07	100	91	Horizontal	PASS
3	20723.1362	-2.03	46.15	74.00	27.85	44.91	54.00	9.09	100	212	Horizontal	PASS
4	21969.5485	-1.74	45.56	74.00	28.44	43.59	54.00	10.41	100	311	Horizontal	PASS
5	23358.7679	1.63	48.86	74.00	25.14	47.59	54.00	6.41	100	12	Horizontal	PASS
6	24005.2503	3.14	50.54	74.00	23.46	49.51	54.00	4.49	100	248	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18146.3073	-5.02	45.42	74.00	28.58	44.15	54.00	9.85	100	110	Vertical	PASS
2	19370.6685	-3.99	45.92	74.00	28.08	44.70	54.00	9.30	100	89	Vertical	PASS
3	20009.8005	-3.10	45.74	74.00	28.26	44.87	54.00	9.13	100	303	Vertical	PASS
4	21291.5646	-1.65	46.61	74.00	27.39	44.66	54.00	9.34	100	207	Vertical	PASS
5	22309.4155	-0.96	45.44	74.00	28.56	44.39	54.00	9.61	100	314	Vertical	PASS
6	24069.6535	3.10	49.53	74.00	24.47	47.53	54.00	6.47	100	356	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Mode:	B-2462
-------	--------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18256.2128	-4.96	46.04	74.00	27.96	44.86	54.00	9.14	100	159	Horizontal	PASS
2	19299.6150	-4.09	45.84	74.00	28.16	43.97	54.00	10.03	100	333	Horizontal	PASS
3	20509.6255	-2.35	46.49	74.00	27.51	44.79	54.00	9.21	100	149	Horizontal	PASS
4	21986.6993	-1.74	46.04	74.00	27.96	44.55	54.00	9.45	100	206	Horizontal	PASS
5	22833.0417	0.36	48.21	74.00	25.79	46.63	54.00	7.37	100	159	Horizontal	PASS
6	24154.0077	3.05	49.90	74.00	24.10	49.18	54.00	4.82	100	154	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18197.4099	-4.99	45.48	74.00	28.52	44.54	54.00	9.46	100	186	Vertical	PASS
2	19637.7319	-3.63	45.76	74.00	28.24	44.22	54.00	9.78	100	15	Vertical	PASS
3	20492.1246	-2.37	46.71	74.00	27.29	44.84	54.00	9.16	100	330	Vertical	PASS
4	21599.5800	-1.69	45.39	74.00	28.61	43.88	54.00	10.12	100	330	Vertical	PASS
5	23094.8547	1.01	47.49	74.00	26.51	46.85	54.00	7.15	100	360	Vertical	PASS
6	24029.0515	3.13	50.89	74.00	23.11	49.70	54.00	4.30	100	191	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Mode: g-2412



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18823.9412	-4.62	47.12	74.00	26.88	44.16	54.00	9.84	100	164	Horizontal	PASS
2	19827.7914	-3.36	48.07	74.00	25.93	46.79	54.00	7.21	100	9	Horizontal	PASS
3	20583.1292	-2.24	46.74	74.00	27.26	45.56	54.00	8.44	100	213	Horizontal	PASS
4	21371.0186	-1.66	45.49	74.00	28.51	44.29	54.00	9.71	100	80	Horizontal	PASS
5	22990.8995	0.76	48.14	74.00	25.86	46.81	54.00	7.19	100	287	Horizontal	PASS
6	23843.5422	2.77	49.87	74.00	24.13	48.79	54.00	5.21	100	3	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18358.4179	-4.89	45.36	74.00	28.64	43.42	54.00	10.58	100	254	Vertical	PASS
2	19182.3591	-4.25	45.84	74.00	28.16	43.32	54.00	10.68	100	234	Vertical	PASS
3	20357.0179	-2.59	46.22	74.00	27.78	45.19	54.00	8.81	100	76	Vertical	PASS
4	21556.5278	-1.68	46.14	74.00	27.86	45.06	54.00	8.94	100	197	Vertical	PASS
5	22735.7368	0.11	47.82	74.00	26.18	45.82	54.00	8.18	100	208	Vertical	PASS
6	24126.7063	3.07	50.40	74.00	23.60	49.42	54.00	4.58	100	259	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Mode:	g-2437
-------	--------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18368.218	-4.89	48.73	43.84	74.00	30.16	47.39	42.50	54.00	11.50	100	76
2	19317.815	-4.07	48.83	44.76	74.00	29.24	48.15	44.08	54.00	9.92	100	0
3	20454.322	-2.44	47.05	44.61	74.00	29.39	46.54	44.10	54.00	9.90	100	0
4	21439.272	-1.67	46.15	44.48	74.00	29.52	42.86	41.19	54.00	12.81	100	186
5	22449.422	-0.61	46.25	45.64	74.00	28.36	44.80	44.19	54.00	9.81	100	117
6	24000.000	3.14	45.5	48.64	74.00	25.36	44.08	47.22	54.00	6.78	100	325

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18040.252	-5.09	50.05	44.96	74.00	29.04	48.91	43.82	54.00	10.18	100	183
2	19369.618	-3.99	49.53	45.54	74.00	28.46	47.32	43.33	54.00	10.67	100	105
3	19827.791	-3.36	49.93	46.57	74.00	27.43	48.33	44.97	54.00	9.03	100	39
4	21096.604	-1.62	47.24	45.62	74.00	28.38	45.65	44.03	54.00	9.97	100	258
5	22576.828	-0.29	45.81	45.52	74.00	28.48	44.88	44.59	54.00	9.41	100	248
6	24134.056	3.07	45.92	48.99	74.00	25.01	43.82	46.89	54.00	7.11	100	293

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Mode:	g-2462
-------	--------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18198.8099	-4.99	46.56	74.00	27.44	45.39	54.00	8.61	100	196	Horizontal	PASS
2	19181.6591	-4.26	46.37	74.00	27.63	45.11	54.00	8.89	100	196	Horizontal	PASS
3	20218.0609	-2.79	45.79	74.00	28.21	43.62	54.00	10.38	100	196	Horizontal	PASS
4	21215.2608	-1.64	46.20	74.00	27.80	44.40	54.00	9.60	100	254	Horizontal	PASS
5	22669.2335	-0.06	46.68	74.00	27.32	45.97	54.00	8.03	100	176	Horizontal	PASS
6	23786.1393	2.64	49.65	74.00	24.35	45.87	54.00	8.13	100	98	Horizontal	PASS

Note: (1) Level = Reading + Factor
 (2) Margin = Limit - Level



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18323.7662	-4.92	45.49	74.00	28.51	44.50	54.00	9.50	100	289	Vertical	PASS
2	19507.8754	-3.80	46.94	74.00	27.06	45.88	54.00	8.12	100	4	Vertical	PASS
3	20795.5898	-1.92	46.89	74.00	27.11	46.01	54.00	7.99	100	306	Vertical	PASS
4	22361.5681	-0.82	45.34	74.00	28.66	44.05	54.00	9.95	100	316	Vertical	PASS
5	23628.6314	2.26	48.96	74.00	25.04	47.46	54.00	6.54	100	111	Vertical	PASS
6	24163.8082	3.05	49.99	74.00	24.01	49.15	54.00	4.85	100	254	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

All the modes have been tested. The DSSS and OFDM technologies respectively represent the maximum power mode of the data.


Appendix J: Conducted emission

Test Result

Mode:	B-2412
-------	--------



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.693	10.26	31.34	56.00	24.66	20.59	46.00	25.41	L1	PASS
2	1.29	10.34	34.24	56.00	21.76	21.08	46.00	24.92	L1	PASS
3	2.481	10.28	33.02	56.00	22.98	21.71	46.00	24.29	L1	PASS
4	4.761	10.33	36.45	56.00	19.55	24.04	46.00	21.96	L1	PASS
5	6.273	10.39	34.92	60.00	25.08	23.76	50.00	26.24	L1	PASS
6	13.471	10.52	34.94	60.00	25.06	22.62	50.00	27.38	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.576	10.25	33.51	56.00	22.49	21.25	46.00	24.75	N	PASS
2	1.026	10.26	31.51	56.00	24.49	21.94	46.00	24.06	N	PASS
3	2.802	10.39	35.03	56.00	20.97	21.41	46.00	24.59	N	PASS
4	5.439	10.41	35.71	60.00	24.29	23.18	50.00	26.82	N	PASS
5	8.262	10.43	35.29	60.00	24.71	23.40	50.00	26.60	N	PASS
6	15.433	10.66	34.19	60.00	25.81	23.27	50.00	26.73	N	PASS

All modes were tested, and the data only represent the maximum power mode data.