BT FPC Antenna (E072-L-V9)

1. Explanation of Product Number

S	2	B	4	B	B	1	F	1	B	1	3	0	0	0
				(1)	(2)		(3)	(4)		(5)				



迎丰天线技术

Product Description:

(1) Product Categories:

B:BT Antenna

(2) Dimensions:

B1: 20.67*8.24*0.15 (mm)

(3) Material:

F: FPC

(4) Working Frequencies:

1B: 2.4G-2.5G

(5) Antenna Series:

01: Serial number

2. Features

Tolerances (Unless otherwise specified) **X : ± 1 X.X : ± 0.1 X.XX : ± 0.01** **Angle : ± Hole Dia. : ±**		深圳市迎丰天线技术有限公司 **SHEN ZHEN YINGFENG ANTENNA TECHNOLOGYCO.,LTD**
Scale :	**Unit：mm**	THIS SPECIFICATION IS THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED IN ALL CIRCUMSTANCES WITHOUT WRITTEN PERMISSION
Drawn By : Andy	**Checked By : Simon**	
Designed By :Simon	**Approved By :Simon**	

TITLE：BT FPC Antenna(E072-L-V9)	**PART NO.**	**S2B4BB1F1B13000**	**REV.** **A**

Room 412, Building 7, Yungu Phase II, No. 2, Pingshan Road, Taoyuan Street,Nanshan District,Shenzhen

*Stable and reliable in performances
*RoHS compliance
*Low cost

3. Applications

*BT

4. Description

* YINGFENG FPC antenna series are specially designed for 2.4G-2.5G band application. Based on YINGFENG proprietary designs and processes, this FPC antenna has excellent stability and sensitivity to consistently provide high signal reception efficiency.

5. Antenna Electrical Specifications :

Characteristics	Specifications		Unit
Outline Dimensions	20.70*8.24*0.15		mm
Frequency	2400~2500		MHz
Impedance	50		Ω
Polarization	Linear Polarization		
Return Loss Table	Return Loss		
Freq.Band	2.4G Hz	2.45G Hz	2.5G Hz
dB	-17.17	-36.47	-21.06
VSWR Table	VSWR		
Freq.Band	2.4G Hz	2.45G Hz	2.5G Hz
	1.32	1.03	1.19
GAIN Table	Total Gain = Xpol + Ppol		
Freq.Band	2400MHz	2450MHz	2480MHz
Peak Gain(dBi)	1.41	1.63	1.84

迎丰天线技术

6. Dimensions (unit: mm)

blic errand: ±0.2mm



7. Measurement Characteristics:

(1) Return Loss



(2) VSWR

Tolerances (Unless otherwise specified) **X : ± 1** **X.X : ± 0.1** **X.XX : ± 0.01** **Angle : ±** **Hole Dia. : ±**		深圳市迎丰天线技术有限公司 **SHEN ZHEN YINGFENG ANTENNA TECHNOLOGYCO.,LTD**
Scale :	**Unit：mm**	THIS SPECIFICATION IS THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED IN ALL CIRCUMSTANCES WITHOUT WRITTEN PERMISSION
Drawn By : Andy	**Checked By : Simon**	
Designed By :Simon	**Approved By :Simon**	

TITLE： **BT FPC Antenna(E072-L-V9)**	**PART NO.**	**S2B4BB1F1B13000**	**REV.** **A**



8. Three D Radiation Pattern measurements



9. Radiation Pattern

Tolerances (Unless otherwise specified) **X : ± 1** **X.X : ± 0.1** **X.XX : ± 0.01** **Angle : ±** **Hole Dia. : ±**		深圳市迎丰天线技术有限公司 **SHEN ZHEN YINGFENG ANTENNA TECHNOLOGYCO.,LTD**
Scale :	**Unit：mm**	THIS SPECIFICATION IS THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED IN ALL CIRCUMSTANCES WITHOUT WRITTEN PERMISSION
Drawn By : Andy	**Checked By : Simon**	
Designed By :Simon	**Approved By :Simon**	

TITLE： **BT FPC Antenna(E072-L-V9)**	**PART NO.**	**S2B4BB1F1B13000**	**REV.** **A**

10. 9-1.3D Gain Pattern (Radiation Pattern at 2450 MHz)









9-2.2D Gain complete machine (Radiation Pattern at 2450 MHz)

Tolerances (Unless otherwise specified) **X : ± 1** **X.X : ± 0.1** **X.XX : ± 0.01** **Angle : ±** **Hole Dia. : ±**		深圳市迎丰天线技术有限公司 **SHEN ZHEN YINGFENG ANTENNA TECHNOLOGYCO.,LTD**
Scale :	**Unit：mm**	THIS SPECIFICATION IS THE PROPERTY OF UNICTRON TECHNOLOGIES CORPORATION AND SHALL NOT BE REPRODUCED OR USED IN ALL CIRCUMSTANCES WITHOUT WRITTEN PERMISSION
Drawn By : Andy	**Checked By : Simon**	
Designed By :Simon	**Approved By :Simon**	

TITLE： **BT FPC Antenna(E072-L-V9)**	**PART NO.**	**S2B4BB1F1B13000**	**REV.** **A**

9-3.complete machine Efficiency Table

Frequency(MHz)	2400	2450	2480
Efficiency (%)	35.89	38.46	37.52
Gain (dBi)	1.41	1.63	1.84

10-1 产品包装 Product packaging

版本 edition:: V9.0	页码 Page: 1/1
1.产品排版: 28*4=112PCS	2.离型纸隔层摆放保护天线 Barrier paper protection products
	
3.密封袋封装效果 Sealing bag packaging effect	4.纸箱封箱效果(贴出货标签和 ROHS 标签 Carton sealing effect

10-2.Revision Control:

Revision	Date	Content	Remark
A	2025-04-09	New Issued.	N/A

迎丰天线技术