




BLE_2M_Ant1_2440_30~1000




BLE_2M_Ant1_2440_1000~26500




BLE_2M_Ant1_2480_0~Reference



BLE_2M_Ant1_2480_30~1000



BLE_2M_Ant1_2480_1000~26500




Appendix G: Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]
BLE_1M	Ant1	2402	2.13	2.50	85.20
		2440	2.14	2.50	85.60
		2480	2.13	2.50	85.20
BLE_2M	Ant1	2402	1.08	2.50	43.20
		2440	1.08	2.50	43.20
		2480	1.08	2.50	43.20

Test Graphs






BLE_2M_Ant1_2402



BLE_2M_Ant1_2440




BLE_2M_Ant1_2480




Appendix H: Emissions in Restricted Bands

Test Result




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2310.0250	37.89	40.56	2.67	74.00	33.44	150	282	PK	Horizontal	PASS
2	2333.1750	38.30	41.06	2.76	74.00	32.94	150	353	PK	Horizontal	PASS
3	2349.9250	38.60	41.65	3.05	74.00	32.35	150	143	PK	Horizontal	PASS
4	2365.4625	38.77	41.76	2.99	74.00	32.24	150	190	PK	Horizontal	PASS
5	2378.0625	39.05	42.13	3.08	74.00	31.87	150	106	PK	Horizontal	PASS
6	2387.4250	38.40	41.34	2.94	74.00	32.66	150	9	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2311.6000	38.23	40.99	2.76	74.00	33.01	150	61	PK	Vertical	PASS
2	2321.9375	40.26	43.14	2.88	74.00	30.86	150	61	PK	Vertical	PASS
3	2346.0875	40.05	43.01	2.96	74.00	30.99	150	319	PK	Vertical	PASS
4	2361.4875	41.59	44.51	2.92	74.00	29.49	150	112	PK	Vertical	PASS
5	2370.8125	39.44	42.48	3.04	74.00	31.52	150	116	PK	Vertical	PASS
6	2378.4500	37.99	41.06	3.07	74.00	32.94	150	220	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2485.0300	38.46	42.00	3.54	74.00	32.00	150	177	PK	Vertical	PASS
2	2489.5000	43.45	47.01	3.56	74.00	26.99	150	96	PK	Vertical	PASS
3	2490.1300	48.87	52.44	3.57	74.00	21.56	150	116	PK	Vertical	PASS
4	2492.4700	38.22	41.78	3.56	74.00	32.22	150	147	PK	Vertical	PASS
5	2495.5000	39.09	42.65	3.56	74.00	31.35	150	215	PK	Vertical	PASS
6	2497.9900	38.22	41.80	3.58	74.00	32.20	150	272	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2487.7600	41.84	45.32	3.48	74.00	28.68	150	128	PK	Horizontal	PASS
2	2489.7700	42.88	46.45	3.57	74.00	27.55	150	283	PK	Horizontal	PASS
3	2490.2800	42.15	45.71	3.56	74.00	28.29	150	2	PK	Horizontal	PASS
4	2495.2900	38.90	42.46	3.56	74.00	31.54	150	273	PK	Horizontal	PASS
5	2497.7800	38.40	41.98	3.58	74.00	32.02	150	97	PK	Horizontal	PASS
6	2499.1300	37.76	41.26	3.50	74.00	32.74	150	338	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2312.1000	39.03	41.81	2.78	74.00	32.19	150	241	PK	Horizontal	PASS
2	2325.9500	38.86	41.72	2.86	74.00	32.28	150	272	PK	Horizontal	PASS
3	2337.6375	38.61	41.42	2.81	74.00	32.58	150	327	PK	Horizontal	PASS
4	2351.3750	38.40	41.39	2.99	74.00	32.61	150	360	PK	Horizontal	PASS
5	2366.2000	38.19	41.19	3.00	74.00	32.81	150	190	PK	Horizontal	PASS
6	2379.5375	39.01	42.05	3.04	74.00	31.95	150	9	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2315.6250	37.64	40.50	2.86	74.00	33.50	150	249	PK	Vertical	PASS
2	2321.5500	40.86	43.75	2.89	74.00	30.25	150	72	PK	Vertical	PASS
3	2345.6750	40.29	43.26	2.97	74.00	30.74	150	312	PK	Vertical	PASS
4	2358.2375	38.75	41.70	2.95	74.00	32.30	150	0	PK	Vertical	PASS
5	2365.4375	39.92	42.91	2.99	74.00	31.09	150	295	PK	Vertical	PASS
6	2377.5875	38.37	41.46	3.09	74.00	32.54	150	351	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2485.7800	38.70	42.19	3.49	74.00	31.81	150	52	PK	Vertical	PASS
2	2489.4100	42.53	46.09	3.56	74.00	27.91	150	92	PK	Vertical	PASS
3	2491.4500	38.59	42.14	3.55	74.00	31.86	150	84	PK	Vertical	PASS
4	2495.1400	39.31	42.87	3.56	74.00	31.13	150	281	PK	Vertical	PASS
5	2497.1200	38.56	42.15	3.59	74.00	31.85	150	299	PK	Vertical	PASS
6	2499.0100	39.33	42.83	3.50	74.00	31.17	150	276	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2487.2800	42.91	46.43	3.52	74.00	27.57	150	125	PK	Horizontal	PASS
2	2488.2400	42.76	46.24	3.48	74.00	27.76	150	125	PK	Horizontal	PASS
3	2490.3100	41.87	45.43	3.56	74.00	28.57	150	32	PK	Horizontal	PASS
4	2494.0900	38.57	42.16	3.59	74.00	31.84	150	294	PK	Horizontal	PASS
5	2496.9400	38.39	41.98	3.59	74.00	32.02	150	84	PK	Horizontal	PASS
6	2498.5300	38.14	41.68	3.54	74.00	32.32	150	107	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Appendix I: Spurious emissions


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.


During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (1M-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	46.8538	-16.02	30.05	40.00	9.95	100	49	Vertical	PASS
2	70.3762	-18.55	29.43	40.00	10.57	100	348	Vertical	PASS
3	142.1562	-16.41	38.57	43.50	4.93	100	216	Vertical	PASS
4	153.1900	-15.83	41.79	43.50	1.71	100	72	Vertical	PASS
5	164.1025	-15.92	41.71	43.50	1.79	100	58	Vertical	PASS
6	167.1338	-16.16	41.43	43.50	2.07	100	52	Vertical	PASS




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	71.3462	-18.85	21.03	40.00	18.97	100	21	Horizontal	PASS
2	166.5275	-16.13	38.26	43.50	5.24	100	122	Horizontal	PASS
3	173.4388	-16.86	39.03	43.50	4.47	200	102	Horizontal	PASS
4	201.0838	-19.04	37.85	43.50	5.65	200	312	Horizontal	PASS
5	336.1562	-15.11	33.19	46.00	12.81	100	140	Horizontal	PASS
6	370.5912	-14.34	33.39	46.00	12.61	100	341	Horizontal	PASS




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1190.0000	37.55	37.04	-0.51	74.00	36.96	150	189	PK	Horizontal	PASS
2	1668.2000	37.31	37.68	0.37	74.00	36.32	150	113	PK	Horizontal	PASS
3	2479.8000	47.24	50.74	3.50	74.00	23.26	150	144	PK	Horizontal	PASS
4	9607.0000	51.37	46.30	-5.07	74.00	27.70	150	167	PK	Horizontal	PASS
5	12008.5000	52.10	50.33	-1.77	74.00	23.67	150	319	PK	Horizontal	PASS
6	15235.5000	46.35	48.60	2.25	74.00	25.40	150	324	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1257.6000	37.69	37.23	-0.46	74.00	36.77	150	236	PK	Vertical	PASS
2	1816.8000	37.59	38.71	1.12	74.00	35.29	150	154	PK	Vertical	PASS
3	2480.2000	43.45	46.96	3.51	74.00	27.04	150	67	PK	Vertical	PASS
4	2562.0000	41.97	45.63	3.66	74.00	28.37	150	109	PK	Vertical	PASS
5	10360.0000	49.54	45.19	-4.35	74.00	28.81	150	102	PK	Vertical	PASS
6	13752.5000	48.72	49.13	0.41	74.00	24.87	150	154	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1711.0000	46.02	46.73	0.71	74.00	27.27	150	259	PK	Horizontal	PASS
2	2845.8000	36.98	42.29	5.31	74.00	31.71	150	263	PK	Horizontal	PASS
3	7687.5000	52.79	44.29	-8.50	74.00	29.71	150	169	PK	Horizontal	PASS
4	9759.5000	50.64	46.05	-4.59	74.00	27.95	150	321	PK	Horizontal	PASS
5	12201.5000	50.57	48.98	-1.59	74.00	25.02	150	321	PK	Horizontal	PASS
6	15730.5000	46.68	48.89	2.21	74.00	25.11	150	164	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1258.0000	37.62	37.16	-0.46	74.00	36.84	150	177	PK	Vertical	PASS
2	1929.8000	37.16	38.64	1.48	74.00	35.36	150	340	PK	Vertical	PASS
3	3955.0000	60.00	42.43	-17.57	74.00	31.57	150	62	PK	Vertical	PASS
4	4729.0000	59.51	44.32	-15.19	74.00	29.68	150	62	PK	Vertical	PASS
5	5258.5000	54.57	41.30	-13.27	74.00	32.70	150	304	PK	Vertical	PASS
6	16681.5000	47.35	52.14	4.79	74.00	21.86	150	62	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1728.8000	43.77	44.42	0.65	74.00	29.58	150	0	PK	Vertical	PASS
2	2401.8000	45.50	48.72	3.22	74.00	25.28	150	91	PK	Vertical	PASS
3	3943.5000	56.51	38.83	-17.68	74.00	35.17	150	58	PK	Vertical	PASS
4	5253.5000	56.47	43.02	-13.45	74.00	30.98	150	28	PK	Vertical	PASS
5	8904.0000	51.50	44.74	-6.76	74.00	29.26	150	158	PK	Vertical	PASS
6	13729.0000	47.31	47.65	0.34	74.00	26.35	150	326	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1258.0000	38.65	38.19	-0.46	74.00	35.81	150	50	PK	Horizontal	PASS
2	1708.6000	38.66	39.35	0.69	74.00	34.65	150	270	PK	Horizontal	PASS
3	7167.0000	53.08	43.14	-9.94	74.00	30.86	150	28	PK	Horizontal	PASS
4	9168.0000	50.22	44.48	-5.74	74.00	29.52	150	151	PK	Horizontal	PASS
5	12399.0000	47.82	46.32	-1.50	74.00	27.68	150	348	PK	Horizontal	PASS
6	16211.5000	46.96	49.87	2.91	74.00	24.13	150	162	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1212.8000	37.32	37.02	-0.30	74.00	36.98	150	0	PK	Horizontal	PASS
2	1707.8000	39.12	39.80	0.68	74.00	34.20	150	296	PK	Horizontal	PASS
3	5877.0000	51.45	39.58	-11.87	74.00	34.42	150	15	PK	Horizontal	PASS
4	9270.5000	50.00	44.90	-5.10	74.00	29.10	150	4	PK	Horizontal	PASS
5	12007.5000	52.62	50.86	-1.76	74.00	23.14	150	326	PK	Horizontal	PASS
6	15755.0000	46.79	48.99	2.20	74.00	25.01	150	230	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1841.8000	38.14	39.47	1.33	74.00	34.53	150	1	PK	Vertical	PASS
2	2562.0000	41.97	45.63	3.66	74.00	28.37	150	98	PK	Vertical	PASS
3	6565.0000	54.34	44.05	-10.29	74.00	29.95	150	111	PK	Vertical	PASS
4	7108.5000	54.47	44.53	-9.94	74.00	29.47	150	87	PK	Vertical	PASS
5	13839.0000	48.39	49.35	0.96	74.00	24.65	150	167	PK	Vertical	PASS
6	17330.5000	46.72	51.02	4.30	74.00	22.98	150	154	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	2321.6000	41.10	43.99	2.89	74.00	30.01	150	60	PK	Vertical	PASS
2	2401.8000	44.58	47.80	3.22	74.00	26.20	150	71	PK	Vertical	PASS
3	2562.0000	41.42	45.08	3.66	74.00	28.92	150	82	PK	Vertical	PASS
4	4742.0000	57.72	42.52	-15.20	74.00	31.48	150	147	PK	Vertical	PASS
5	6568.5000	55.72	45.54	-10.18	74.00	28.46	150	119	PK	Vertical	PASS
6	12573.5000	47.54	46.44	-1.10	74.00	27.56	150	327	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1505.6000	38.11	38.13	0.02	74.00	35.87	150	141	PK	Horizontal	PASS
2	1916.4000	37.36	38.74	1.38	74.00	35.26	150	141	PK	Horizontal	PASS
3	5165.5000	50.04	36.86	-13.18	74.00	37.14	150	360	PK	Horizontal	PASS
4	6933.5000	51.58	41.75	-9.83	74.00	32.25	150	327	PK	Horizontal	PASS
5	10740.5000	48.65	45.09	-3.56	74.00	28.91	150	84	PK	Horizontal	PASS
6	11802.0000	48.48	46.54	-1.94	74.00	27.46	150	337	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level



Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1398.8000	37.69	37.37	-0.32	74.00	36.63	150	270	PK	Horizontal	PASS
2	4879.0000	55.71	41.61	-14.10	74.00	32.39	150	25	PK	Horizontal	PASS
3	5515.0000	54.56	41.42	-13.14	74.00	32.58	150	272	PK	Horizontal	PASS
4	9757.5000	52.44	47.83	-4.61	74.00	26.17	150	328	PK	Horizontal	PASS
5	12200.0000	51.63	50.03	-1.60	74.00	23.97	150	338	PK	Horizontal	PASS
6	17473.5000	48.07	52.53	4.46	74.00	21.47	150	110	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	1711.2000	42.83	43.54	0.71	74.00	30.46	150	281	PK	Vertical	PASS
2	2426.4000	45.81	49.17	3.36	74.00	24.83	150	74	PK	Vertical	PASS
3	6554.5000	51.66	41.29	-10.37	74.00	32.71	150	214	PK	Vertical	PASS
4	9699.5000	51.05	46.55	-4.50	74.00	27.45	150	44	PK	Vertical	PASS
5	12197.5000	53.15	51.56	-1.59	74.00	22.44	150	279	PK	Vertical	PASS
6	17152.0000	46.98	51.04	4.06	74.00	22.96	150	357	PK	Vertical	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level

Appendix J: Conducted emission AC power port



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1642	10.28	34.05	65.25	31.20	17.03	55.25	38.22	L1	PASS
2	0.4552	10.26	24.35	56.78	32.43	14.37	46.78	32.41	L1	PASS
3	1.0429	10.36	18.09	56.00	37.91	13.58	46.00	32.42	L1	PASS
4	2.0261	10.28	19.16	56.00	36.84	14.12	46.00	31.88	L1	PASS
5	6.8461	10.41	19.62	60.00	40.38	15.91	50.00	34.09	L1	PASS
6	17.3294	10.62	16.14	60.00	43.86	14.45	50.00	35.55	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1622	10.35	33.94	65.35	31.41	17.52	55.35	37.83	N	PASS
2	0.1775	10.35	31.21	64.60	33.39	16.51	54.60	38.09	N	PASS
3	0.2944	10.32	27.19	60.40	33.21	15.30	50.40	35.10	N	PASS
4	0.4247	10.28	31.27	57.35	26.08	15.99	47.35	31.36	N	PASS
5	0.5537	10.25	28.63	56.00	27.37	15.21	46.00	30.79	N	PASS
6	13.6571	10.60	16.38	60.00	43.62	14.90	50.00	35.10	N	PASS