


 A Phoenix Mecano Company	Issue department: Lifestyle Division	Date:	2025-06-11
	Product Function instruction	Author:	Roy Jin
		No: CB2542	
CB.5820	Version:	1.0	
	Page 1 of 3		

CB5820 Function instruction

1. Function Picture



 OKIN REFINED A Phoenix Mecano Company	Issue department: Lifestyle Division	Date:	2025-06-11
	Product Function instruction	Author:	Roy Jin
		No: CB2542	
CB.5820	Version:	1.0	
	Page 2 of 3		

1. Process of test

1.1. Power

Connect the power connector of the control box to a 29V DC SMPS.

1.2. Pair function

Press and hold the “pair” button on the remote for five seconds after powering on the control box, until the backlight of the remote blink slowly.

Then press the “open” button, the backlight turns to blink fast for three seconds. Pairing is successful when the backlight stops blinking.

1.3. Foot actuator

Connect to a foot actuator and a handset. The actuator can be controlled by the remote or handset.

Press “open” button on the remote to open the actuator; press “close” button on the remote to close the actuator.

Press the middle button on the handset to move the actuator in or out.

FCC:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

 A Phoenix Mecano Company	Issue department: Lifestyle Division	Date:	2025-06-11
	Product Function instruction	Author:	Roy Jin
		No: CB2542	
CB.5820	Version:	1.0	
	Page 3 of 3		

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

IC RSS warning

This device complies with Industry Canada licence-exempt RSS standard (s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

ISED RSS Warning:

This device complies with Innovation, Science and Economic Development Canada licence exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'ISED applicables aux appareils radio exempts de licence.

L'exploitation est autorisée aux deux conditions suivantes:

- (1) l'appareil ne doit pas produire de brouillage, et
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement

RF Exposure Compliance:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.