E.5 Undesirable Emissions Measurement

Ant0

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11A	149	5650.0	-48.43	5.00	-43.43	Peak	-27.0	Pass
		5650.0	-60.07	5.00	-55.07	Average	-27.0	Pass
		5700.0	-47.42	5.00	-42.42	Peak	10	Pass
		5700.0	-59.28	5.00	-54.28	Average	10	Pass
		5720.0	-47.24	5.00	-42.24	Peak	15.6	Pass
		5720.0	-58.69	5.00	-53.69	Average	15.6	Pass
		5725.0	-46.57	5.00	-41.57	Peak	27.0	Pass
		5725.0	-58.37	5.00	-53.37	Average	27.0	Pass
	165	5850.0	-45.28	5.00	-40.28	Peak	27.0	Pass
		5850.0	-57.91	5.00	-52.91	Average	27.0	Pass
		5855.0	-47.17	5.00	-42.17	Peak	15.6	Pass
		5855.0	-58.34	5.00	-53.34	Average	15.6	Pass
		5875.0	-46.59	5.00	-41.59	Peak	10	Pass
		5875.0	-58.94	5.00	-53.94	Average	10	Pass
		5925.0	-47.85	5.00	-42.85	Peak	-27.0	Pass
		5925.0	-59.64	5.00	-54.64	Average	-27.0	Pass
11N20 SISO	149	5650.0	-48.50	5.00	-43.50	Peak	-27.0	Pass
		5650.0	-60.05	5.00	-55.05	Average	-27.0	Pass
		5700.0	-47.01	5.00	-42.01	Peak	10	Pass
		5700.0	-58.48	5.00	-53.48	Average	10	Pass
		5720.0	-46.59	5.00	-41.59	Peak	15.6	Pass
		5720.0	-59.24	5.00	-54.24	Average	15.6	Pass
		5725.0	-45.52	5.00	-40.52	Peak	27.0	Pass
		5725.0	-58.06	5.00	-53.06	Average	27.0	Pass
	165	5850.0	-46.53	5.00	-41.53	Peak	27.0	Pass
		5850.0	-58.09	5.00	-53.09	Average	27.0	Pass
		5855.0	-46.68	5.00	-41.68	Peak	15.6	Pass
		5855.0	-58.51	5.00	-53.51	Average	15.6	Pass
		5875.0	-47.62	5.00	-42.62	Peak	10	Pass
		5875.0	-59.00	5.00	-54.00	Average	10	Pass
		5925.0	-47.91	5.00	-42.91	Peak	-27.0	Pass
		5925.0	-59.63	5.00	-54.63	Average	-27.0	Pass

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11N40 SISO	151	5650.0	-47.34	5.00	-42.34	Peak	-27.0	Pass
		5650.0	-59.94	5.00	-54.94	Average	-27.0	Pass
		5700.0	-47.21	5.00	-42.21	Peak	10	Pass
		5700.0	-59.07	5.00	-54.07	Average	10	Pass
		5720.0	-46.51	5.00	-41.51	Peak	15.6	Pass
		5720.0	-57.76	5.00	-52.76	Average	15.6	Pass
		5725.0	-43.63	5.00	-38.63	Peak	27.0	Pass
		5725.0	-56.07	5.00	-51.07	Average	27.0	Pass
	159	5850.0	-47.16	5.00	-42.16	Peak	27.0	Pass
		5850.0	-58.44	5.00	-53.44	Average	27.0	Pass
		5855.0	-47.15	5.00	-42.15	Peak	15.6	Pass
		5855.0	-58.50	5.00	-53.50	Average	15.6	Pass
		5875.0	-47.69	5.00	-42.69	Peak	10	Pass
		5875.0	-58.77	5.00	-53.77	Average	10	Pass
		5925.0	-48.13	5.00	-43.13	Peak	-27.0	Pass
		5925.0	-59.36	5.00	-54.36	Average	-27.0	Pass

11AC20 SISO	149	5650.0	-47.21	5.00	-42.21	Peak	-27.0	Pass
		5650.0	-60.09	5.00	-55.09	Average	-27.0	Pass
		5700.0	-46.72	5.00	-41.72	Peak	10	Pass
		5700.0	-58.60	5.00	-53.60	Average	10	Pass
		5720.0	-47.08	5.00	-42.08	Peak	15.6	Pass
		5720.0	-59.24	5.00	-54.24	Average	15.6	Pass
		5725.0	-45.23	5.00	-40.23	Peak	27.0	Pass
		5725.0	-58.28	5.00	-53.28	Average	27.0	Pass
	165	5850.0	-47.08	5.00	-42.08	Peak	27.0	Pass
		5850.0	-58.18	5.00	-53.18	Average	27.0	Pass
		5855.0	-46.36	5.00	-41.36	Peak	15.6	Pass
		5855.0	-58.44	5.00	-53.44	Average	15.6	Pass
		5875.0	-46.80	5.00	-41.80	Peak	10	Pass
		5875.0	-58.97	5.00	-53.97	Average	10	Pass
		5925.0	-47.53	5.00	-42.53	Peak	-27.0	Pass
		5925.0	-59.65	5.00	-54.65	Average	-27.0	Pass
11AC40 SISO	151	5650.0	-48.62	5.00	-43.62	Peak	-27.0	Pass
		5650.0	-59.93	5.00	-54.93	Average	-27.0	Pass
		5700.0	-47.88	5.00	-42.88	Peak	10	Pass
		5700.0	-59.08	5.00	-54.08	Average	10	Pass
		5720.0	-46.54	5.00	-41.54	Peak	15.6	Pass
		5720.0	-57.80	5.00	-52.80	Average	15.6	Pass
		5725.0	-45.03	5.00	-40.03	Peak	27.0	Pass
		5725.0	-56.32	5.00	-51.32	Average	27.0	Pass
	159	5850.0	-46.38	5.00	-41.38	Peak	27.0	Pass
		5850.0	-58.49	5.00	-53.49	Average	27.0	Pass
		5855.0	-46.63	5.00	-41.63	Peak	15.6	Pass
		5855.0	-58.55	5.00	-53.55	Average	15.6	Pass
		5875.0	-47.18	5.00	-42.18	Peak	10	Pass
		5875.0	-58.75	5.00	-53.75	Average	10	Pass
		5925.0	-47.49	5.00	-42.49	Peak	-27.0	Pass
		5925.0	-59.34	5.00	-54.34	Average	-27.0	Pass
11AC80 SISO	155	5725.0	-46.72	5.00	-41.72	Peak	27.0	Pass
		5720.0	-46.92	5.00	-41.92	Peak	15.6	Pass
		5700.0	-47.03	5.00	-42.03	Peak	10	Pass
		5650.0	-47.75	5.00	-42.75	Peak	-27.0	Pass
		5725.0	-58.12	5.00	-53.12	Average	27.0	Pass
		5720.0	-58.18	5.00	-53.18	Average	15.6	Pass
		5700.0	-58.38	5.00	-53.38	Average	10	Pass
		5650.0	-59.00	5.00	-54.00	Average	-27.0	Pass
		5850.0	-46.72	5.00	-41.72	Peak	27.0	Pass
		5855.0	-46.92	5.00	-41.92	Peak	15.6	Pass
		5875.0	-47.03	5.00	-42.03	Peak	10	Pass
		5925.0	-47.75	5.00	-42.75	Peak	-27.0	Pass
		5850.0	-58.12	5.00	-53.12	Average	27.0	Pass
		5855.0	-58.18	5.00	-53.18	Average	15.6	Pass
		5875.0	-58.38	5.00	-53.38	Average	10	Pass
		5925.0	-59.00	5.00	-54.00	Average	-27.0	Pass

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11AX20 SISO	149	5650.0	-48.07	5.00	-43.07	Peak	-27.0	Pass
		5650.0	-60.04	5.00	-55.04	Average	-27.0	Pass
		5700.0	-46.37	5.00	-41.37	Peak	10	Pass
		5700.0	-58.55	5.00	-53.55	Average	10	Pass
		5720.0	-45.53	5.00	-40.53	Peak	15.6	Pass
		5720.0	-59.33	5.00	-54.33	Average	15.6	Pass
		5725.0	-46.34	5.00	-41.34	Peak	27.0	Pass
		5725.0	-58.08	5.00	-53.08	Average	27.0	Pass
	165	5850.0	-47.01	5.00	-42.01	Peak	27.0	Pass
		5850.0	-58.59	5.00	-53.59	Average	27.0	Pass
		5855.0	-47.14	5.00	-42.14	Peak	15.6	Pass
		5855.0	-58.84	5.00	-53.84	Average	15.6	Pass
		5875.0	-47.73	5.00	-42.73	Peak	10	Pass
		5875.0	-59.18	5.00	-54.18	Average	10	Pass
		5925.0	-47.56	5.00	-42.56	Peak	-27.0	Pass
		5925.0	-59.70	5.00	-54.7	Average	-27.0	Pass
11AX40 SISO	151	5650.0	-48.03	5.00	-43.03	Peak	-27.0	Pass
		5650.0	-59.93	5.00	-54.93	Average	-27.0	Pass
		5700.0	-48.08	5.00	-43.08	Peak	10	Pass
		5700.0	-59.20	5.00	-54.2	Average	10	Pass
		5720.0	-47.51	5.00	-42.51	Peak	15.6	Pass
		5720.0	-58.40	5.00	-53.4	Average	15.6	Pass
		5725.0	-45.09	5.00	-40.09	Peak	27.0	Pass
		5725.0	-56.92	5.00	-51.92	Average	27.0	Pass
	159	5850.0	-46.84	5.00	-41.84	Peak	27.0	Pass
		5850.0	-58.79	5.00	-53.79	Average	27.0	Pass
		5855.0	-48.03	5.00	-43.03	Peak	15.6	Pass
		5855.0	-58.89	5.00	-53.89	Average	15.6	Pass
		5875.0	-47.80	5.00	-42.8	Peak	10	Pass
		5875.0	-58.95	5.00	-53.95	Average	10	Pass
		5925.0	-48.55	5.00	-43.55	Peak	-27.0	Pass
		5925.0	-59.47	5.00	-54.47	Average	-27.0	Pass
11AX80 SISO	155	5725.0	-46.37	5.00	-41.37	Peak	27.0	Pass
		5720.0	-47.86	5.00	-42.86	Peak	15.6	Pass
		5700.0	-47.68	5.00	-42.68	Peak	10	Pass
		5650.0	-48.59	5.00	-43.59	Peak	-27.0	Pass
		5725.0	-58.40	5.00	-53.4	Average	27.0	Pass
		5720.0	-58.46	5.00	-53.46	Average	15.6	Pass
		5700.0	-58.67	5.00	-53.67	Average	10	Pass
		5650.0	-59.08	5.00	-54.08	Average	-27.0	Pass
		5850.0	-46.37	5.00	-41.37	Peak	27.0	Pass
		5855.0	-47.86	5.00	-42.86	Peak	15.6	Pass
		5875.0	-47.68	5.00	-42.68	Peak	10	Pass
		5925.0	-48.59	5.00	-43.59	Peak	-27.0	Pass
		5850.0	-58.40	5.00	-53.4	Average	27.0	Pass
		5855.0	-58.46	5.00	-53.46	Average	15.6	Pass
		5875.0	-58.67	5.00	-53.67	Average	10	Pass
		5925.0	-59.08	5.00	-54.08	Average	-27.0	Pass

Ant1

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11A	149	5650.0	-48.62	5.00	-43.62	Peak	-27.0	Pass
		5650.0	-60.09	5.00	-55.09	Average	-27.0	Pass
		5700.0	-46.49	5.00	-41.49	Peak	10	Pass
		5700.0	-59.25	5.00	-54.25	Average	10	Pass
		5720.0	-46.35	5.00	-41.35	Peak	15.6	Pass
		5720.0	-58.63	5.00	-53.63	Average	15.6	Pass
		5725.0	-45.59	5.00	-40.59	Peak	27.0	Pass
		5725.0	-58.34	5.00	-53.34	Average	27.0	Pass
	165	5850.0	-45.84	5.00	-40.84	Peak	27.0	Pass
		5850.0	-58.15	5.00	-53.15	Average	27.0	Pass
		5855.0	-46.76	5.00	-41.76	Peak	15.6	Pass
		5855.0	-58.45	5.00	-53.45	Average	15.6	Pass
		5875.0	-46.02	5.00	-41.02	Peak	10	Pass
		5875.0	-58.97	5.00	-53.97	Average	10	Pass
		5925.0	-47.75	5.00	-42.75	Peak	-27.0	Pass
		5925.0	-59.67	5.00	-54.67	Average	-27.0	Pass
11N20 SISO	149	5650.0	-47.47	5.00	-42.47	Peak	-27.0	Pass
		5650.0	-60.07	5.00	-55.07	Average	-27.0	Pass
		5700.0	-47.40	5.00	-42.40	Peak	10	Pass
		5700.0	-58.51	5.00	-53.51	Average	10	Pass
		5720.0	-46.08	5.00	-41.08	Peak	15.6	Pass
		5720.0	-59.25	5.00	-54.25	Average	15.6	Pass
		5725.0	-46.25	5.00	-41.25	Peak	27.0	Pass
		5725.0	-58.00	5.00	-53.00	Average	27.0	Pass
	165	5850.0	-45.79	5.00	-40.79	Peak	27.0	Pass
		5850.0	-58.17	5.00	-53.17	Average	27.0	Pass
		5855.0	-46.42	5.00	-41.42	Peak	15.6	Pass
		5855.0	-58.50	5.00	-53.50	Average	15.6	Pass
		5875.0	-47.02	5.00	-42.02	Peak	10	Pass
		5875.0	-58.96	5.00	-53.96	Average	10	Pass
		5925.0	-48.84	5.00	-43.84	Peak	-27.0	Pass
		5925.0	-59.65	5.00	-54.65	Average	-27.0	Pass

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11N40 SISO	151	5650.0	-46.09	5.00	-41.09	Peak	-27.0	Pass
		5650.0	-60.05	5.00	-55.05	Average	-27.0	Pass
		5700.0	-39.92	5.00	-34.92	Peak	10	Pass
		5700.0	-56.58	5.00	-51.58	Average	10	Pass
		5720.0	-32.80	5.00	-27.80	Peak	15.6	Pass
		5720.0	-46.72	5.00	-41.72	Average	15.6	Pass
		5725.0	-31.74	5.00	-26.74	Peak	27.0	Pass
		5725.0	-46.64	5.00	-41.64	Average	27.0	Pass
	159	5850.0	-46.61	5.00	-41.61	Peak	27.0	Pass
		5850.0	-58.71	5.00	-53.71	Average	27.0	Pass
		5855.0	-46.49	5.00	-41.49	Peak	15.6	Pass
		5855.0	-58.80	5.00	-53.80	Average	15.6	Pass
		5875.0	-46.15	5.00	-41.15	Peak	10	Pass
		5875.0	-58.96	5.00	-53.96	Average	10	Pass
		5925.0	-46.84	5.00	-41.84	Peak	-27.0	Pass
		5925.0	-59.58	5.00	-54.58	Average	-27.0	Pass

11AC20 SISO	149	5650.0	-48.01	5.00	-43.01	Peak	-27.0	Pass
		5650.0	-60.10	5.00	-55.10	Average	-27.0	Pass
		5700.0	-47.87	5.00	-42.87	Peak	10	Pass
		5700.0	-58.56	5.00	-53.56	Average	10	Pass
		5720.0	-46.86	5.00	-41.86	Peak	15.6	Pass
		5720.0	-59.23	5.00	-54.23	Average	15.6	Pass
		5725.0	-46.80	5.00	-41.80	Peak	27.0	Pass
		5725.0	-58.14	5.00	-53.14	Average	27.0	Pass
	165	5850.0	-46.19	5.00	-41.19	Peak	27.0	Pass
		5850.0	-57.94	5.00	-52.94	Average	27.0	Pass
		5855.0	-46.51	5.00	-41.51	Peak	15.6	Pass
		5855.0	-58.27	5.00	-53.27	Average	15.6	Pass
		5875.0	-47.03	5.00	-42.03	Peak	10	Pass
		5875.0	-58.89	5.00	-53.89	Average	10	Pass
		5925.0	-47.47	5.00	-42.47	Peak	-27.0	Pass
		5925.0	-59.70	5.00	-54.70	Average	-27.0	Pass
11AC40 SISO	151	5650.0	-48.50	5.00	-43.50	Peak	-27.0	Pass
		5650.0	-59.94	5.00	-54.94	Average	-27.0	Pass
		5700.0	-46.49	5.00	-41.49	Peak	10	Pass
		5700.0	-59.07	5.00	-54.07	Average	10	Pass
		5720.0	-46.27	5.00	-41.27	Peak	15.6	Pass
		5720.0	-57.93	5.00	-52.93	Average	15.6	Pass
		5725.0	-44.02	5.00	-39.02	Peak	27.0	Pass
		5725.0	-56.08	5.00	-51.08	Average	27.0	Pass
	159	5850.0	-46.50	5.00	-41.50	Peak	27.0	Pass
		5850.0	-58.39	5.00	-53.39	Average	27.0	Pass
		5855.0	-46.82	5.00	-41.82	Peak	15.6	Pass
		5855.0	-58.51	5.00	-53.51	Average	15.6	Pass
		5875.0	-47.01	5.00	-42.01	Peak	10	Pass
		5875.0	-58.79	5.00	-53.79	Average	10	Pass
		5925.0	-48.27	5.00	-43.27	Peak	-27.0	Pass
		5925.0	-59.42	5.00	-54.42	Average	-27.0	Pass
11AC80 SISO	155	5725.0	-46.17	5.00	-41.17	Peak	27.0	Pass
		5720.0	-46.60	5.00	-41.60	Peak	15.6	Pass
		5700.0	-46.08	5.00	-41.08	Peak	10	Pass
		5650.0	-48.66	5.00	-43.66	Peak	-27.0	Pass
		5725.0	-58.25	5.00	-53.25	Average	27.0	Pass
		5720.0	-58.29	5.00	-53.29	Average	15.6	Pass
		5700.0	-58.53	5.00	-53.53	Average	10	Pass
		5650.0	-59.17	5.00	-54.17	Average	-27.0	Pass
		5850.0	-46.17	5.00	-41.17	Peak	27.0	Pass
		5855.0	-46.60	5.00	-41.60	Peak	15.6	Pass
		5875.0	-46.08	5.00	-41.08	Peak	10	Pass
		5925.0	-48.66	5.00	-43.66	Peak	-27.0	Pass
		5850.0	-58.25	5.00	-53.25	Average	27.0	Pass
		5855.0	-58.29	5.00	-53.29	Average	15.6	Pass
		5875.0	-58.53	5.00	-53.53	Average	10	Pass
		5925.0	-59.17	5.00	-54.17	Average	-27.0	Pass

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)	Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
11AX20 SISO	149	5650.0	-46.69	5.00	-41.69	Peak	-27.0	Pass
		5650.0	-60.05	5.00	-55.05	Average	-27.0	Pass
		5700.0	-47.53	5.00	-42.53	Peak	10	Pass
		5700.0	-58.49	5.00	-53.49	Average	10	Pass
		5720.0	-46.67	5.00	-41.67	Peak	15.6	Pass
		5720.0	-59.32	5.00	-54.32	Average	15.6	Pass
		5725.0	-46.48	5.00	-41.48	Peak	27.0	Pass
		5725.0	-57.96	5.00	-52.96	Average	27.0	Pass
	165	5850.0	-46.13	5.00	-41.13	Peak	27.0	Pass
		5850.0	-58.62	5.00	-53.62	Average	27.0	Pass
		5855.0	-47.72	5.00	-42.72	Peak	15.6	Pass
		5855.0	-58.89	5.00	-53.89	Average	15.6	Pass
		5875.0	-46.83	5.00	-41.83	Peak	10	Pass
		5875.0	-59.21	5.00	-54.21	Average	10	Pass
		5925.0	-48.47	5.00	-43.47	Peak	-27.0	Pass
		5925.0	-59.71	5.00	-54.71	Average	-27.0	Pass
11AX40 SISO	151	5650.0	-47.55	5.00	-42.55	Peak	-27.0	Pass
		5650.0	-59.92	5.00	-54.92	Average	-27.0	Pass
		5700.0	-47.55	5.00	-42.55	Peak	10	Pass
		5700.0	-59.20	5.00	-54.2	Average	10	Pass
		5720.0	-45.65	5.00	-40.65	Peak	15.6	Pass
		5720.0	-58.27	5.00	-53.27	Average	15.6	Pass
		5725.0	-45.44	5.00	-40.44	Peak	27.0	Pass
		5725.0	-56.93	5.00	-51.93	Average	27.0	Pass
	159	5850.0	-46.28	5.00	-41.28	Peak	27.0	Pass
		5850.0	-58.69	5.00	-53.69	Average	27.0	Pass
		5855.0	-47.60	5.00	-42.6	Peak	15.6	Pass
		5855.0	-58.76	5.00	-53.76	Average	15.6	Pass
		5875.0	-48.27	5.00	-43.27	Peak	10	Pass
		5875.0	-58.96	5.00	-53.96	Average	10	Pass
		5925.0	-48.62	5.00	-43.62	Peak	-27.0	Pass
		5925.0	-59.42	5.00	-54.42	Average	-27.0	Pass
11AX80 SISO	155	5725.0	-46.52	5.00	-41.52	Peak	27.0	Pass
		5720.0	-46.81	5.00	-41.81	Peak	15.6	Pass
		5700.0	-47.52	5.00	-42.52	Peak	10	Pass
		5650.0	-48.52	5.00	-43.52	Peak	-27.0	Pass
		5725.0	-58.47	5.00	-53.47	Average	27.0	Pass
		5720.0	-58.56	5.00	-53.56	Average	15.6	Pass
		5700.0	-58.72	5.00	-53.72	Average	10	Pass
		5650.0	-59.02	5.00	-54.02	Average	-27.0	Pass
		5850.0	-46.52	5.00	-41.52	Peak	27.0	Pass
		5855.0	-46.81	5.00	-41.81	Peak	15.6	Pass
		5875.0	-47.52	5.00	-42.52	Peak	10	Pass
		5925.0	-48.52	5.00	-43.52	Peak	-27.0	Pass
		5850.0	-58.47	5.00	-53.47	Average	27.0	Pass
		5855.0	-58.56	5.00	-53.56	Average	15.6	Pass
		5875.0	-58.72	5.00	-53.72	Average	10	Pass
		5925.0	-59.02	5.00	-54.02	Average	-27.0	Pass

Combined Ant_0 and Ant_1

Test Mode	Channel	Frequency (MHz)	Conducted Power (dBm)			Antenna Gain (dBi)	EIRP (dBm/MHz)	Detector	Limit (dBm/MHz)	Verdict
			ANT0	ANT1	SUM					
11N20	149	5650.0	-48.5	-47.47	-44.94	8.01	-36.93	Peak	-27.0	Pass
		5650.0	-60.05	-60.07	-57.05	8.01	-49.04	Average	-27.0	Pass
		5700.0	-47.01	-47.4	-44.19	8.01	-36.18	Peak	10	Pass
		5700.0	-58.48	-58.51	-55.48	8.01	-47.47	Average	10	Pass
		5720.0	-46.59	-46.08	-43.32	8.01	-35.31	Peak	15.6	Pass
		5720.0	-59.24	-59.25	-56.23	8.01	-48.22	Average	15.6	Pass
		5725.0	-45.52	-46.25	-42.86	8.01	-34.85	Peak	27.0	Pass
		5725.0	-58.06	-58	-55.02	8.01	-47.01	Average	27.0	Pass
	165	5850.0	-46.53	-45.79	-43.13	8.01	-35.12	Peak	27.0	Pass
		5850.0	-58.09	-58.17	-55.12	8.01	-47.11	Average	27.0	Pass
		5855.0	-46.68	-46.42	-43.54	8.01	-35.53	Peak	15.6	Pass
		5855.0	-58.51	-58.5	-55.49	8.01	-47.48	Average	15.6	Pass
		5875.0	-47.62	-47.02	-44.30	8.01	-36.29	Peak	10	Pass
		5875.0	-59	-58.96	-55.97	8.01	-47.96	Average	10	Pass
		5925.0	-47.91	-48.84	-45.34	8.01	-37.33	Peak	-27.0	Pass
		5925.0	-59.63	-59.65	-56.63	8.01	-48.62	Average	-27.0	Pass
11N40	151	5650.0	-47.34	-46.09	-43.66	8.01	-35.65	Peak	-27.0	Pass
		5650.0	-59.94	-60.05	-56.98	8.01	-48.97	Average	-27.0	Pass
		5700.0	-47.21	-39.92	-39.18	8.01	-31.17	Peak	10	Pass
		5700.0	-59.07	-56.58	-54.64	8.01	-46.63	Average	10	Pass
		5720.0	-46.51	-32.80	-32.62	8.01	-24.61	Peak	15.6	Pass
		5720.0	-57.76	-46.72	-46.39	8.01	-38.38	Average	15.6	Pass
		5725.0	-43.63	-31.74	-31.47	8.01	-23.46	Peak	27.0	Pass
		5725.0	-56.07	-46.64	-46.17	8.01	-38.16	Average	27.0	Pass
	159	5850.0	-47.16	-46.61	-43.87	8.01	-35.86	Peak	27.0	Pass
		5850.0	-58.44	-58.71	-55.56	8.01	-47.55	Average	27.0	Pass
		5855.0	-47.15	-46.49	-43.80	8.01	-35.79	Peak	15.6	Pass
		5855.0	-58.50	-58.80	-55.64	8.01	-47.63	Average	15.6	Pass
		5875.0	-47.69	-46.15	-43.84	8.01	-35.83	Peak	10	Pass
		5875.0	-58.77	-58.96	-55.85	8.01	-47.84	Average	10	Pass
		5925.0	-48.13	-46.84	-44.43	8.01	-36.42	Peak	-27.0	Pass
		5925.0	-59.36	-59.58	-56.46	8.01	-48.45	Average	-27.0	Pass
11AC20	149	5650.0	-47.21	-48.01	-44.58	8.01	-36.57	Peak	-27.0	Pass
		5650.0	-60.09	-60.10	-57.08	8.01	-49.07	Average	-27.0	Pass
		5700.0	-46.72	-47.87	-44.25	8.01	-36.24	Peak	10	Pass
		5700.0	-58.60	-58.56	-55.57	8.01	-47.56	Average	10	Pass
		5720.0	-47.08	-46.86	-43.96	8.01	-35.95	Peak	15.6	Pass
		5720.0	-59.24	-59.23	-56.22	8.01	-48.21	Average	15.6	Pass
		5725.0	-45.23	-46.80	-42.93	8.01	-34.92	Peak	27.0	Pass
		5725.0	-58.28	-58.14	-55.20	8.01	-47.19	Average	27.0	Pass
	165	5850.0	-47.08	-46.19	-43.60	8.01	-35.59	Peak	27.0	Pass
		5850.0	-58.18	-57.94	-55.05	8.01	-47.04	Average	27.0	Pass
		5855.0	-46.36	-46.51	-43.42	8.01	-35.41	Peak	15.6	Pass
		5855.0	-58.44	-58.27	-55.34	8.01	-47.33	Average	15.6	Pass
		5875.0	-46.80	-47.03	-43.90	8.01	-35.89	Peak	10	Pass
		5875.0	-58.97	-58.89	-55.92	8.01	-47.91	Average	10	Pass
		5925.0	-47.53	-47.47	-44.49	8.01	-36.48	Peak	-27.0	Pass
		5925.0	-59.65	-59.70	-56.66	8.01	-48.65	Average	-27.0	Pass
11AC40	151	5650.0	-48.62	-48.50	-45.55	8.01	-37.54	Peak	-27.0	Pass
		5650.0	-59.93	-59.94	-56.92	8.01	-48.91	Average	-27.0	Pass
		5700.0	-47.88	-46.49	-44.12	8.01	-36.11	Peak	10	Pass
		5700.0	-59.08	-59.07	-56.06	8.01	-48.05	Average	10	Pass
		5720.0	-46.54	-46.27	-43.39	8.01	-35.38	Peak	15.6	Pass
		5720.0	-57.80	-57.93	-54.85	8.01	-46.84	Average	15.6	Pass

		5725.0	-45.03	-44.02	-41.49	8.01	-33.48	Peak	27.0	Pass
		5725.0	-56.32	-56.08	-53.19	8.01	-45.18	Average	27.0	Pass
	159	5850.0	-46.38	-46.50	-43.43	8.01	-35.42	Peak	27.0	Pass
		5850.0	-58.49	-58.39	-55.43	8.01	-47.42	Average	27.0	Pass
		5855.0	-46.63	-46.82	-43.71	8.01	-35.70	Peak	15.6	Pass
		5855.0	-58.55	-58.51	-55.52	8.01	-47.51	Average	15.6	Pass
		5875.0	-47.18	-47.01	-44.08	8.01	-36.07	Peak	10	Pass
		5875.0	-58.75	-58.79	-55.76	8.01	-47.75	Average	10	Pass
		5925.0	-47.49	-48.27	-44.85	8.01	-36.84	Peak	-27.0	Pass
		5925.0	-59.34	-59.42	-56.37	8.01	-48.36	Average	-27.0	Pass
11AC80	155	5725.0	-46.72	-46.17	-43.43	8.01	-35.42	Peak	27.0	Pass
		5720.0	-46.92	-46.60	-43.75	8.01	-35.74	Peak	15.6	Pass
		5700.0	-47.03	-46.08	-43.52	8.01	-35.51	Peak	10	Pass
		5650.0	-47.75	-48.66	-45.17	8.01	-37.16	Peak	-27.0	Pass
		5725.0	-58.12	-58.25	-55.17	8.01	-47.16	Average	27.0	Pass
		5720.0	-58.18	-58.29	-55.22	8.01	-47.21	Average	15.6	Pass
		5700.0	-58.38	-58.53	-55.44	8.01	-47.43	Average	10	Pass
		5650.0	-59.00	-59.17	-56.07	8.01	-48.06	Average	-27.0	Pass
		5850.0	-46.72	-46.17	-43.43	8.01	-35.42	Peak	27.0	Pass
		5855.0	-46.92	-46.60	-43.75	8.01	-35.74	Peak	15.6	Pass
		5875.0	-47.03	-46.08	-43.52	8.01	-35.51	Peak	10	Pass
		5925.0	-47.75	-48.66	-45.17	8.01	-37.16	Peak	-27.0	Pass
		5850.0	-58.12	-58.25	-55.17	8.01	-47.16	Average	27.0	Pass
		5855.0	-58.18	-58.29	-55.22	8.01	-47.21	Average	15.6	Pass
		5875.0	-58.38	-58.53	-55.44	8.01	-47.43	Average	10	Pass
		5925.0	-59.00	-59.17	-56.07	8.01	-48.06	Average	-27.0	Pass
11AX20	149	5650.0	-48.07	-46.69	-44.32	8.01	-36.31	Peak	-27.0	Pass
		5650.0	-60.04	-60.05	-57.03	8.01	-49.02	Average	-27.0	Pass
		5700.0	-46.37	-47.53	-43.90	8.01	-35.89	Peak	10	Pass
		5700.0	-58.55	-58.49	-55.51	8.01	-47.50	Average	10	Pass
		5720.0	-45.53	-46.67	-43.05	8.01	-35.04	Peak	15.6	Pass
		5720.0	-59.33	-59.32	-56.31	8.01	-48.30	Average	15.6	Pass
		5725.0	-46.34	-46.48	-43.40	8.01	-35.39	Peak	27.0	Pass
		5725.0	-58.08	-57.96	-55.01	8.01	-47.00	Average	27.0	Pass
	165	5850.0	-47.01	-46.13	-43.54	8.01	-35.53	Peak	27.0	Pass
		5850.0	-58.59	-58.62	-55.59	8.01	-47.58	Average	27.0	Pass
		5855.0	-47.14	-47.72	-44.41	8.01	-36.40	Peak	15.6	Pass
		5855.0	-58.84	-58.89	-55.85	8.01	-47.84	Average	15.6	Pass
		5875.0	-47.73	-46.83	-44.25	8.01	-36.24	Peak	10	Pass
		5875.0	-59.18	-59.21	-56.18	8.01	-48.17	Average	10	Pass
		5925.0	-47.56	-48.47	-44.98	8.01	-36.97	Peak	-27.0	Pass
		5925.0	-59.70	-59.71	-56.69	8.01	-48.68	Average	-27.0	Pass
11AX40	151	5650.0	-48.03	-47.55	-44.77	8.01	-36.76	Peak	-27.0	Pass
		5650.0	-59.93	-59.92	-56.91	8.01	-48.90	Average	-27.0	Pass
		5700.0	-48.08	-47.55	-44.80	8.01	-36.79	Peak	10	Pass
		5700.0	-59.20	-59.20	-56.19	8.01	-48.18	Average	10	Pass
		5720.0	-47.51	-45.65	-43.47	8.01	-35.46	Peak	15.6	Pass
		5720.0	-58.40	-58.27	-55.32	8.01	-47.31	Average	15.6	Pass
		5725.0	-45.09	-45.44	-42.25	8.01	-34.24	Peak	27.0	Pass
		5725.0	-56.92	-56.93	-53.91	8.01	-45.90	Average	27.0	Pass
	159	5850.0	-46.84	-46.28	-43.54	8.01	-35.53	Peak	27.0	Pass
		5850.0	-58.79	-58.69	-55.73	8.01	-47.72	Average	27.0	Pass
		5855.0	-48.03	-47.60	-44.80	8.01	-36.79	Peak	15.6	Pass
		5855.0	-58.89	-58.76	-55.81	8.01	-47.80	Average	15.6	Pass
		5875.0	-47.80	-48.27	-45.02	8.01	-37.01	Peak	10	Pass
		5875.0	-58.95	-58.96	-55.94	8.01	-47.93	Average	10	Pass
		5925.0	-48.55	-48.62	-45.57	8.01	-37.56	Peak	-27.0	Pass
		5925.0	-59.47	-59.42	-56.43	8.01	-48.42	Average	-27.0	Pass
11AX80	155	5725.0	-46.37	-46.52	-43.43	8.01	-35.42	Peak	27.0	Pass

		5720.0	-47.86	-46.81	-44.29	8.01	-36.28	Peak	15.6	Pass
		5700.0	-47.68	-47.52	-44.59	8.01	-36.58	Peak	10	Pass
		5650.0	-48.59	-48.52	-45.54	8.01	-37.53	Peak	-27.0	Pass
		5725.0	-58.40	-58.47	-55.42	8.01	-47.41	Average	27.0	Pass
		5720.0	-58.46	-58.56	-55.50	8.01	-47.49	Average	15.6	Pass
		5700.0	-58.67	-58.72	-55.68	8.01	-47.67	Average	10	Pass
		5650.0	-59.08	-59.02	-56.04	8.01	-48.03	Average	-27.0	Pass
		5850.0	-46.37	-46.52	-43.43	8.01	-35.42	Peak	27.0	Pass
		5855.0	-47.86	-46.81	-44.29	8.01	-36.28	Peak	15.6	Pass
		5875.0	-47.68	-47.52	-44.59	8.01	-36.58	Peak	10	Pass
		5925.0	-48.59	-48.52	-45.54	8.01	-37.53	Peak	-27.0	Pass
		5850.0	-58.40	-58.47	-55.42	8.01	-47.41	Average	27.0	Pass
		5855.0	-58.46	-58.56	-55.50	8.01	-47.49	Average	15.6	Pass
		5875.0	-58.67	-58.72	-55.68	8.01	-47.67	Average	10	Pass
		5925.0	-59.08	-59.02	-56.04	8.01	-48.03	Average	-27.0	Pass

Ant0

Undesirable Emissions Measurement



IEEE 802.11a / Channel 149 / 5745MHz / Peak



IEEE 802.11a / Channel 148 / 5745MHz / Average

Undesirable Emissions Measurement



IEEE 802.11a / Channel 165 / 5825MHz / Peak



IEEE 802.11a / Channel 165 / 5825MHz / Average

Undesirable Emissions Measurement



IEEE 802.11n20 / Channel 149 / 5745MHz / Peak



IEEE 802.11n20 / Channel 149 / 5745MHz / Average

Undesirable Emissions Measurement



IEEE 802.11n20 / Channel 165 / 5825MHz / Peak



IEEE 802.11n20 / Channel 165 / 5825MHz / Average

Undesirable Emissions Measurement



IEEE 802.11n40 / Channel 151 / 5755MHz / Peak



IEEE 802.11n40 / Channel 151 / 5755MHz / Average

Undesirable Emissions Measurement



IEEE 802.11n40 / Channel 159 / 5795MHz / Peak



IEEE 802.11n40 / Channel 159 / 5795MHz / Average



IEEE 802.11ac20 / Channel 149 / 5745MHz / Peak



IEEE 802.11ac20 / Channel 149 / 5745MHz / Average



IEEE 802.11ac20 / Channel 165 / 5825MHz / Peak



IEEE 802.11ac20 / Channel 165 / 5825MHz / Average



IEEE 802.11ac40 / Channel 151 / 5755MHz / Peak



IEEE 802.11ac40 / Channel 151 / 5755MHz / Average



IEEE 802.11ac40 / Channel 159 / 5795MHz / Peak



IEEE 802.11ac40 / Channel 159 / 5795MHz / Average



IEEE 802.11ac80 / Channel 155 / 5775MHz / Peak



IEEE 802.11ac80 / Channel 155 / 5775MHz / Average



IEEE 802.11ac80 / Channel 155/ 5775MHz / Peak



IEEE 802.11ac80 / Channel 155 / 5775MHz / Average



IEEE 802.11AX20 / Channel 149 / 5745MHz / Peak



IEEE 802.11AX20 / Channel 149 / 5745MHz / Average



IEEE 802.11AX20 / Channel 165 / 5825MHz / Peak



IEEE 802.11AX20 / Channel 165 / 5825MHz / Average



IEEE 802.11AX40 / Channel 151 / 5755MHz / Peak



IEEE 802.11AX40 / Channel 151 / 5755MHz / Average



IEEE 802.11AX40 / Channel 159 / 5795MHz / Peak



IEEE 802.11AX40 / Channel 159 / 5795MHz / Average



IEEE 802.11AX80 / Channel 155 / 5775MHz / Peak



IEEE 802.11AX80 / Channel 155 / 5775MHz / Average



IEEE 802.11AX80 / Channel 155/ 5775MHz / Peak



IEEE 802.11AX80 / Channel 155 / 5775MHz / Average

Ant1

Undesirable Emissions Measurement



IEEE 802.11a / Channel 149 / 5745MHz / Peak



IEEE 802.11a / Channel 148 / 5745MHz / Average

Undesirable Emissions Measurement



IEEE 802.11a / Channel 165 / 5825MHz / Peak



IEEE 802.11a / Channel 165 / 5825MHz / Average

Undesirable Emissions Measurement



IEEE 802.11n20 / Channel 149 / 5745MHz / Peak



IEEE 802.11n20 / Channel 149 / 5745MHz / Average

Undesirable Emissions Measurement



IEEE 802.11n20 / Channel 165 / 5825MHz / Peak



IEEE 802.11n20 / Channel 165 / 5825MHz / Average

Undesirable Emissions Measurement



IEEE 802.11n40 / Channel 151 / 5755MHz / Peak



IEEE 802.11n40 / Channel 151 / 5755MHz / Average

Undesirable Emissions Measurement



IEEE 802.11n40 / Channel 159 / 5795MHz / Peak



IEEE 802.11n40 / Channel 159 / 5795MHz / Average



IEEE 802.11ac20 / Channel 149 / 5745MHz / Peak



IEEE 802.11ac20 / Channel 149 / 5745MHz / Average



IEEE 802.11ac20 / Channel 165 / 5825MHz / Peak



IEEE 802.11ac20 / Channel 165 / 5825MHz / Average



IEEE 802.11ac40 / Channel 151 / 5755MHz / Peak



IEEE 802.11ac40 / Channel 151 / 5755MHz / Average



IEEE 802.11ac40 / Channel 159 / 5795MHz / Peak



IEEE 802.11ac40 / Channel 159 / 5795MHz / Average



IEEE 802.11ac80 / Channel 155 / 5775MHz / Peak



IEEE 802.11ac80 / Channel 155 / 5775MHz / Average



IEEE 802.11ac80 / Channel 155/ 5775MHz / Peak



IEEE 802.11ac80 / Channel 155 / 5775MHz / Average



IEEE 802.11AX20 / Channel 149 / 5745MHz / Peak



IEEE 802.11AX20 / Channel 149 / 5745MHz / Average



IEEE 802.11AX20 / Channel 165 / 5825MHz / Peak



IEEE 802.11AX20 / Channel 165 / 5825MHz / Average



IEEE 802.11AX40 / Channel 151 / 5755MHz / Peak



IEEE 802.11AX40 / Channel 151 / 5755MHz / Average



IEEE 802.11AX40 / Channel 159 / 5795MHz / Peak



IEEE 802.11AX40 / Channel 159 / 5795MHz / Average



IEEE 802.11AX80 / Channel 155 / 5775MHz / Peak



IEEE 802.11AX80 / Channel 155 / 5775MHz / Average



IEEE 802.11AX80 / Channel 155/ 5775MHz / Peak



IEEE 802.11AX80 / Channel 155 / 5775MHz / Average