



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 01:32:58

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	145.4300	-77.87	peak	22.96	-54.91	-13.00	150	160	-41.91	
	159.0300	-82.61	peak	24.45	-58.16	-13.00	150	20	-45.16	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :1

Data :#2


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 下午 01:42:25

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	141.8600	-78.63	peak	22.80	-55.83	-13.00	150	170	-42.83	
	185.5500	-81.63	peak	24.08	-57.55	-13.00	150	40	-44.55	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:21:41

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	253.6000	-74.66	peak	25.71	-48.95	-13.00	150	170	-35.95	
*	326.4000	-76.18	peak	27.72	-48.46	-13.00	150	250	-35.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:41:20

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	330.4000	-79.32	peak	29.15	-50.17	-13.00	150	20	-37.17	
	729.6000	-84.21	peak	33.74	-50.47	-13.00	150	140	-37.47	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1

Date: 2025/4/1

Temperature:26 °C

Time: 上午 10:52:04

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:57:16

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:52:55

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4960.000	-59.58	peak	6.69	-52.89	-13.00	150	160	-39.89	
	7910.000	-67.41	peak	11.63	-55.78	-13.00	150	20	-42.78	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:58:11

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4800.000	-56.07	peak	6.94	-49.13	-13.00	150	190	-36.13	
	4850.000	-56.43	peak	6.86	-49.57	-13.00	150	120	-36.57	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3

Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:54:55

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:59:02

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:55:08

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:59:15

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5

Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:55:21

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 10:59:29

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 10:55:34

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #12

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 10:59:42

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3840MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:33:22

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	145.4300	-77.87	peak	22.96	-54.91	-13.00	150	280	-41.91	
	159.0300	-82.61	peak	24.45	-58.16	-13.00	150	120	-45.16	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2025/4/1

Temperature: 26 °C

Time: 下午 01:44:04

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	153.2500	-80.89	peak	23.50	-57.39	-13.00	150	70	-44.39	
	187.5900	-83.10	peak	24.01	-59.09	-13.00	150	130	-46.09	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:22:38

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	329.6000	-76.02	peak	27.73	-48.29	-13.00	150	70	-35.29	
*	912.0000	-84.72	peak	37.29	-47.43	-13.00	150	0	-34.43	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 下午 02:42:15

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	336.8000	-77.39	peak	28.88	-48.51	-13.00	150	60	-35.51	
	811.2000	-84.49	peak	34.21	-50.28	-13.00	150	270	-37.28	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:33:47

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:38:12

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:34:39

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4800.000	-60.79	peak	6.99	-53.80	-13.00	150	160	-40.80	
*	4960.000	-57.65	peak	6.69	-50.96	-13.00	150	80	-37.96	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:41:39

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4850.000	-49.61	peak	6.86	-42.75	-13.00	150	180	-29.75	
	4960.000	-50.52	peak	6.68	-43.84	-13.00	150	70	-30.84	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:35:30

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#9


Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:42:44

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:35:43

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10

Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:42:57

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5

Date: 2025/4/1

Temperature:26 °C

0.0 dBm

Time: 上午 11:35:56

Humidity:54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11


Date: 2025/4/1

Temperature:26 °C

Time: 上午 11:43:10

Humidity:54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6


Date: 2025/4/1

Temperature: 26 °C

0.0 dBm

Time: 上午 11:36:09

Humidity: 54 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #12

Date: 2025/4/1

Temperature: 26 °C

Time: 上午 11:43:23

Humidity: 54 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22502-24125

M/N:

Test Mode : n77-SU-100M-3930MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :1

Data :#1


Date: 2026/1/29

Temperature:22.4 °C

0.0 dBm

Time: 上午 11:08:55

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	39.1985	-80.66	peak	23.02	-57.64	-13.00	150	50	-44.64	
	143.7876	-80.05	peak	22.36	-57.69	-13.00	150	140	-44.69	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2


Date: 2026/1/29

Temperature: 22.4 °C

Time: 上午 11:17:59

Humidity: 56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-101.86	peak	23.85	-78.01	-13.00	150	80	-65.01	
	164.2285	-101.92	peak	23.68	-78.24	-13.00	150	140	-65.24	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:41:04

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	302.6053	-90.98	peak	27.63	-63.35	-13.00	150	80	-50.35	
	900.6012	-100.91	peak	36.66	-64.25	-13.00	150	190	-51.25	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:57:32

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	302.6053	-88.13	peak	29.89	-58.24	-13.00	150	40	-45.24	
*	733.8678	-83.39	peak	34.82	-48.57	-13.00	150	120	-35.57	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2026/1/28

Temperature: 22.4 °C

Time: 下午 03:20:24

Humidity: 56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:23:48

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2026/1/28

Temperature: 22.4 °C

Time: 下午 03:21:14

Humidity: 56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4961.538	-59.30	peak	9.80	-49.50	-13.00	150	140	-36.50	
	6910.256	-66.83	peak	14.71	-52.12	-13.00	150	40	-39.12	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:25:11

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4852.564	-57.83	peak	11.05	-46.78	-13.00	150	180	-33.78	
	6910.256	-66.87	peak	15.43	-51.44	-13.00	150	50	-38.44	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2026/1/28

Temperature:22.4 °C

Time: 下午 03:22:13

Humidity:56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:26:02

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:22:24

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:26:14

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:22:35

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11


Date: 2026/1/28

Temperature:22.4 °C

0.0 dBm

Time: 下午 03:26:25

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:22:46

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #12

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:26:36

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1


Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

Time: 上午 11:09:46

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	110.0602	-81.67	peak	22.83	-58.84	-13.00	150	40	-45.84	
	116.1924	-81.74	peak	22.54	-59.20	-13.00	150	130	-46.20	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2


Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 11:18:51

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-100.47	peak	23.85	-76.62	-13.00	150	20	-63.62	
	183.6473	-102.58	peak	24.98	-77.60	-13.00	150	40	-64.60	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:41:57

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	304.2085	-91.44	peak	27.65	-63.79	-13.00	150	170	-50.79	
	738.6774	-98.14	peak	33.55	-64.59	-13.00	150	60	-51.59	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:58:09

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	312.2245	-91.16	peak	29.57	-61.59	-13.00	150	140	-48.59	
*	743.4870	-85.12	peak	34.99	-50.13	-13.00	150	60	-37.13	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:31:26

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:38:15

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:35:10

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4961.538	-60.98	peak	9.80	-51.18	-13.00	150	140	-38.18	
*	7000.000	-62.07	peak	14.87	-47.20	-13.00	150	70	-34.20	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:39:10

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4852.564	-52.03	peak	11.05	-40.98	-13.00	150	250	-27.98	
	7000.000	-65.27	peak	15.77	-49.50	-13.00	150	170	-36.50	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2026/1/28

Temperature: 22.4 °C

Time: 下午 03:36:19

Humidity: 56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2026/1/28

Temperature: 22.4 °C

Time: 下午 03:40:17

Humidity: 56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:36:30

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:40:28

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2026/1/28

Temperature:22.4 °C

0.0 dBm

Time: 下午 03:36:41

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:40:39

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:36:52

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #12


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:40:51

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

Time: 上午 11:11:01

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-94.92	peak	23.35	-71.57	-13.00	150	200	-58.57	
	180.2405	-102.66	peak	24.33	-78.33	-13.00	150	190	-65.33	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2026/1/29

Temperature: 22.4 °C

Time: 上午 11:19:25

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	52.4851	-100.57	peak	23.01	-77.56	-13.00	150	290	-64.56	
	97.7957	-102.57	peak	23.85	-78.72	-13.00	150	100	-65.72	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:42:47

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3990	-92.31	peak	27.57	-64.74	-13.00	150	140	-51.74	
*	900.6012	-100.82	peak	36.66	-64.16	-13.00	150	60	-51.16	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:59:22

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3990	-88.63	peak	29.93	-58.70	-13.00	150	70	-45.70	
*	740.2806	-82.91	peak	34.93	-47.98	-13.00	150	150	-34.98	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:43:32

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:49:03

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:44:41

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4852.564	-58.15	peak	10.28	-47.87	-13.00	150	140	-34.87	
	7224.359	-66.10	peak	14.14	-51.96	-13.00	150	70	-38.96	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:49:58

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4961.538	-54.54	peak	10.87	-43.67	-13.00	150	180	-30.67	
	7089.743	-65.57	peak	15.35	-50.22	-13.00	150	70	-37.22	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2026/1/28

Temperature:22.4 °C

0.0 dBm

Time: 下午 03:45:41

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:50:48

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:45:52

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:50:59

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:46:03

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:46:14

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #12

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:51:21

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

Time: 上午 11:12:01

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	97.7957	-94.78	peak	23.35	-71.43	-13.00	150	140	-58.43	
	192.8456	-102.22	peak	24.72	-77.50	-13.00	150	80	-64.50	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2


Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 11:19:57

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.7957	-102.80	peak	23.85	-78.95	-13.00	150	290	-65.95	
*	192.8456	-102.60	peak	25.07	-77.53	-13.00	150	70	-64.53	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:43:29

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	313.8277	-91.43	peak	27.74	-63.69	-13.00	150	150	-50.69	
	624.8497	-98.48	peak	33.26	-65.22	-13.00	150	70	-52.22	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2


Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 11:00:08

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	297.7957	-88.55	peak	29.79	-58.76	-13.00	150	80	-45.76	
*	745.0902	-81.03	peak	35.02	-46.01	-13.00	150	140	-33.01	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:09:43

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:14:32

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:11:09

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4961.538	-56.00	peak	9.80	-46.20	-13.00	150	140	-33.20	
	7294.872	-66.28	peak	13.91	-52.37	-13.00	150	50	-39.37	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:15:25

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4801.282	-57.57	peak	11.14	-46.43	-13.00	150	140	-33.43	
	7467.949	-65.59	peak	13.60	-51.99	-13.00	150	40	-38.99	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3


Data :#3

Date: 2026/1/28

Temperature:22.4 °C

Time: 下午 03:12:14

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:16:18

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#4


Date: 2026/1/28

Temperature:22.4 °C

0.0 dBm

Time: 下午 03:12:25

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.


Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2026/1/28

Temperature:22.4 °C

Time: 下午 03:12:37

Humidity:56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:16:40

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:12:48

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #12

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:16:52

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-DU-100M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

Time: 上午 11:27:55

Humidity: 56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.7957	-99.66	peak	23.35	-76.31	-13.00	150	40	-63.31	
*	145.1503	-91.69	peak	22.39	-69.30	-13.00	150	140	-56.30	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 11:34:34

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	132.2044	-92.60	peak	22.35	-70.25	-13.00	150	150	-57.25	
	141.7434	-94.29	peak	22.29	-72.00	-13.00	150	40	-59.00	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:19:59

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	315.4310	-83.54	peak	27.76	-55.78	-13.00	150	40	-42.78	
	849.2986	-98.35	peak	35.59	-62.76	-13.00	150	190	-49.76	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:33:45

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	299.3990	-87.96	peak	29.93	-58.03	-13.00	150	140	-45.03	
	781.9640	-99.79	peak	34.80	-64.99	-13.00	150	60	-51.99	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:23:11

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:26:25

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:24:15

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4852.564	-58.81	peak	10.28	-48.53	-13.00	150	240	-35.53	
	7442.308	-65.84	peak	13.43	-52.41	-13.00	150	190	-39.41	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:27:12

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4961.538	-54.11	peak	10.87	-43.24	-13.00	150	280	-30.24	
	7064.103	-67.19	peak	15.47	-51.72	-13.00	150	130	-38.72	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #3


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:25:08

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2026/1/28

Temperature: 22.4 °C

Time: 下午 04:28:05

Humidity: 56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:25:19

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:28:16

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#5


Date: 2026/1/28

Temperature:22.4 °C

Time: 下午 04:25:30

Humidity:56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:28:27

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:25:42

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #12

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:28:38

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3455.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

Time: 上午 11:28:31

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.7957	-99.67	peak	23.35	-76.32	-13.00	150	70	-63.32	
*	143.4470	-95.69	peak	22.36	-73.33	-13.00	150	250	-60.33	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 11:35:03

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	132.2044	-92.19	peak	22.35	-69.84	-13.00	150	90	-56.84	
	160.8217	-96.94	peak	23.41	-73.53	-13.00	150	140	-60.53	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:20:50

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	301.0021	-84.36	peak	27.62	-56.74	-13.00	150	80	-43.74	
	801.2024	-96.24	peak	33.08	-63.16	-13.00	150	190	-50.16	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:34:15

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	309.0181	-82.69	peak	29.68	-53.01	-13.00	150	90	-40.01	
	772.3447	-98.21	peak	34.89	-63.32	-13.00	150	130	-50.32	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:07:41

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:14:04

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:08:37

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5878.205	-70.22	peak	15.28	-54.94	-13.00	150	70	-41.94	
*	7000.000	-64.87	peak	14.87	-50.00	-13.00	150	190	-37.00	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:14:57

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4852.564	-56.79	peak	11.05	-45.74	-13.00	150	10	-32.74	
	7000.000	-64.26	peak	15.77	-48.49	-13.00	150	60	-35.49	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2026/1/28

Temperature:22.4 °C

0.0 dBm

Time: 下午 04:09:48

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2026/1/28

Temperature: 22.4 °C

Time: 下午 04:19:54

Humidity: 56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:09:59

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:20:05

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:10:10

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:20:17

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:10:22

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

File :3

Radiated Emission Measurement

Operator: Robert

Data :#12

Date: 2026/1/28

Temperature:22.4 °C

Time: 下午 04:20:28

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

Time: 上午 11:29:06

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	143.7876	-94.60	peak	22.36	-72.24	-13.00	150	80	-59.24	
	160.8217	-97.28	peak	22.79	-74.49	-13.00	150	190	-61.49	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 11:35:34

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	133.2265	-93.96	peak	22.33	-71.63	-13.00	150	70	-58.63	
*	146.5131	-93.92	peak	22.56	-71.36	-13.00	150	190	-58.36	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1


Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:21:32

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	313.8277	-85.71	peak	27.74	-57.97	-13.00	150	160	-44.97	
	624.8497	-97.99	peak	33.26	-64.73	-13.00	150	80	-51.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:34:49

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	312.2245	-88.66	peak	29.57	-59.09	-13.00	150	130	-46.09	
	745.0902	-100.58	peak	35.02	-65.56	-13.00	150	50	-52.56	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#1


Date: 2026/1/28

Temperature:22.4 °C

0.0 dBm

Time: 下午 03:57:57

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2026/1/28

Temperature: 22.4 °C

Time: 下午 04:02:29

Humidity: 56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 03:58:49

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4852.564	-50.30	peak	10.28	-40.02	-13.00	150	140	-27.02	
	7089.743	-63.64	peak	14.58	-49.06	-13.00	150	50	-36.06	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:03:21

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4801.282	-56.80	peak	11.14	-45.66	-13.00	150	250	-32.66	
	7089.743	-61.65	peak	15.35	-46.30	-13.00	150	40	-33.30	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2026/1/28

Temperature:22.4 °C

0.0 dBm

Time: 下午 04:00:20

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2026/1/28

Temperature: 22.4 °C

Time: 下午 04:04:14

Humidity: 56.4 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:00:32

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:04:26

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:00:43

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#11


Date: 2026/1/28

Temperature:22.4 °C

0.0 dBm

Time: 下午 04:04:37

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:00:54

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #12


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 04:04:48

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-10M-3544.98MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #1


Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 11:29:56

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	97.7957	-100.56	peak	23.35	-77.21	-13.00	150	50	-64.21	
*	144.1283	-92.46	peak	22.37	-70.09	-13.00	150	170	-57.09	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 1

Data : #2


Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 11:36:08

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	131.8638	-93.27	peak	22.36	-70.91	-13.00	150	280	-57.91	
	143.1062	-94.49	peak	22.37	-72.12	-13.00	150	120	-59.12	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #1

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:17:47

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	312.2245	-83.27	peak	27.72	-55.55	-13.00	150	140	-42.55	
	868.5371	-100.32	peak	36.02	-64.30	-13.00	150	50	-51.30	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 2

Data : #2

Date: 2026/1/29

Temperature: 22.4 °C

0.0 dBm

Time: 上午 10:35:43

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	310.6213	-88.38	peak	29.62	-58.76	-13.00	150	270	-45.76	
	761.1223	-99.48	peak	35.00	-64.48	-13.00	150	60	-51.48	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #1


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:31:58

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #7


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:35:23

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #2


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:33:16

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4801.282	-54.44	peak	10.51	-43.93	-13.00	150	100	-30.93	
	7500.000	-65.58	peak	13.24	-52.34	-13.00	150	30	-39.34	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #8


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:36:11

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	4955.128	-59.16	peak	10.88	-48.28	-13.00	150	210	-35.28	
	7089.743	-66.74	peak	15.35	-51.39	-13.00	150	60	-38.39	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File :3

Data :#3


Date: 2026/1/28

Temperature:22.4 °C

0.0 dBm

Time: 下午 05:34:07

Humidity:56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #9


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:36:59

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #4


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:34:18

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #10


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:37:10

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #5


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:34:29

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #11


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:37:21

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #6

Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:34:40

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Robert

File : 3

Data : #12


Date: 2026/1/28

Temperature: 22.4 °C

0.0 dBm

Time: 下午 05:37:32

Humidity: 56.4 %



Site : 966A Chamber

Condition : FCC_part 27

EUT : W6M22602-24980

M/N:

Test Mode : n77-SU-100M-3500.01MHz

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin