Appendix A

RF Test Data for BT V4.0(BDR/EDR) (Conducted Measurement)

Product Name: HyFlip

Trade Mark: N/A

Test Model: HTLF11INC4Z1ES

Environmental Conditions

Temperature:	24.6° C
Relative Humidity:	54.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Carl Fu
Supervised by:	Li Huan

A.1 Maxmum Conducted Peak Output Power

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-2.286	21	PASS
	MCH	-1.704	21	PASS
	HCH	-1.490	21	PASS
π/4DQPSK	LCH	-1.413	21	PASS
	MCH	-0.742	21	PASS
	HCH	-0.636	21	PASS
8DPSK	LCH	-0.911	21	PASS
	MCH	-0.350	21	PASS
	HCH	-0.205	21	PASS

Test Graphs		
GFSK/LCH		
GFSK/MCH		

GFSK/HCH		
π/4DQPSK/LCH		

π/4DQPSK/MCH	
π/4DQPSK/HCH	

8DPSK/LCH		
8DPSK/MCH		

8DPSK/HCH		

Agilent Spectrum Analyzer - Swept SA
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
Avg Type: Log-Pwr
Avg|Hold: 10/10
11:28:14 AM Mar 19, 2021
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
Log
Mkr1 2.479 985 00 GHz
-0.205 dBm
Center 2.480000 GHz
#Res BW 3.0 MHz
#VBW 8.0 MHz
Span 10.00 MHz
Sweep 1.067 ms (8001 pts)
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.475000000 GHz
Stop Freq
2.485000000 GHz
CF Step
1.000000 MHz
Auto
Man
Freq Offset
0 Hz

A.2 20dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.9549	Not Specified	PASS
	MCH	0.9547	Not Specified	PASS
	HCH	0.9556	Not Specified	PASS
π/4DQPSK	LCH	1.284	Not Specified	PASS
	MCH	1.284	Not Specified	PASS
	HCH	1.282	Not Specified	PASS
8DPSK	LCH	1.297	Not Specified	PASS
	MCH	1.295	Not Specified	PASS
	HCH	1.296	Not Specified	PASS

Test Graphs		
GFSK/LCH		

GFSK/MCH



GFSK/HCH



π/4DQPSK/LCH



π/4DQPSK/MCH



π/4DQPSK/HCH



8DPSK/LCH



8DPSK/MCH		
8DPSK/HCH		

A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.891	0.637	PASS
	MCH	0.838	0.637	PASS
	HCH	0.774	0.637	PASS
π/4DQPSK	LCH	1.088	0.856	PASS
	MCH	1.164	0.856	PASS
	HCH	1.004	0.856	PASS
8DPSK	LCH	1.324	0.865	PASS
	MCH	1.148	0.865	PASS
	HCH	1.102	0.865	PASS

Test Graphs		
GFSK/LCH		

GFSK/MCH		
GFSK/HCH		

π/4DQPSK/LCH



π/4DQPSK/MCH



π/4DQPSK/HCH



8DPSK/LCH



8DPSK/MCH		
8DPSK/HCH		

A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel [N]	Limit [N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS
8DPSK	Hop	79	>=15	PASS

Test Graphs		
GFSK/Hop		
π/4DQPSK/Hop		

8DPSK/Hop		

Agilent Spectrum Analyzer - Swept SA
Center Freq 2.441750000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 10/10
11:47:42 AM Mar 19, 2021
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
ΔMkr1 78.166 MHz
-1.562 dB
Start 2.40000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 2.48350 GHz
Sweep 8.000 ms (8001 pts)
1 Δ2 f (Δ) 78.166 MHz (Δ) -1.562 dB
2 F f 2.401 921 GHz -2.834 dBm
Frequency
Auto Tune
Center Freq
2.441750000 GHz
Start Freq
2.400000000 GHz
Stop Freq
2.483500000 GHz
CF Step
8.350000 MHz
Auto Man
Freq Offset
0 Hz

A.5 Dwell Time

Mode	Packet	Channel	Burst Width [ms/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	2.88	106.7	0.307	0.4	PASS
	DH5	MCH	2.88	106.7	0.307	0.4	PASS
	DH5	HCH	2.88	106.7	0.307	0.4	PASS
π/4DQPSK	2DH5	LCH	2.88	106.7	0.307	0.4	PASS
	2DH5	MCH	2.88	106.7	0.307	0.4	PASS
	2DH5	HCH	2.88	106.7	0.307	0.4	PASS
8DPSK	3DH5	LCH	2.88	106.7	0.308	0.4	PASS
	3DH5	MCH	2.88	106.7	0.308	0.4	PASS
	3DH5	HCH	2.88	106.7	0.308	0.4	PASS

Test Graphs	
GFSK_DH5/LCH	

GFSK_DH5/MCH	
GFSK_DH5/HCH	

π/4DQPSK _2DH5/LCH	
π/4DQPSK _2DH5/MCH	

π/4DQPSK _2DH5/HCH	
8DPSK _3DH5/LCH	

8DPSK _3DH5/MCH	
8DPSK _3DH5/HCH	

A.6 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-3.152	-36.798	-23.152	PASS
	MCH	-1.97	-37.519	-21.970	PASS
	HCH	-1.753	-37.293	-21.753	PASS
π/4DQPSK	LCH	-2.655	-37.278	-22.655	PASS
	MCH	-2.002	-37.496	-22.002	PASS
	HCH	-1.887	-36.185	-21.887	PASS
8DPSK	LCH	-2.602	-36.879	-22.602	PASS
	MCH	-2.304	-37.301	-22.304	PASS
	HCH	-1.843	-35.954	-21.843	PASS

GFSK_LCH_Graphs		
Pref		

Puw		

Agilent Spectrum Analyzer - Swept SA
Center Freq 12.515000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold: 2/10
10:59:24 AM Mar 19, 2021
Ref Offset 8.05 dB
10 dB/div
Ref 20.00 dBm
Log
Mkr2 24.114 GHz
-36.798 dBm
-23.15 dBm
Start 30 MHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 25.00 GHz
Sweep 2.387 s (8001 pts)
Frequency
Auto Tune
Center Freq
12.515000000 GHz
Start Freq
30.000000 MHz
Stop Freq
25.000000000 GHz
CF Step
2.497000000 GHz
Auto
Man
Freq Offset
0 Hz

GFSK_MCH_Graphs		
Pref		
Puw		

GFSK_HCH_Graphs		
Pref		
Puw		

π/4DQPSK_LCH_Graphs		
Pref		
Puw		

π/4DQPSK_MCH_Graphs		
Pref		
Puw		

π/4DQPSK_HCH_Graphs		
Pref		
Puw		

8DPSK_LCH_Graphs		
Pref		
Puw		

8DPSK_MCH_Graphs		
Pref		
Puw		

8DPSK_HCH_Graphs		
Pref		
Puw		

A.7 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Frequency [MHz]	Carrier Power [dBm]	Frequency Hopping	Max Spurious Level [dBm]	Limit [dBm]	Verdict
GFSK	LCH	2402	-2.772	Off	-49.043	-22.77	PASS
			-2.296	On	-48.959	-22.3	PASS
	HCH	2480	-1.905	Off	-44.774	-21.91	PASS
			-1.792	On	-46.527	-21.79	PASS
π/4DQPSK	LCH	2402	-2.618	Off	-48.679	-22.62	PASS
			-2.205	On	-48.497	-22.21	PASS
	HCH	2480	-1.824	Off	-43.790	-21.82	PASS
			-1.939	On	-46.566	-21.94	PASS
8DPSK	LCH	2402	-2.926	Off	-48.508	-22.93	PASS
			-2.071	On	-47.050	-22.07	PASS
	HCH	2480	-1.789	Off	-45.656	-21.79	PASS
			-2.015	On	-46.829	-22.02	PASS

Test Graphs	
GFSK/LCH/No Hop	
GFSK/LCH/Hop	

GFSK/HCH/No Hop	
GFSK/HCH/Hop	

π/4DQPSK/LCH/No Hop	
π/4DQPSK/LCH/Hop	

π/4DQPSK/HCH/No Hop	
π/4DQPSK/HCH/Hop	

8DPSK/LCH/No Hop	
8DPSK/LCH/Hop	

8DPSK/HCH/No Hop	
8DPSK/HCH/Hop	

A.8 Restrict-band band-edge measurements

Test Mode	Hopping	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdict
GFSK	Off	2310.0	-42.18	2.1	0	55.15	PEAK	74	PASS
	Off	2310.0	-52.82	2.1	0	44.51	AV	54	PASS
	Off	2390.0	-41.62	2.1	0	55.71	PEAK	74	PASS
	Off	2390.0	-51.85	2.1	0	45.48	AV	54	PASS
	Off	2483.5	-39.11	2.1	0	58.22	PEAK	74	PASS
	Off	2483.5	-47.06	2.1	0	50.27	AV	54	PASS
	Off	2500.0	-42.04	2.1	0	55.29	PEAK	74	PASS
	Off	2500.0	-50.90	2.1	0	46.43	AV	54	PASS
π/4DQPSK	Off	2310.0	-42.33	2.1	0	55.00	PEAK	74	PASS
	Off	2310.0	-52.76	2.1	0	44.57	AV	54	PASS
	Off	2390.0	-41.74	2.1	0	55.59	PEAK	74	PASS
	Off	2390.0	-51.89	2.1	0	45.44	AV	54	PASS
	Off	2483.5	-39.22	2.1	0	58.11	PEAK	74	PASS
	Off	2483.5	-49.17	2.1	0	48.16	AV	54	PASS
	Off	2500.0	-39.70	2.1	0	57.63	PEAK	74	PASS
	Off	2500.0	-50.82	2.1	0	46.51	AV	54	PASS
8DPSK	Off	2310.0	-40.84	2.1	0	56.49	PEAK	74	PASS
	Off	2310.0	-52.69	2.1	0	44.64	AV	54	PASS
	Off	2390.0	-40.52	2.1	0	56.81	PEAK	74	PASS
	Off	2390.0	-51.90	2.1	0	45.43	AV	54	PASS
	Off	2483.5	-39.46	2.1	0	57.87	PEAK	74	PASS
	Off	2483.5	-49.24	2.1	0	48.09	AV	54	PASS
	Off	2500.0	-40.79	2.1	0	56.54	PEAK	74	PASS
	Off	2500.0	-50.83	2.1	0	46.50	AV	54	PASS

Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_ GFSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_π/4-DQPSK_Average (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (Low Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_PEAK (High Channel)



Restrict-band band-edge measurements_Hopping Off_8DPSK_Average (High Channel)