





Duty Cycle NVNT g 2437MHz Ant2



Duty Cycle NVNT g 2462MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT n20 2412MHz Ant2



Duty Cycle NVNT n20 2437MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT n20 2462MHz Ant2



Duty Cycle NVNT n40 2422MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Duty Cycle NVNT n40 2437MHz Ant2



Duty Cycle NVNT n40 2452MHz Ant2



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



C.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-51.11	2	-	46.15	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-58.47	2	0	38.79	Average	54	Pass
NVNT	b	2412	Ant1	2389.326	-46.89	2	-	50.37	Peak	74	Pass
NVNT	b	2412	Ant1	2388.039	-55.59	2	0	41.67	Average	54	Pass
NVNT	b	2412	Ant1	2390	-46.72	2	-	50.54	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-55.82	2	0	41.44	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-46.26	2	-	51	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-55.77	2	0	41.49	Average	54	Pass
NVNT	b	2462	Ant1	2488.075	-40.72	2	-	56.54	Peak	74	Pass
NVNT	b	2462	Ant1	2487.068	-54.18	2	0	43.08	Average	54	Pass
NVNT	b	2462	Ant1	2500	-49.75	2	-	47.51	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-57.78	2	0	39.48	Average	54	Pass
NVNT	g	2412	Ant1	2310	-51.46	2	-	45.8	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-58.88	2	0.19	38.57	Average	54	Pass
NVNT	g	2412	Ant1	2389.794	-37.73	2	-	59.53	Peak	74	Pass
NVNT	g	2412	Ant1	2389.677	-53.45	2	0.19	44	Average	54	Pass
NVNT	g	2412	Ant1	2390	-38.39	2	-	58.87	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-54.41	2	0.19	43.04	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-33.68	2	-	63.58	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-49.82	2	0.19	47.63	Average	54	Pass
NVNT	g	2462	Ant1	2483.676	-33.57	2	-	63.69	Peak	74	Pass
NVNT	g	2462	Ant1	2484.153	-48.89	2	0.19	48.56	Average	54	Pass
NVNT	g	2462	Ant1	2500	-49.72	2	-	47.54	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-57.82	2	0.19	39.63	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-50.12	2	-	47.14	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-58.01	2	0.22	39.47	Average	54	Pass
NVNT	n20	2412	Ant1	2389.56	-34.89	2	-	62.37	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.911	-51.59	2	0.22	45.89	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-35.49	2	-	61.77	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-50.61	2	0.22	46.87	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-32.12	2	-	65.14	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-50.65	2	0.23	46.84	Average	54	Pass
NVNT	n20	2462	Ant1	2483.623	-28.71	2	-	68.55	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.623	-47.63	2	0.23	49.86	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-49.22	2	-	48.04	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-57.67	2	0.23	39.82	Average	54	Pass
NVNT	n40	2422	Ant1	2310	-50.04	2	-	47.22	Peak	74	Pass
NVNT	n40	2422	Ant1	2310	-58.34	2	0.44	39.36	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	n40	2422	Ant1	2389.662	-36.44	2	-	60.82	Peak	74	Pass
NVNT	n40	2422	Ant1	2389.378	-50.71	2	0.44	46.99	Average	54	Pass
NVNT	n40	2422	Ant1	2390	-36.76	2	-	60.5	Peak	74	Pass
NVNT	n40	2422	Ant1	2390	-51.39	2	0.44	46.31	Average	54	Pass
NVNT	n40	2452	Ant1	2483.5	-34.52	2	-	62.74	Peak	74	Pass
NVNT	n40	2452	Ant1	2483.5	-45.9	2	0.44	51.8	Average	54	Pass
NVNT	n40	2452	Ant1	2484.634	-29.63	2	-	67.63	Peak	74	Pass
NVNT	n40	2452	Ant1	2484.478	-44.65	2	0.44	53.05	Average	54	Pass
NVNT	n40	2452	Ant1	2500	-48.24	2	-	49.02	Peak	74	Pass
NVNT	n40	2452	Ant1	2500	-57.42	2	0.44	40.28	Average	54	Pass






Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak



Restrict Band NVNT b 2412MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT b 2462MHz Ant1 Peak



Restrict Band NVNT b 2462MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT g 2412MHz Ant1 Peak



Restrict Band NVNT g 2412MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT g 2462MHz Ant1 Peak



Restrict Band NVNT g 2462MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 2412MHz Ant1 Peak



Restrict Band NVNT n20 2412MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 2462MHz Ant1 Peak



Restrict Band NVNT n20 2462MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 2422MHz Ant1 Peak



Restrict Band NVNT n40 2422MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 2452MHz Ant1 Peak



Restrict Band NVNT n40 2452MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant2	2310	-50.01	2	-	47.25	Peak	74	Pass
NVNT	b	2412	Ant2	2310	-58.29	2	0	38.97	Average	54	Pass
NVNT	b	2412	Ant2	2389.677	-47.26	2	-	50	Peak	74	Pass
NVNT	b	2412	Ant2	2389.326	-55.8	2	0	41.46	Average	54	Pass
NVNT	b	2412	Ant2	2390	-48.9	2	-	48.36	Peak	74	Pass
NVNT	b	2412	Ant2	2390	-56.68	2	0	40.58	Average	54	Pass
NVNT	b	2462	Ant2	2483.5	-46.99	2	-	50.27	Peak	74	Pass
NVNT	b	2462	Ant2	2483.5	-54.97	2	0	42.29	Average	54	Pass
NVNT	b	2462	Ant2	2484.206	-38.26	2	-	59	Peak	74	Pass
NVNT	b	2462	Ant2	2483.835	-53.77	2	0	43.49	Average	54	Pass
NVNT	b	2462	Ant2	2500	-48.95	2	-	48.31	Peak	74	Pass
NVNT	b	2462	Ant2	2500	-57.56	2	0	39.7	Average	54	Pass
NVNT	g	2412	Ant2	2310	-51.2	2	-	46.06	Peak	74	Pass
NVNT	g	2412	Ant2	2310	-58.9	2	0.19	38.55	Average	54	Pass
NVNT	g	2412	Ant2	2389.326	-36.86	2	-	60.4	Peak	74	Pass
NVNT	g	2412	Ant2	2389.794	-52.34	2	0.19	45.11	Average	54	Pass
NVNT	g	2412	Ant2	2390	-34.85	2	-	62.41	Peak	74	Pass
NVNT	g	2412	Ant2	2390	-51.68	2	0.19	45.77	Average	54	Pass
NVNT	g	2462	Ant2	2483.5	-33.3	2	-	63.96	Peak	74	Pass
NVNT	g	2462	Ant2	2483.5	-49.66	2	0.19	47.79	Average	54	Pass
NVNT	g	2462	Ant2	2483.623	-31.2	2	-	66.06	Peak	74	Pass
NVNT	g	2462	Ant2	2483.888	-49.09	2	0.19	48.36	Average	54	Pass
NVNT	g	2462	Ant2	2500	-48.9	2	-	48.36	Peak	74	Pass
NVNT	g	2462	Ant2	2500	-57.51	2	0.19	39.94	Average	54	Pass
NVNT	n20	2412	Ant2	2310	-51.2	2	-	46.06	Peak	74	Pass
NVNT	n20	2412	Ant2	2310	-58.34	2	0.22	39.14	Average	54	Pass
NVNT	n20	2412	Ant2	2388.975	-33.81	2	-	63.45	Peak	74	Pass
NVNT	n20	2412	Ant2	2389.911	-51.37	2	0.22	46.11	Average	54	Pass
NVNT	n20	2412	Ant2	2390	-37.26	2	-	60	Peak	74	Pass
NVNT	n20	2412	Ant2	2390	-51.12	2	0.22	46.36	Average	54	Pass
NVNT	n20	2462	Ant2	2483.5	-31.9	2	-	65.36	Peak	74	Pass
NVNT	n20	2462	Ant2	2483.5	-45.69	2	0.23	51.8	Average	54	Pass
NVNT	n20	2462	Ant2	2485.001	-30.24	2	-	67.02	Peak	74	Pass
NVNT	n20	2462	Ant2	2483.517	-45.69	2	0.23	51.8	Average	54	Pass
NVNT	n20	2462	Ant2	2500	-48.65	2	-	48.61	Peak	74	Pass
NVNT	n20	2462	Ant2	2500	-57.29	2	0.23	40.2	Average	54	Pass
NVNT	n40	2422	Ant2	2310	-48.74	2	-	48.52	Peak	74	Pass
NVNT	n40	2422	Ant2	2310	-58.63	2	0.44	39.07	Average	54	Pass
NVNT	n40	2422	Ant2	2387.248	-34.83	2	-	62.43	Peak	74	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	n40	2422	Ant2	2389.946	-49.52	2	0.44	48.18	Average	54	Pass
NVNT	n40	2422	Ant2	2390	-39.62	2	-	57.64	Peak	74	Pass
NVNT	n40	2422	Ant2	2390	-49.52	2	0.44	48.18	Average	54	Pass
NVNT	n40	2452	Ant2	2483.5	-33.11	2	-	64.15	Peak	74	Pass
NVNT	n40	2452	Ant2	2483.5	-44.34	2	0.44	53.36	Average	54	Pass
NVNT	n40	2452	Ant2	2486.272	-27.58	2	-	69.68	Peak	74	Pass
NVNT	n40	2452	Ant2	2484.478	-44.98	2	0.44	52.72	Average	54	Pass
NVNT	n40	2452	Ant2	2500	-50.17	2	-	47.09	Peak	74	Pass
NVNT	n40	2452	Ant2	2500	-57.73	2	0.44	39.97	Average	54	Pass






Test Graphs

Restrict Band NVNT b 2412MHz Ant2 Peak



Restrict Band NVNT b 2412MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT b 2462MHz Ant2 Peak



Restrict Band NVNT b 2462MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT g 2412MHz Ant2 Peak



Restrict Band NVNT g 2412MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT g 2462MHz Ant2 Peak



Restrict Band NVNT g 2462MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 2412MHz Ant2 Peak



Restrict Band NVNT n20 2412MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 2462MHz Ant2 Peak



Restrict Band NVNT n20 2462MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 2422MHz Ant2 Peak



Restrict Band NVNT n40 2422MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 2452MHz Ant2 Peak



Restrict Band NVNT n40 2452MHz Ant2 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



MIMO

Condition	Mode	Frequency (MHz)	Ant1 Power (dBm)	Ant2 Power (dBm)	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	2412	-50.12	-51.2	2.00	49.61	Peak	74	Pass
NVNT	n20	2412	-58.01	-58.34	2.00	42.07	Average	54	Pass
NVNT	n20	2412	-34.89	-33.81	2.00	65.92	Peak	74	Pass
NVNT	n20	2412	-51.59	-51.37	2.00	48.76	Average	54	Pass
NVNT	n20	2412	-35.49	-37.26	2.00	63.95	Peak	74	Pass
NVNT	n20	2412	-50.61	-51.12	2.00	49.38	Average	54	Pass
NVNT	n20	2462	-32.12	-31.9	2.00	68.23	Peak	74	Pass
NVNT	n20	2462	-50.65	-45.69	2.00	52.74	Average	54	Pass
NVNT	n20	2462	-28.71	-30.24	2.00	70.83	Peak	74	Pass
NVNT	n20	2462	-47.63	-45.69	2.00	53.69	Average	54	Pass
NVNT	n20	2462	-49.22	-48.65	2.00	51.31	Peak	74	Pass
NVNT	n20	2462	-57.67	-57.29	2.00	42.76	Average	54	Pass
NVNT	n40	2422	-50.04	-48.74	2.00	50.90	Peak	74	Pass
NVNT	n40	2422	-58.34	-58.63	2.00	41.76	Average	54	Pass
NVNT	n40	2422	-36.44	-34.83	2.00	64.68	Peak	74	Pass
NVNT	n40	2422	-50.71	-49.52	2.00	50.16	Average	54	Pass
NVNT	n40	2422	-36.76	-39.62	2.00	62.28	Peak	74	Pass
NVNT	n40	2422	-51.39	-49.52	2.00	49.88	Average	54	Pass
NVNT	n40	2452	-34.52	-33.11	2.00	66.48	Peak	74	Pass
NVNT	n40	2452	-45.9	-47.34	2.00	53.68	Average	54	Pass
NVNT	n40	2452	-29.63	-27.58	2.00	71.75	Peak	74	Pass
NVNT	n40	2452	-44.65	-48.98	2.00	53.94	Average	54	Pass
NVNT	n40	2452	-48.24	-50.17	2.00	51.14	Peak	74	Pass
NVNT	n40	2452	-57.42	-57.73	2.00	42.67	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity