


## Appendix H: Conducted Spurious Emission

### Test Result

| TestMode | Antenna | Channel | FreqRange<br>[MHz] | RefLevel<br>[dBm] | Result<br>[dBm] | Limit<br>[dBm] | Verdict |
|----------|---------|---------|--------------------|-------------------|-----------------|----------------|---------|
| DH5      | Ant1    | 2402    | Reference          | 4.53              | 4.53            | ---            | PASS    |
|          |         |         | 30~1000            | 30~1000           | -56.849         | <= -15.466     | PASS    |
|          |         |         | 1000~26500         | 1000~26500        | -31.652         | <= -15.466     | PASS    |
|          |         | 2441    | Reference          | 4.42              | 4.42            | ---            | PASS    |
|          |         |         | 30~1000            | 30~1000           | -55.998         | <= -15.576     | PASS    |
|          |         |         | 1000~26500         | 1000~26500        | -34.229         | <= -15.576     | PASS    |
|          |         | 2480    | Reference          | 4.23              | 4.23            | ---            | PASS    |
|          |         |         | 30~1000            | 30~1000           | -55.674         | <= -15.774     | PASS    |
|          |         |         | 1000~26500         | 1000~26500        | -34.995         | <= -15.774     | PASS    |
| 2DH5     | Ant1    | 2402    | Reference          | 3.72              | 3.72            | ---            | PASS    |
|          |         |         | 30~1000            | 30~1000           | -59.977         | <= -16.283     | PASS    |
|          |         |         | 1000~26500         | 1000~26500        | -33.359         | <= -16.283     | PASS    |
|          |         | 2441    | Reference          | 3.41              | 3.41            | ---            | PASS    |
|          |         |         | 30~1000            | 30~1000           | -59.72          | <= -16.591     | PASS    |
|          |         |         | 1000~26500         | 1000~26500        | -34.437         | <= -16.591     | PASS    |
|          |         | 2480    | Reference          | 3.37              | 3.37            | ---            | PASS    |
|          |         |         | 30~1000            | 30~1000           | -59.786         | <= -16.632     | PASS    |
|          |         |         | 1000~26500         | 1000~26500        | -34.11          | <= -16.632     | PASS    |
| 3DH5     | Ant1    | 2402    | Reference          | 3.49              | 3.49            | ---            | PASS    |
|          |         |         | 30~1000            | 30~1000           | -59.957         | <= -16.51      | PASS    |
|          |         |         | 1000~26500         | 1000~26500        | -33.997         | <= -16.51      | PASS    |
|          |         | 2441    | Reference          | 2.81              | 2.81            | ---            | PASS    |
|          |         |         | 30~1000            | 30~1000           | -59.899         | <= -17.191     | PASS    |
|          |         |         | 1000~26500         | 1000~26500        | -34.945         | <= -           | PASS    |

|  |  |      |            |                |         |               |      |
|--|--|------|------------|----------------|---------|---------------|------|
|  |  |      |            | 0              |         | 17.191        |      |
|  |  | 2480 | Reference  | -3.41          | -3.41   | ---           | PASS |
|  |  |      | 30~1000    | 30~1000        | -65.12  | <=-<br>23.406 | PASS |
|  |  |      | 1000~26500 | 1000~2650<br>0 | -45.406 | <=-<br>23.406 | PASS |

## Test Graphs




# DH5\_Ant1\_2402\_1000~26500




# DH5\_Ant1\_2441\_0~Reference



# DH5\_Ant1\_2441\_30~1000




# DH5\_Ant1\_2441\_1000~26500




# DH5\_Ant1\_2480\_0~Reference




# DH5\_Ant1\_2480\_30~1000




# DH5\_Ant1\_2480\_1000~26500




# 2DH5\_Ant1\_2402\_0~Reference




# 2DH5\_Ant1\_2402\_30~1000




# 2DH5\_Ant1\_2402\_1000~26500




## 2DH5\_Ant1\_2441\_0~Reference




## 2DH5\_Ant1\_2441\_30~1000





## 2DH5\_Ant1\_2441\_1000~26500




## 2DH5\_Ant1\_2480\_0~Reference










### 3DH5\_Ant1\_2402\_1000~26500




### 3DH5\_Ant1\_2441\_0~Reference









## Appendix I: Duty Cycle


### Test Result

| TestMode | Antenna | Channel | Transmission<br>Duration [ms] | Transmission<br>Period [ms] | Duty<br>Cycle [%] | Limit | Verdict |
|----------|---------|---------|-------------------------------|-----------------------------|-------------------|-------|---------|
| DH5      | Ant1    | 2402    | 2.93                          | 3.62                        | 80.94             | ---   | PASS    |
|          |         | 2441    | 2.93                          | 3.60                        | 81.37             | ---   | PASS    |
|          |         | 2480    | 2.93                          | 3.60                        | 81.37             | ---   | PASS    |
| 2DH5     | Ant1    | 2402    | 2.93                          | 3.60                        | 81.38             | ---   | PASS    |
|          |         | 2441    | 2.93                          | 3.60                        | 81.38             | ---   | PASS    |
|          |         | 2480    | 2.91                          | 3.60                        | 80.84             | ---   | PASS    |
| 3DH5     | Ant1    | 2402    | 2.92                          | 3.62                        | 80.90             | ---   | PASS    |
|          |         | 2441    | 2.92                          | 3.59                        | 81.33             | ---   | PASS    |
|          |         | 2480    | 2.92                          | 3.61                        | 80.89             | ---   | PASS    |


## Test Graphs




# DH5\_Ant1\_2480




# 2DH5\_Ant1\_2402




2DH5\_Ant1\_2441




2DH5\_Ant1\_2480




### 3DH5\_Ant1\_2402



### 3DH5\_Ant1\_2441




# 3DH5\_Ant1\_2480



## Appendix J: Conducted emission AC power port

|       |    |          |           |
|-------|----|----------|-----------|
| Mode: | BT | Voltage: | 120V/60Hz |
|-------|----|----------|-----------|


Test Graph



| Final Data List |             |             |                 |                 |                |                 |                 |                |          |         |
|-----------------|-------------|-------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|----------|---------|
| NO.             | Freq. [MHz] | Factor [dB] | QP Value [dBμV] | QP Limit [dBμV] | QP Margin [dB] | AV Value [dBμV] | AV Limit [dBμV] | AV Margin [dB] | Polarity | Verdict |
| 1               | 0.2036      | 10.25       | 10.65           | 63.46           | 52.81          | 8.46            | 53.46           | 45.00          | L        | PASS    |
| 2               | 2.0161      | 10.35       | 10.84           | 56.00           | 45.16          | 8.72            | 46.00           | 37.28          | L        | PASS    |
| 3               | 2.7612      | 10.37       | 8.62            | 56.00           | 47.38          | 4.34            | 46.00           | 41.66          | L        | PASS    |
| 4               | 5.1802      | 10.41       | 11.81           | 60.00           | 48.19          | 5.67            | 50.00           | 44.33          | L        | PASS    |
| 5               | 8.1201      | 10.48       | 12.00           | 60.00           | 48.00          | 5.62            | 50.00           | 44.38          | L        | PASS    |
| 6               | 24.9031     | 10.78       | 10.16           | 60.00           | 49.84          | 5.52            | 50.00           | 44.48          | L        | PASS    |

|       |    |          |           |
|-------|----|----------|-----------|
| Mode: | BT | Voltage: | 120V/60Hz |
|-------|----|----------|-----------|

### Test Graph



| Final Data List |             |             |                 |                 |                |                 |                 |                |          |         |
|-----------------|-------------|-------------|-----------------|-----------------|----------------|-----------------|-----------------|----------------|----------|---------|
| NO.             | Freq. [MHz] | Factor [dB] | QP Value [dBμV] | QP Limit [dBμV] | QP Margin [dB] | AV Value [dBμV] | AV Limit [dBμV] | AV Margin [dB] | Polarity | Verdict |
| 1               | 0.2027      | 10.25       | 10.80           | 63.50           | 52.70          | 8.62            | 53.50           | 44.88          | N        | PASS    |
| 2               | 0.2737      | 10.25       | 6.52            | 61.01           | 54.49          | 4.48            | 51.01           | 46.53          | N        | PASS    |
| 3               | 1.5186      | 10.30       | 4.93            | 56.00           | 51.07          | 3.25            | 46.00           | 42.75          | N        | PASS    |
| 4               | 5.2265      | 10.36       | 7.91            | 60.00           | 52.09          | 5.32            | 50.00           | 44.68          | N        | PASS    |
| 5               | 6.9851      | 10.40       | 8.22            | 60.00           | 51.78          | 5.53            | 50.00           | 44.47          | N        | PASS    |
| 6               | 16.8468     | 10.64       | 7.30            | 60.00           | 52.70          | 4.44            | 50.00           | 45.56          | N        | PASS    |

## Appendix K: Radiated emissions for transmitter

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


Above 1GHz, The emission level with margin less than 20db is recorded.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2402 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |            |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|------------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   | Verdict |
| 1                  | 48.4484     | -15.52        | 25.44             | 40.00             | 14.56          | Horizontal | PASS    |
| 2                  | 175.645     | -16.96        | 28.43             | 43.50             | 15.07          | Horizontal | PASS    |
| 3                  | 391.201     | -13.74        | 33.63             | 46.00             | 12.37          | Horizontal | PASS    |
| 4                  | 512.572     | -11.19        | 33.76             | 46.00             | 12.24          | Horizontal | PASS    |
| 5                  | 729.099     | -7.83         | 36.82             | 46.00             | 9.18           | Horizontal | PASS    |
| 6                  | 845.615     | -6.10         | 39.76             | 46.00             | 6.24           | Horizontal | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2402 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |          |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|----------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity | Verdict |
| 1                  | 50.3904     | -15.50        | 26.29             | 40.00             | 13.71          | Vertical | PASS    |
| 2                  | 160.110     | -15.60        | 26.52             | 43.50             | 16.98          | Vertical | PASS    |
| 3                  | 369.839     | -14.19        | 28.91             | 46.00             | 17.09          | Vertical | PASS    |
| 4                  | 613.553     | -9.25         | 34.06             | 46.00             | 11.94          | Vertical | PASS    |
| 5                  | 729.099     | -7.83         | 37.06             | 46.00             | 8.94           | Vertical | PASS    |
| 6                  | 852.412     | -6.05         | 38.70             | 46.00             | 7.30           | Vertical | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2441 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |            |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|------------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   | Verdict |
| 1                  | 176.616     | -17.05        | 28.43             | 43.50             | 15.07          | Horizontal | PASS    |
| 2                  | 266.916     | -16.79        | 28.32             | 46.00             | 17.68          | Horizontal | PASS    |
| 3                  | 380.520     | -13.97        | 33.13             | 46.00             | 12.87          | Horizontal | PASS    |
| 4                  | 489.269     | -11.68        | 33.40             | 46.00             | 12.60          | Horizontal | PASS    |
| 5                  | 729.099     | -7.83         | 36.77             | 46.00             | 9.23           | Horizontal | PASS    |
| 6                  | 845.615     | -6.10         | 39.44             | 46.00             | 6.56           | Horizontal | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2441 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|


### Test Graph



| QP Final Data List |                |                  |                      |                      |                   |          |         |
|--------------------|----------------|------------------|----------------------|----------------------|-------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | Factor<br>[dB/m] | QP Value<br>[dBμV/m] | QP Limit<br>[dBμV/m] | QP Margin<br>[dB] | Polarity | Verdict |
| 1                  | 49.4194        | -15.49           | 26.69                | 40.00                | 13.31             | Vertical | PASS    |
| 2                  | 98.9389        | -20.28           | 22.77                | 43.50                | 20.73             | Vertical | PASS    |
| 3                  | 146.516        | -15.97           | 26.31                | 43.50                | 17.19             | Vertical | PASS    |
| 4                  | 235.845        | -17.83           | 25.10                | 46.00                | 20.90             | Vertical | PASS    |
| 5                  | 729.099        | -7.83            | 37.16                | 46.00                | 8.84              | Vertical | PASS    |
| 6                  | 845.615        | -6.10            | 40.43                | 46.00                | 5.57              | Vertical | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2480 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |            |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|------------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   | Verdict |
| 1                  | 48.4484     | -15.52        | 26.32             | 40.00             | 13.68          | Horizontal | PASS    |
| 2                  | 97.9680     | -20.40        | 22.52             | 43.50             | 20.98          | Horizontal | PASS    |
| 3                  | 176.616     | -17.05        | 29.71             | 43.50             | 13.79          | Horizontal | PASS    |
| 4                  | 373.723     | -14.11        | 33.17             | 46.00             | 12.83          | Horizontal | PASS    |
| 5                  | 488.298     | -11.70        | 35.24             | 46.00             | 10.76          | Horizontal | PASS    |
| 6                  | 845.615     | -6.10         | 39.48             | 46.00             | 6.52           | Horizontal | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2480 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |          |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|----------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity | Verdict |
| 1                  | 54.2743     | -15.80        | 25.84             | 40.00             | 14.16          | Vertical | PASS    |
| 2                  | 97.9680     | -20.40        | 22.86             | 43.50             | 20.64          | Vertical | PASS    |
| 3                  | 163.023     | -15.86        | 25.43             | 43.50             | 18.07          | Vertical | PASS    |
| 4                  | 356.246     | -14.48        | 27.61             | 46.00             | 18.39          | Vertical | PASS    |
| 5                  | 709.679     | -8.20         | 36.08             | 46.00             | 9.92           | Vertical | PASS    |
| 6                  | 845.615     | -6.10         | 39.47             | 46.00             | 6.53           | Vertical | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2402 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |            |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|------------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   | Verdict |
| 1                  | 97.9680     | -20.40        | 24.08             | 43.50             | 19.42          | Horizontal | PASS    |
| 2                  | 176.616     | -17.05        | 29.54             | 43.50             | 13.96          | Horizontal | PASS    |
| 3                  | 382.462     | -13.93        | 33.69             | 46.00             | 12.31          | Horizontal | PASS    |
| 4                  | 500.920     | -11.43        | 34.46             | 46.00             | 11.54          | Horizontal | PASS    |
| 5                  | 709.679     | -8.20         | 36.88             | 46.00             | 9.12           | Horizontal | PASS    |
| 6                  | 845.615     | -6.10         | 39.55             | 46.00             | 6.45           | Horizontal | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2402 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |                |                  |                      |                      |                   |          |         |
|--------------------|----------------|------------------|----------------------|----------------------|-------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | Factor<br>[dB/m] | QP Value<br>[dBμV/m] | QP Limit<br>[dBμV/m] | QP Margin<br>[dB] | Polarity | Verdict |
| 1                  | 51.3614        | -15.58           | 26.03                | 40.00                | 13.97             | Vertical | PASS    |
| 2                  | 148.458        | -15.91           | 26.22                | 43.50                | 17.28             | Vertical | PASS    |
| 3                  | 274.684        | -16.36           | 25.47                | 46.00                | 20.53             | Vertical | PASS    |
| 4                  | 500.920        | -11.43           | 30.69                | 46.00                | 15.31             | Vertical | PASS    |
| 5                  | 729.099        | -7.83            | 36.51                | 46.00                | 9.49              | Vertical | PASS    |
| 6                  | 858.238        | -6.01            | 37.28                | 46.00                | 8.72              | Vertical | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2441 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |            |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|------------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   | Verdict |
| 1                  | 50.3904     | -15.50        | 25.76             | 40.00             | 14.24          | Horizontal | PASS    |
| 2                  | 97.9680     | -20.40        | 21.76             | 43.50             | 21.74          | Horizontal | PASS    |
| 3                  | 176.616     | -17.05        | 28.36             | 43.50             | 15.14          | Horizontal | PASS    |
| 4                  | 390.230     | -13.77        | 33.49             | 46.00             | 12.51          | Horizontal | PASS    |
| 5                  | 497.037     | -11.51        | 33.98             | 46.00             | 12.02          | Horizontal | PASS    |
| 6                  | 845.615     | -6.10         | 40.56             | 46.00             | 5.44           | Horizontal | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2441 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |          |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|----------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity | Verdict |
| 1                  | 64.9550     | -17.23        | 23.65             | 40.00             | 16.35          | Vertical | PASS    |
| 2                  | 151.371     | -15.83        | 25.55             | 43.50             | 17.95          | Vertical | PASS    |
| 3                  | 302.842     | -15.60        | 26.48             | 46.00             | 19.52          | Vertical | PASS    |
| 4                  | 493.153     | -11.59        | 30.95             | 46.00             | 15.05          | Vertical | PASS    |
| 5                  | 729.099     | -7.83         | 36.15             | 46.00             | 9.85           | Vertical | PASS    |
| 6                  | 845.615     | -6.10         | 40.34             | 46.00             | 5.66           | Vertical | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2480 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |            |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|------------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   | Verdict |
| 1                  | 49.4194     | -15.49        | 25.44             | 40.00             | 14.56          | Horizontal | PASS    |
| 2                  | 176.616     | -17.05        | 28.59             | 43.50             | 14.91          | Horizontal | PASS    |
| 3                  | 377.607     | -14.03        | 33.83             | 46.00             | 12.17          | Horizontal | PASS    |
| 4                  | 502.862     | -11.39        | 33.65             | 46.00             | 12.35          | Horizontal | PASS    |
| 5                  | 709.679     | -8.20         | 36.31             | 46.00             | 9.69           | Horizontal | PASS    |
| 6                  | 845.615     | -6.10         | 40.23             | 46.00             | 5.77           | Horizontal | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2480 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |          |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|----------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity | Verdict |
| 1                  | 40.6807     | -15.80        | 26.40             | 40.00             | 13.60          | Vertical | PASS    |
| 2                  | 146.516     | -15.97        | 25.72             | 43.50             | 17.78          | Vertical | PASS    |
| 3                  | 374.694     | -14.09        | 28.89             | 46.00             | 17.11          | Vertical | PASS    |
| 4                  | 479.559     | -11.88        | 30.50             | 46.00             | 15.50          | Vertical | PASS    |
| 5                  | 729.099     | -7.83         | 36.09             | 46.00             | 9.91           | Vertical | PASS    |
| 6                  | 845.615     | -6.10         | 39.21             | 46.00             | 6.79           | Vertical | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 3-DH5 2402 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |            |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|------------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   | Verdict |
| 1                  | 60.1001     | -16.27        | 25.17             | 40.00             | 14.83          | Horizontal | PASS    |
| 2                  | 171.761     | -16.62        | 28.03             | 43.50             | 15.47          | Horizontal | PASS    |
| 3                  | 266.916     | -16.79        | 27.66             | 46.00             | 18.34          | Horizontal | PASS    |
| 4                  | 378.578     | -14.01        | 35.07             | 46.00             | 10.93          | Horizontal | PASS    |
| 5                  | 732.983     | -7.75         | 36.31             | 46.00             | 9.69           | Horizontal | PASS    |
| 6                  | 845.615     | -6.10         | 38.02             | 46.00             | 7.98           | Horizontal | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 3-DH5 2402 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |          |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|----------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity | Verdict |
| 1                  | 49.4194     | -15.49        | 26.07             | 40.00             | 13.93          | Vertical | PASS    |
| 2                  | 172.732     | -16.71        | 27.94             | 43.50             | 15.56          | Vertical | PASS    |
| 3                  | 364.985     | -14.30        | 30.49             | 46.00             | 15.51          | Vertical | PASS    |
| 4                  | 650.450     | -8.88         | 34.07             | 46.00             | 11.93          | Vertical | PASS    |
| 5                  | 729.099     | -7.83         | 36.85             | 46.00             | 9.15           | Vertical | PASS    |
| 6                  | 845.615     | -6.10         | 39.71             | 46.00             | 6.29           | Vertical | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 3-DH5 2441 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |            |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|------------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   | Verdict |
| 1                  | 172.732     | -16.71        | 28.54             | 43.50             | 14.96          | Horizontal | PASS    |
| 2                  | 258.178     | -17.20        | 28.57             | 46.00             | 17.43          | Horizontal | PASS    |
| 3                  | 381.491     | -13.95        | 34.38             | 46.00             | 11.62          | Horizontal | PASS    |
| 4                  | 496.066     | -11.53        | 33.37             | 46.00             | 12.63          | Horizontal | PASS    |
| 5                  | 729.099     | -7.83         | 36.58             | 46.00             | 9.42           | Horizontal | PASS    |
| 6                  | 845.615     | -6.10         | 38.92             | 46.00             | 7.08           | Horizontal | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 3-DH5 2441 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |          |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|----------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity | Verdict |
| 1                  | 51.3614     | -15.58        | 25.46             | 40.00             | 14.54          | Vertical | PASS    |
| 2                  | 149.429     | -15.89        | 25.70             | 43.50             | 17.80          | Vertical | PASS    |
| 3                  | 301.871     | -15.62        | 26.63             | 46.00             | 19.37          | Vertical | PASS    |
| 4                  | 399.939     | -13.56        | 29.75             | 46.00             | 16.25          | Vertical | PASS    |
| 5                  | 729.099     | -7.83         | 37.68             | 46.00             | 8.32           | Vertical | PASS    |
| 6                  | 845.615     | -6.10         | 39.84             | 46.00             | 6.16           | Vertical | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 3-DH5 2480 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|


### Test Graph



| QP Final Data List |             |               |                   |                   |                |            |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|------------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity   | Verdict |
| 1                  | 54.2743     | -15.80        | 25.91             | 40.00             | 14.09          | Horizontal | PASS    |
| 2                  | 172.732     | -16.71        | 28.71             | 43.50             | 14.79          | Horizontal | PASS    |
| 3                  | 373.723     | -14.11        | 34.83             | 46.00             | 11.17          | Horizontal | PASS    |
| 4                  | 494.124     | -11.57        | 33.95             | 46.00             | 12.05          | Horizontal | PASS    |
| 5                  | 734.924     | -7.72         | 36.47             | 46.00             | 9.53           | Horizontal | PASS    |
| 6                  | 847.557     | -6.09         | 38.54             | 46.00             | 7.46           | Horizontal | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 3-DH5 2480 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|

### Test Graph



| QP Final Data List |             |               |                   |                   |                |          |         |
|--------------------|-------------|---------------|-------------------|-------------------|----------------|----------|---------|
| NO.                | Freq. [MHz] | Factor [dB/m] | QP Value [dBμV/m] | QP Limit [dBμV/m] | QP Margin [dB] | Polarity | Verdict |
| 1                  | 49.4194     | -15.49        | 25.99             | 40.00             | 14.01          | Vertical | PASS    |
| 2                  | 166.906     | -16.20        | 25.11             | 43.50             | 18.39          | Vertical | PASS    |
| 3                  | 281.481     | -16.04        | 26.76             | 46.00             | 19.24          | Vertical | PASS    |
| 4                  | 458.198     | -12.33        | 29.56             | 46.00             | 16.44          | Vertical | PASS    |
| 5                  | 709.679     | -8.20         | 35.97             | 46.00             | 10.03          | Vertical | PASS    |
| 6                  | 849.499     | -6.07         | 38.38             | 46.00             | 7.62           | Vertical | PASS    |

Above 1GHz

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2402 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|

**Test Graph**

| PK Final Data List |                |                              |                  |                            |                            |                      |            |         |
|--------------------|----------------|------------------------------|------------------|----------------------------|----------------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dB $\mu$ V/m] | Factor<br>[dB/m] | PK Value<br>[dB $\mu$ V/m] | PK Limit<br>[dB $\mu$ V/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4803.76        | 70.20                        | -14.85           | 55.35                      | 74.00                      | 18.65                | Horizontal | PASS    |

| AV Final Data List |                |                              |                  |                            |                            |                      |            |         |
|--------------------|----------------|------------------------------|------------------|----------------------------|----------------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dB $\mu$ V/m] | Factor<br>[dB/m] | AV Value<br>[dB $\mu$ V/m] | AV Limit<br>[dB $\mu$ V/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4803.76        | 60.07                        | -14.85           | 45.22                      | 54.00                      | 8.78                 | Horizontal | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2402 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|

**Test Graph**

| PK Final Data List |                |                              |                  |                            |                            |                      |          |         |
|--------------------|----------------|------------------------------|------------------|----------------------------|----------------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dB $\mu$ V/m] | Factor<br>[dB/m] | PK Value<br>[dB $\mu$ V/m] | PK Limit<br>[dB $\mu$ V/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4804.02        | 68.11                        | -14.85           | 53.26                      | 74.00                      | 20.74                | Vertical | PASS    |

| AV Final Data List |                |                              |                  |                            |                            |                      |          |         |
|--------------------|----------------|------------------------------|------------------|----------------------------|----------------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dB $\mu$ V/m] | Factor<br>[dB/m] | AV Value<br>[dB $\mu$ V/m] | AV Limit<br>[dB $\mu$ V/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4804.02        | 56.81                        | -14.85           | 41.96                      | 54.00                      | 12.04                | Vertical | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2441 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4881.76        | 74.50                  | -14.90           | 59.60                | 74.00                | 14.40                | Horizontal | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4881.76        | 64.50                  | -14.90           | 49.60                | 54.00                | 4.40                 | Horizontal | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2441 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4886.88        | 64.82                  | -14.93           | 49.89                | 74.00                | 24.11                | Vertical | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4886.88        | 50.00                  | -14.93           | 35.07                | 54.00                | 18.93                | Vertical | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2480 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4959.91        | 73.96                  | -14.58           | 59.38                | 74.00                | 14.62                | Horizontal | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4959.91        | 64.13                  | -14.58           | 49.55                | 54.00                | 4.45                 | Horizontal | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5 2480 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4960.59        | 68.29                  | -14.58           | 53.71                | 74.00                | 20.29                | Vertical | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4960.59        | 56.24                  | -14.58           | 41.66                | 54.00                | 12.34                | Vertical | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2402 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4803.92        | 72.75                  | -14.85           | 57.90                | 74.00                | 16.10                | Horizontal | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4803.92        | 61.09                  | -14.85           | 46.24                | 54.00                | 7.76                 | Horizontal | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2402 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4804.28        | 69.69                  | -14.85           | 54.84                | 74.00                | 19.16                | Vertical | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4804.28        | 56.26                  | -14.85           | 41.41                | 54.00                | 12.59                | Vertical | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2441 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|

#### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4881.80        | 74.30                  | -14.90           | 59.40                | 74.00                | 14.60                | Horizontal | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4881.80        | 62.58                  | -14.90           | 47.68                | 54.00                | 6.32                 | Horizontal | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2441 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|

#### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4877.48        | 64.17                  | -14.87           | 49.30                | 74.00                | 24.70                | Vertical | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4877.48        | 49.87                  | -14.87           | 35.00                | 54.00                | 19.00                | Vertical | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2480 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4959.85        | 75.70                  | -14.58           | 61.12                | 74.00                | 12.88                | Horizontal | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4959.85        | 62.94                  | -14.58           | 48.36                | 54.00                | 5.64                 | Horizontal | PASS    |

|       |            |          |         |
|-------|------------|----------|---------|
| Mode: | 2-DH5 2480 | Voltage: | DC 3.7V |
|-------|------------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4960.35        | 71.05                  | -14.58           | 56.47                | 74.00                | 17.53                | Vertical | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4960.35        | 58.92                  | -14.58           | 44.34                | 54.00                | 9.66                 | Vertical | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 3DH5-2402 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4803.68        | 68.67                  | -14.85           | 53.82                | 74.00                | 20.18                | Horizontal | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4803.68        | 54.35                  | -14.85           | 39.50                | 54.00                | 14.50                | Horizontal | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 3DH5-2402 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4804.56        | 65.91                  | -14.85           | 51.06                | 74.00                | 22.94                | Vertical | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4804.56        | 51.27                  | -14.85           | 36.42                | 54.00                | 17.58                | Vertical | PASS    |