

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 3DH5-2441 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4881.86        | 76.39                  | -14.90           | 61.49                | 74.00                | 12.51                | Horizontal | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4881.86        | 62.08                  | -14.90           | 47.18                | 54.00                | 6.82                 | Horizontal | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 3DH5-2441 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4882.44        | 70.71                  | -14.90           | 55.81                | 74.00                | 18.19                | Vertical | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4882.44        | 59.00                  | -14.90           | 44.10                | 54.00                | 9.90                 | Vertical | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 3DH5-2480 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

#### Test Graph

| PK Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4960.27        | 75.23                  | -14.58           | 60.65                | 74.00                | 13.35                | Horizontal | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |            |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|------------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity   | Verdict |
| 1                  | 4960.27        | 63.77                  | -14.58           | 49.19                | 54.00                | 4.81                 | Horizontal | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 3DH5-2480 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

#### Test Graph


| PK Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Factor<br>[dB/m] | PK Value<br>[dBμV/m] | PK Limit<br>[dBμV/m] | PK<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4960.33        | 71.26                  | -14.58           | 56.68                | 74.00                | 17.32                | Vertical | PASS    |

| AV Final Data List |                |                        |                  |                      |                      |                      |          |         |
|--------------------|----------------|------------------------|------------------|----------------------|----------------------|----------------------|----------|---------|
| NO.                | Freq.<br>[MHz] | AV Reading<br>[dBμV/m] | Factor<br>[dB/m] | AV Value<br>[dBμV/m] | AV Limit<br>[dBμV/m] | AV<br>Margin<br>[dB] | Polarity | Verdict |
| 1                  | 4960.33        | 58.89                  | -14.58           | 44.31                | 54.00                | 9.69                 | Vertical | PASS    |

Band edge

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5-2402 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|


Test Graph



| PK Final Data List |             |                     |                |               |                |             |            |         |
|--------------------|-------------|---------------------|----------------|---------------|----------------|-------------|------------|---------|
| NO.                | Freq. [MHz] | PK Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1                  | 2373.33     | 66.79               | 48.32          | -18.47        | 74.00          | 25.68       | Horizontal | PASS    |
| 2                  | 2388.18     | 66.42               | 48.75          | -17.67        | 74.00          | 25.25       | Horizontal | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5-2402 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|

### Test Graph




### PK Final Data List

| NO. | Freq. [MHz] | PK Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|---------------------|----------------|---------------|----------------|-------------|----------|---------|
| 1   | 2382.81     | 66.65               | 48.69          | -17.96        | 74.00          | 25.31       | Vertical | PASS    |
| 2   | 2388.33     | 66.23               | 48.57          | -17.66        | 74.00          | 25.43       | Vertical | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5-2480 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|

### Test Graph




### PK Final Data List

| NO. | Freq. [MHz] | PK Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|---------------------|----------------|---------------|----------------|-------------|------------|---------|
| 1   | 2483.91     | 68.17               | 50.04          | -18.13        | 74.00          | 23.96       | Horizontal | PASS    |
| 2   | 2484.27     | 68.16               | 49.94          | -18.22        | 74.00          | 24.06       | Horizontal | PASS    |

|       |          |          |         |
|-------|----------|----------|---------|
| Mode: | DH5-2480 | Voltage: | DC 3.7V |
|-------|----------|----------|---------|

### Test Graph



### PK Final Data List


| NO. | Freq. [MHz] | PK Reading [dBμV/m] | Factor [dB/m] | PK Value [dBμV/m] | PK Limit [dBμV/m] | PK Margin [dB] | Polarity | Verdict |
|-----|-------------|---------------------|---------------|-------------------|-------------------|----------------|----------|---------|
| 1   | 2483.57     | 73.47               | -18.04        | 55.43             | 74.00             | 18.57          | Vertical | PASS    |
| 2   | 2483.82     | 72.89               | -18.11        | 54.78             | 74.00             | 19.22          | Vertical | PASS    |

### AV Final Data List

| NO. | Freq. [MHz] | AV Reading [dBμV/m] | Factor [dB/m] | AV Value [dBμV/m] | AV Limit [dBμV/m] | AV Margin [dB] | Polarity | Verdict |
|-----|-------------|---------------------|---------------|-------------------|-------------------|----------------|----------|---------|
| 1   | 2483.57     | 52.64               | -18.04        | 34.60             | 54.00             | 19.40          | Vertical | PASS    |
| 2   | 2483.82     | 52.58               | -18.11        | 34.47             | 54.00             | 19.53          | Vertical | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 2DH5-2402 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|


**Test Graph**



| PK Final Data List |             |                     |                |               |                |             |            |         |
|--------------------|-------------|---------------------|----------------|---------------|----------------|-------------|------------|---------|
| NO.                | Freq. [MHz] | PK Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
| 1                  | 2382.05     | 66.57               | 48.57          | -18.00        | 74.00          | 25.43       | Horizontal | PASS    |
| 2                  | 2388.94     | 65.99               | 48.36          | -17.63        | 74.00          | 25.64       | Horizontal | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 2DH5-2402 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph




### PK Final Data List

| NO. | Freq. [MHz] | PK Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|---------------------|----------------|---------------|----------------|-------------|----------|---------|
| 1   | 2377.20     | 66.96               | 48.70          | -18.26        | 74.00          | 25.30       | Vertical | PASS    |
| 2   | 2384.80     | 66.08               | 48.23          | -17.85        | 74.00          | 25.77       | Vertical | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 2DH5-2480 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph




### PK Final Data List

| NO. | Freq. [MHz] | PK Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|---------------------|----------------|---------------|----------------|-------------|------------|---------|
| 1   | 2483.90     | 67.24               | 49.12          | -18.12        | 74.00          | 24.88       | Horizontal | PASS    |
| 2   | 2484.45     | 66.60               | 48.33          | -18.27        | 74.00          | 25.67       | Horizontal | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 2DH5-2480 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph



### PK Final Data List


| NO. | Freq. [MHz] | PK Reading [dBμV/m] | Factor [dB/m] | PK Value [dBμV/m] | PK Limit [dBμV/m] | PK Margin [dB] | Polarity | Verdict |
|-----|-------------|---------------------|---------------|-------------------|-------------------|----------------|----------|---------|
| 1   | 2483.55     | 74.54               | -18.04        | 56.50             | 74.00             | 17.50          | Vertical | PASS    |
| 2   | 2483.73     | 73.40               | -18.08        | 55.32             | 74.00             | 18.68          | Vertical | PASS    |

### AV Final Data List

| NO. | Freq. [MHz] | AV Reading [dBμV/m] | Factor [dB/m] | AV Value [dBμV/m] | AV Limit [dBμV/m] | AV Margin [dB] | Polarity | Verdict |
|-----|-------------|---------------------|---------------|-------------------|-------------------|----------------|----------|---------|
| 1   | 2483.55     | 52.67               | -18.04        | 34.63             | 54.00             | 19.37          | Vertical | PASS    |
| 2   | 2483.73     | 52.63               | -18.08        | 34.55             | 54.00             | 19.45          | Vertical | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 3DH5-2402 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph




### PK Final Data List

| NO. | Freq.<br>[MHz] | PK Reading<br>[dBμV/m] | Level<br>[dBμV/m] | Factor<br>[dB/m] | Limit<br>[dBμV/m] | Margin<br>[dB] | Polarity   | Verdict |
|-----|----------------|------------------------|-------------------|------------------|-------------------|----------------|------------|---------|
| 1   | 2380.37        | 66.66                  | 48.57             | -18.09           | 74.00             | 25.43          | Horizontal | PASS    |
| 2   | 2388.65        | 66.11                  | 48.46             | -17.65           | 74.00             | 25.54          | Horizontal | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 3DH5-2402 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph




### PK Final Data List

| NO. | Freq. [MHz] | PK Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Polarity | Verdict |
|-----|-------------|---------------------|----------------|---------------|----------------|-------------|----------|---------|
| 1   | 2384.34     | 66.89               | 49.01          | -17.88        | 74.00          | 24.99       | Vertical | PASS    |
| 2   | 2389.36     | 65.85               | 48.24          | -17.61        | 74.00          | 25.76       | Vertical | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 3DH5-2480 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph




### PK Final Data List

| NO. | Freq. [MHz] | PK Reading [dBμV/m] | Level [dBμV/m] | Factor [dB/m] | Limit [dBμV/m] | Margin [dB] | Polarity   | Verdict |
|-----|-------------|---------------------|----------------|---------------|----------------|-------------|------------|---------|
| 1   | 2483.50     | 67.97               | 49.95          | -18.02        | 74.00          | 24.05       | Horizontal | PASS    |
| 2   | 2483.90     | 66.27               | 48.15          | -18.12        | 74.00          | 25.85       | Horizontal | PASS    |

|       |           |          |         |
|-------|-----------|----------|---------|
| Mode: | 3DH5-2480 | Voltage: | DC 3.7V |
|-------|-----------|----------|---------|

### Test Graph



### PK Final Data List

| NO. | Freq. [MHz] | PK Reading [dBμV/m] | Factor [dB/m] | PK Value [dBμV/m] | PK Limit [dBμV/m] | PK Margin [dB] | Polarity | Verdict |
|-----|-------------|---------------------|---------------|-------------------|-------------------|----------------|----------|---------|
| 1   | 2483.52     | 75.05               | -18.03        | 57.02             | 74.00             | 16.98          | Vertical | PASS    |
| 2   | 2483.71     | 74.23               | -18.08        | 56.15             | 74.00             | 17.85          | Vertical | PASS    |

### AV Final Data List

| NO. | Freq. [MHz] | AV Reading [dBμV/m] | Factor [dB/m] | AV Value [dBμV/m] | AV Limit [dBμV/m] | AV Margin [dB] | Polarity | Verdict |
|-----|-------------|---------------------|---------------|-------------------|-------------------|----------------|----------|---------|
| 1   | 2483.52     | 52.68               | -18.03        | 34.65             | 54.00             | 19.35          | Vertical | PASS    |
| 2   | 2483.71     | 52.72               | -18.08        | 34.64             | 54.00             | 19.36          | Vertical | PASS    |