

Mode:	3-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	7323.0211	69.66	-12.23	57.43	74.00	16.57	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	7323.0211	56.30	-12.23	44.07	54.00	9.93	Horizontal	PASS

Mode:	3-DH5 2441	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	7323.8611	67.28	-12.23	55.05	74.00	18.95	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	7323.8611	53.79	-12.23	41.56	54.00	12.44	Vertical	PASS

Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	7440.7011	71.94	-12.06	59.88	74.00	14.12	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	7440.7011	59.69	-12.06	47.63	54.00	6.37	Horizontal	PASS


Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4949.3192	65.05	-14.63	50.42	74.00	23.58	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4949.3192	50.12	-14.63	35.49	54.00	18.51	Vertical	PASS

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2381.35	67.36	49.32	-18.04	74.00	24.68	Horizontal	PASS
2	2387.76	66.68	48.99	-17.69	74.00	25.01	Horizontal	PASS

Mode:	DH5 2402	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2381.98	65.92	47.92	-18.00	74.00	26.08	Vertical	PASS
2	2388.19	65.50	47.83	-17.67	74.00	26.17	Vertical	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.63	75.19	-18.06	57.13	74.00	16.87	Horizontal	PASS
2	2488.48	74.35	-18.80	55.55	74.00	18.45	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.63	55.61	-18.06	37.55	54.00	16.45	Horizontal	PASS
2	2488.48	52.72	-18.80	33.92	54.00	20.08	Horizontal	PASS

Mode:	DH5 2480	Voltage:	DC 3.7V
-------	----------	----------	---------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.56	69.33	51.29	-18.04	74.00	22.71	Vertical	PASS
2	2488.59	68.26	49.45	-18.81	74.00	24.55	Vertical	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2377.73	67.32	49.09	-18.23	74.00	24.91	Horizontal	PASS
2	2387.88	67.43	49.74	-17.69	74.00	24.26	Horizontal	PASS

Mode:	2-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2381.47	66.50	48.47	-18.03	74.00	25.53	Vertical	PASS
2	2387.15	66.84	49.11	-17.73	74.00	24.89	Vertical	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.91	73.63	-18.13	55.50	74.00	18.50	Horizontal	PASS
2	2489.00	73.14	-18.86	54.28	74.00	19.72	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.91	55.81	-18.13	37.68	54.00	16.32	Horizontal	PASS
2	2489.00	53.01	-18.86	34.15	54.00	19.85	Horizontal	PASS

Mode:	2-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.75	68.53	50.44	-18.09	74.00	23.56	Vertical	PASS
2	2488.95	69.63	50.78	-18.85	74.00	23.22	Vertical	PASS

Mode:	3-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2379.34	67.61	49.46	-18.15	74.00	24.54	Horizontal	PASS
2	2389.62	66.63	49.04	-17.59	74.00	24.96	Horizontal	PASS

Mode:	3-DH5 2402	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2378.24	66.83	48.63	-18.20	74.00	25.37	Vertical	PASS
2	2387.83	66.73	49.04	-17.69	74.00	24.96	Vertical	PASS

Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.90	73.73	-18.13	55.60	74.00	18.40	Horizontal	PASS
2	2488.79	73.59	-18.83	54.76	74.00	19.24	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.90	56.04	-18.13	37.91	54.00	16.09	Horizontal	PASS
2	2488.79	52.95	-18.83	34.12	54.00	19.88	Horizontal	PASS

Mode:	3-DH5 2480	Voltage:	DC 3.7V
-------	------------	----------	---------

Test Graph



PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.90	68.51	50.39	-18.12	74.00	23.61	Vertical	PASS
2	2489.89	67.24	48.28	-18.96	74.00	25.72	Vertical	PASS