


Appendix H: Conducted Spurious Emission

Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	4.34	4.34	---	PASS
			30~1000	30~1000	-56.391	<= -15.657	PASS
			1000~26500	1000~26500	-32.288	<= -15.657	PASS
		2441	Reference	4.80	4.80	---	PASS
			30~1000	30~1000	-56.552	<= -15.197	PASS
			1000~26500	1000~26500	-32.014	<= -15.197	PASS
		2480	Reference	4.19	4.19	---	PASS
			30~1000	30~1000	-56.367	<= -15.809	PASS
			1000~26500	1000~26500	-35.099	<= -15.809	PASS
2DH5	Ant1	2402	Reference	3.02	3.02	---	PASS
			30~1000	30~1000	-58.926	<= -16.985	PASS
			1000~26500	1000~26500	-31.841	<= -16.985	PASS
		2441	Reference	3.39	3.39	---	PASS
			30~1000	30~1000	-58.903	<= -16.615	PASS
			1000~26500	1000~26500	-33.932	<= -16.615	PASS
		2480	Reference	3.15	3.15	---	PASS
			30~1000	30~1000	-58.714	<= -16.854	PASS
			1000~26500	1000~26500	-37.328	<= -16.854	PASS
3DH5	Ant1	2402	Reference	3.13	3.13	---	PASS
			30~1000	30~1000	-57.202	<= -16.867	PASS
			1000~26500	1000~26500	-34.75	<= -16.867	PASS
		2441	Reference	3.29	3.29	---	PASS
			30~1000	30~1000	-57.495	<= -16.714	PASS

			1000~26500	1000~2650 0	-35.069	<= - 16.714	PASS
		2480	Reference	2.94	2.94	---	PASS
			30~1000	30~1000	-56.578	<= - 17.059	PASS
			1000~26500	1000~2650 0	-36.072	<= - 17.059	PASS

Test Graphs




DH5_Ant1_2402_1000~26500




DH5_Ant1_2441_0~Reference



DH5_Ant1_2441_30~1000




DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0~Reference



DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500



2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~1000




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference







3DH5_Ant1_2402_0~Reference



3DH5_Ant1_2402_30~1000





3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference









Appendix I: Duty Cycle


Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
DH5	Ant1	2402	2.93	3.60	81.34	---	PASS
		2441	2.91	3.60	80.82	---	PASS
		2480	2.93	3.60	81.31	---	PASS
2DH5	Ant1	2402	2.91	3.60	80.79	---	PASS
		2441	2.94	3.61	81.36	---	PASS
		2480	2.92	3.59	81.27	---	PASS
3DH5	Ant1	2402	2.94	3.61	81.37	---	PASS
		2441	2.94	3.61	81.37	---	PASS
		2480	2.93	3.60	81.34	---	PASS


Test Graphs



DH5_Ant1_2480



2DH5_Ant1_2402



2DH5_Ant1_2441

Spectrum Analyzer 1
Swept SA

KEYSIGHT Input: RF Coupling: DC Corrections: Off #Atten: 40 dB PNO: Fast Gate: Off #Avg Type: Power (RMS) 1 2 3 4 5 6
RL Align: Auto IF Gain: Low Trig Video W W W W W W W W
Sig Track: Off Trig Delay: 2.000 ms P P P P P P

1 Spectrum Ref Lvl Offset 9.00 dB ΔMkr3 3.609 dB
Scale/Div 10 dB Ref Level 30.00 dBm 1.46 dB

Log
20
10
0
-10
-20
-30
-40
-50
-60

Center 2.441000000 GHz #Video BW 8.0 MHz Span 0 Hz
Res BW 8 MHz Sweep 10.1 ms (8000 pts)

5 Marker Table

	Mode	Trace	Scale	X	Y	Function	Function Width	Function Value
1	N	1	t	3.326 ms	-8.364 dBm			
2	$\Delta 1$	1	t (Δ)	2.936 ms (Δ)	13.49 dB			
3	$\Delta 1$	1	t (Δ)	3.609 ms (Δ)	1.463 dB			
4								
5								
6								

Frequency Settings

Center Frequency 2.441000000 GHz
Span 0.00000000 Hz
Sweep Span Zero Span
Full Span
Start Freq 2.441000000 GHz
Stop Freq 2.441000000 GHz
AUTO TUNE

CF Step 8.000000 MHz
Auto Man
Freq Offset 0 Hz
X Axis Scale Log Lin
Signal Track Scan Zoom


Jul 21, 2021 7:22:53 PM

The screenshot displays a Keysight Spectrum Analyzer interface. The main display shows a spectrum plot with a yellow trace. Two points are marked on the trace: $\Delta 1$ and $\Delta 3$. The plot shows a signal with a flat top and sharp transitions. The top of the plot is labeled with "Ref Lvl Offset 9.00 dB" and "Ref Level 30.00 dBm". The right side of the plot shows "AMkr3 3.591 ms" and "2.09 dB".


The interface includes several control panels:

- Top Panel:** Spectrum Analyzer 1, Swept SA, Input RF, Coupling DC, Align Auto, Input Z: 50 Ω , Corrections Off, Freq Ref: Int (S), #Atten: 40 dB, PNO: Fast, Gate: Off, IF Gain: Low, Sig Track: Off, #Avg Type: Power (RMS), Trg Video, Trg Delay: -2.000 ms, WWW WWW, P P P P P.
- Left Panel:** 1 Spectrum, Scale/Div 10 dB, Log, 20, 10, 0, -10, -20, -30, -40, -50, -60.
- Right Panel:** Center Frequency 2.480000000 GHz, Span 0.00000000 Hz, Sweep Span, Zero Span, Full Span, Start Freq 2.480000000 GHz, Stop Freq 2.480000000 GHz, AUTO TUNE, CF Step 8.000000 MHz, Auto, Man, Freq Offset 0 Hz, X Axis Scale Log, Lin, Signal Track, Span 200ms.
- Bottom Panel:** 5 Marker Table, 5 N, 1 t, 846.1 μ s, -9.761 dBm, 2 $\Delta 1$, 1 t, (Δ), 2.918 ms (Δ), 14.90 dB, 3 $\Delta 1$, 1 t, (Δ), 3.591 ms (Δ), 2.089 dB, 4, 5, 6.


3DH5_Ant1_2402



3DH5_Ant1_2441




3DH5_Ant1_2480



Appendix J: Conducted emission AC power port

Mode:	BT	Voltage:	120V/60Hz
-------	----	----------	-----------


Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Polarity	Verdict
1	0.1594	10.25	48.85	65.49	16.64	32.80	55.49	22.69	L	PASS
2	0.3060	10.25	33.97	60.08	26.11	20.59	50.08	29.49	L	PASS
3	1.2047	10.31	24.19	56.00	31.81	11.63	46.00	34.37	L	PASS
4	2.3108	10.35	22.74	56.00	33.26	9.27	46.00	36.73	L	PASS
5	8.5079	10.50	27.63	60.00	32.37	19.06	50.00	30.94	L	PASS
6	12.1485	10.58	29.10	60.00	30.90	18.67	50.00	31.33	L	PASS

Mode:	BT	Voltage:	120V/60Hz
-------	----	----------	-----------

Test Graph



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Polarity	Verdict
1	0.1554	10.24	49.38	65.71	16.33	35.42	55.71	20.29	N	PASS
2	0.8173	10.27	20.93	56.00	35.07	12.39	46.00	33.61	N	PASS
3	1.9072	10.30	22.65	56.00	33.35	11.33	46.00	34.67	N	PASS
4	4.5298	10.35	22.51	56.00	33.49	15.35	46.00	30.65	N	PASS
5	14.0818	10.58	35.13	60.00	24.87	27.39	50.00	22.61	N	PASS
6	14.8843	10.60	35.41	60.00	24.59	27.19	50.00	22.81	N	PASS

Appendix K: Radiated emissions for transmitter

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


Above 1GHz, The emission level with margin less than 20db is recorded.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz

Mode:	DH5 2402	Voltage:	120V/60Hz
-------	----------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	100.880	-20.09	15.68	43.50	27.82	Horizontal	PASS
2	163.994	-15.94	27.39	43.50	16.11	Horizontal	PASS
3	242.642	-17.44	20.10	46.00	25.90	Horizontal	PASS
4	383.433	-13.91	23.89	46.00	22.11	Horizontal	PASS
5	479.559	-11.88	24.80	46.00	21.20	Horizontal	PASS
6	899.990	-5.68	29.01	46.00	16.99	Horizontal	PASS

Mode:	DH5 2402	Voltage:	120V/60Hz
-------	----------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	30.9710	-17.31	28.46	40.00	11.54	Vertical	PASS
2	96.0260	-20.64	21.62	43.50	21.88	Vertical	PASS
3	163.994	-15.94	24.26	43.50	19.24	Vertical	PASS
4	364.014	-14.32	22.08	46.00	23.92	Vertical	PASS
5	455.285	-12.39	24.39	46.00	21.61	Vertical	PASS
6	819.399	-6.31	23.73	46.00	22.27	Vertical	PASS

Mode:	DH5 2441	Voltage:	120V/60Hz
-------	----------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	13.75	40.00	26.25	Horizontal	PASS
2	96.0260	-20.64	20.01	43.50	23.49	Horizontal	PASS
3	163.994	-15.94	25.58	43.50	17.92	Horizontal	PASS
4	336.826	-14.89	23.02	46.00	22.98	Horizontal	PASS
5	385.375	-13.87	28.23	46.00	17.77	Horizontal	PASS
6	481.501	-11.84	27.14	46.00	18.86	Horizontal	PASS

Mode:	DH5 2441	Voltage:	120V/60Hz
-------	----------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	25.70	40.00	14.30	Vertical	PASS
2	63.9840	-17.03	19.73	40.00	20.27	Vertical	PASS
3	96.0260	-20.64	21.31	43.50	22.19	Vertical	PASS
4	163.994	-15.94	25.01	43.50	18.49	Vertical	PASS
5	455.285	-12.39	23.74	46.00	22.26	Vertical	PASS
6	818.428	-6.32	23.73	46.00	22.27	Vertical	PASS

Mode:	DH5 2480	Voltage:	120V/60Hz
-------	----------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	96.0260	-20.64	19.55	43.50	23.95	Horizontal	PASS
2	163.994	-15.94	22.01	43.50	21.49	Horizontal	PASS
3	305.755	-15.54	21.04	46.00	24.96	Horizontal	PASS
4	337.797	-14.87	22.72	46.00	23.28	Horizontal	PASS
5	386.346	-13.85	28.35	46.00	17.65	Horizontal	PASS
6	482.472	-11.82	27.55	46.00	18.45	Horizontal	PASS

Mode:	DH5 2480	Voltage:	120V/60Hz
-------	----------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	25.44	40.00	14.56	Vertical	PASS
2	63.9840	-17.03	18.73	40.00	21.27	Vertical	PASS
3	96.0260	-20.64	21.31	43.50	22.19	Vertical	PASS
4	163.994	-15.94	20.34	43.50	23.16	Vertical	PASS
5	390.230	-13.77	21.17	46.00	24.83	Vertical	PASS
6	586.366	-9.66	25.43	46.00	20.57	Vertical	PASS

Mode:	2-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	34.8549	-16.67	13.72	40.00	26.28	Horizontal	PASS
2	96.0260	-20.64	20.02	43.50	23.48	Horizontal	PASS
3	163.994	-15.94	23.74	43.50	19.76	Horizontal	PASS
4	337.797	-14.87	23.09	46.00	22.91	Horizontal	PASS
5	385.375	-13.87	27.27	46.00	18.73	Horizontal	PASS
6	482.472	-11.82	26.64	46.00	19.36	Horizontal	PASS

Mode:	2-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	26.89	40.00	13.11	Vertical	PASS
2	63.9840	-17.03	18.92	40.00	21.08	Vertical	PASS
3	96.0260	-20.64	20.84	43.50	22.66	Vertical	PASS
4	167.877	-16.28	19.38	43.50	24.12	Vertical	PASS
5	385.375	-13.87	21.10	46.00	24.90	Vertical	PASS
6	752.402	-7.38	22.69	46.00	23.31	Vertical	PASS

Mode:	2-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	96.0260	-20.64	19.71	43.50	23.79	Horizontal	PASS
2	163.994	-15.94	20.81	43.50	22.69	Horizontal	PASS
3	309.639	-15.46	21.37	46.00	24.63	Horizontal	PASS
4	385.375	-13.87	27.48	46.00	18.52	Horizontal	PASS
5	482.472	-11.82	26.91	46.00	19.09	Horizontal	PASS
6	614.524	-9.24	21.33	46.00	24.67	Horizontal	PASS

Mode:	2-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------

Test Graph




QP Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	26.10	40.00	13.90	Vertical	PASS
2	60.1001	-16.27	22.30	40.00	17.70	Vertical	PASS
3	96.0260	-20.64	22.17	43.50	21.33	Vertical	PASS
4	163.994	-15.94	21.35	43.50	22.15	Vertical	PASS
5	390.230	-13.77	23.05	46.00	22.95	Vertical	PASS
6	482.472	-11.82	23.45	46.00	22.55	Vertical	PASS

Mode:	2-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	13.20	40.00	26.80	Horizontal	PASS
2	96.0260	-20.64	19.29	43.50	24.21	Horizontal	PASS
3	163.994	-15.94	21.59	43.50	21.91	Horizontal	PASS
4	337.797	-14.87	21.83	46.00	24.17	Horizontal	PASS
5	386.346	-13.85	27.62	46.00	18.38	Horizontal	PASS
6	482.472	-11.82	26.42	46.00	19.58	Horizontal	PASS

Mode:	2-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------

Test Graph




QP Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	35.8258	-16.51	26.28	40.00	13.72	Vertical	PASS
2	61.0711	-16.46	23.61	40.00	16.39	Vertical	PASS
3	96.0260	-20.64	21.26	43.50	22.24	Vertical	PASS
4	163.994	-15.94	21.08	43.50	22.42	Vertical	PASS
5	385.375	-13.87	21.50	46.00	24.50	Vertical	PASS
6	890.280	-5.76	30.14	46.00	15.86	Vertical	PASS

Mode:	3-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	96.0260	-20.64	19.67	43.50	23.83	Horizontal	PASS
2	163.994	-15.94	22.11	43.50	21.39	Horizontal	PASS
3	190.210	-18.18	18.79	43.50	24.71	Horizontal	PASS
4	302.842	-15.60	21.55	46.00	24.45	Horizontal	PASS
5	385.375	-13.87	26.67	46.00	19.33	Horizontal	PASS
6	482.472	-11.82	26.62	46.00	19.38	Horizontal	PASS

Mode:	3-DH5 2402	Voltage:	120V/60Hz
-------	------------	----------	-----------

Test Graph




QP Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	26.00	40.00	14.00	Vertical	PASS
2	61.0711	-16.46	22.56	40.00	17.44	Vertical	PASS
3	96.0260	-20.64	21.77	43.50	21.73	Vertical	PASS
4	167.877	-16.28	19.76	43.50	23.74	Vertical	PASS
5	386.346	-13.85	22.80	46.00	23.20	Vertical	PASS
6	482.472	-11.82	24.22	46.00	21.78	Vertical	PASS

Mode:	3-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	15.15	40.00	24.85	Horizontal	PASS
2	96.0260	-20.64	19.35	43.50	24.15	Horizontal	PASS
3	163.994	-15.94	18.52	43.50	24.98	Horizontal	PASS
4	385.375	-13.87	28.44	46.00	17.56	Horizontal	PASS
5	482.472	-11.82	26.07	46.00	19.93	Horizontal	PASS
6	895.135	-5.72	27.46	46.00	18.54	Horizontal	PASS

Mode:	3-DH5 2441	Voltage:	120V/60Hz
-------	------------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	61.0711	-16.46	23.70	40.00	16.30	Vertical	PASS
2	96.0260	-20.64	22.42	43.50	21.08	Vertical	PASS
3	163.994	-15.94	24.24	43.50	19.26	Vertical	PASS
4	411.591	-13.32	21.99	46.00	24.01	Vertical	PASS
5	482.472	-11.82	24.76	46.00	21.24	Vertical	PASS
6	823.283	-6.28	23.25	46.00	22.75	Vertical	PASS

Mode:	3-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------


Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	36.7968	-16.35	15.68	40.00	24.32	Horizontal	PASS
2	96.0260	-20.64	19.25	43.50	24.25	Horizontal	PASS
3	163.994	-15.94	21.86	43.50	21.64	Horizontal	PASS
4	385.375	-13.87	27.32	46.00	18.68	Horizontal	PASS
5	482.472	-11.82	27.21	46.00	18.79	Horizontal	PASS
6	868.918	-5.92	23.26	46.00	22.74	Horizontal	PASS

Mode:	3-DH5 2480	Voltage:	120V/60Hz
-------	------------	----------	-----------

Test Graph



QP Final Data List							
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Polarity	Verdict
1	60.1001	-16.27	23.42	40.00	16.58	Vertical	PASS
2	96.0260	-20.64	23.16	43.50	20.34	Vertical	PASS
3	163.994	-15.94	20.92	43.50	22.58	Vertical	PASS
4	325.175	-15.13	19.22	46.00	26.78	Vertical	PASS
5	390.230	-13.77	21.73	46.00	24.27	Vertical	PASS
6	482.472	-11.82	23.84	46.00	22.16	Vertical	PASS

Above 1GHz

Mode:	DH5 2402	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4803.62	71.25	-14.85	56.40	74.00	17.60	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4803.62	64.02	-14.85	49.17	54.00	4.83	Horizontal	PASS

Mode:	DH5 2402	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4803.42	68.62	-14.86	53.76	74.00	20.24	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4803.42	56.73	-14.86	41.87	54.00	12.13	Vertical	PASS

Mode:	DH5 2441	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4882.22	71.56	-14.90	56.66	74.00	17.34	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4882.22	64.29	-14.90	49.39	54.00	4.61	Horizontal	PASS

Mode:	DH5 2441	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4881.98	70.42	-14.90	55.52	74.00	18.48	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4881.98	62.65	-14.90	47.75	54.00	6.25	Vertical	PASS

Mode:	DH5 2480	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4960.05	71.45	-14.58	56.87	74.00	17.13	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4960.05	65.09	-14.58	50.51	54.00	3.49	Horizontal	PASS

Mode:	DH5 2480	Voltage:	120V/60HZ
-------	----------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4960.67	68.10	-14.58	53.52	74.00	20.48	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4960.67	55.88	-14.58	41.30	54.00	12.70	Vertical	PASS

Mode:	2-DH5 2402	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4804.16	72.43	-14.85	57.58	74.00	16.42	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4804.16	63.27	-14.85	48.42	54.00	5.58	Horizontal	PASS

Mode:	2-DH5 2402	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4804.12	72.71	-14.85	57.86	74.00	16.14	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4804.12	63.65	-14.85	48.80	54.00	5.20	Vertical	PASS

Mode:	2-DH5 2441	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4882.50	72.20	-14.90	57.30	74.00	16.70	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4882.50	62.04	-14.90	47.14	54.00	6.86	Horizontal	PASS

Mode:	2-DH5 2441	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4881.84	70.74	-14.90	55.84	74.00	18.16	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4881.84	60.53	-14.90	45.63	54.00	8.37	Vertical	PASS

Mode:	2-DH5 2480	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4959.71	72.98	-14.59	58.39	74.00	15.61	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4959.71	63.18	-14.59	48.59	54.00	5.41	Horizontal	PASS

Mode:	2-DH5 2480	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4960.29	71.27	-14.58	56.69	74.00	17.31	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4960.29	60.76	-14.58	46.18	54.00	7.82	Vertical	PASS

Mode:	3-DH5 2402	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4803.54	69.88	-14.86	55.02	74.00	18.98	Horizontal	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4803.54	58.70	-14.86	43.84	54.00	10.16	Horizontal	PASS

Mode:	3-DH5 2402	Voltage:	120V/60HZ
-------	------------	----------	-----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4803.88	70.09	-14.85	55.24	74.00	18.76	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4803.88	59.90	-14.85	45.05	54.00	8.95	Vertical	PASS