Test Mode	UNII-3_TX A Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.97	0.37	5.34	30.00	Complies
157	5785	5.16	0.37	5.53	30.00	Complies
165	5825	4.41	0.37	4.78	30.00	Complies

CH149



Date: 30.JUN.2020 10:16:29

CH157



Date: 30.JUN.2020 10:20:51

CH165



Date: 30.JUN.2020 10:24:37

Test Mode	UNII-3_TX A Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.11	0.37	5.48	30.00	Complies
157	5785	5.34	0.37	5.71	30.00	Complies
165	5825	4.55	0.37	4.92	30.00	Complies

CH149



Date: 30.JUN.2020 10:16:57

CH157



Date: 30.JUN.2020 10:20:31

CH165



Date: 30.JUN.2020 10:26:07

Test Mode	UNII-3_TX A Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.12	0.37	5.49	30.00	Complies
157	5785	6.16	0.37	6.53	30.00	Complies
165	5825	4.81	0.37	5.18	30.00	Complies

CH149



Date: 30.JUN.2020 10:17:31

CH157



Date: 30.JUN.2020 10:19:15

CH165



Date: 30.JUN.2020 10:27:40

Test Mode	UNII-3_TX A Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.13	0.37	6.50	30.00	Complies
157	5785	5.45	0.37	5.82	30.00	Complies
165	5825	5.68	0.37	6.05	30.00	Complies

CH149



Date: 30.JUN.2020 10:17:53

CH157



Date: 30.JUN.2020 10:18:53

CH165



Date: 30.JUN.2020 10:28:09

Test Mode	UNII-3_TX A Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.75	23.37	Complies
157	5785	11.94	23.37	Complies
165	5825	11.28	23.37	Complies

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.65	0.22	1.87	17.00	Complies
40	5200	3.29	0.22	3.51	17.00	Complies
48	5240	2.59	0.22	2.81	17.00	Complies

CH36



Date: 30.JUN.2020 10:34:25

CH40



Date: 30.JUN.2020 10:38:43

CH48



Date: 30.JUN.2020 10:42:37

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.67	0.22	1.89	17.00	Complies
40	5200	2.74	0.22	2.96	17.00	Complies
48	5240	2.44	0.22	2.66	17.00	Complies

CH36



Date: 30.JUN.2020 10:34:04

CH40



Date: 30.JUN.2020 10:37:23

CH48



Date: 30.JUN.2020 10:42:15

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.57	0.22	3.79	17.00	Complies
40	5200	3.57	0.22	3.79	17.00	Complies
48	5240	3.36	0.22	3.58	17.00	Complies

CH36



Date: 30.JUN.2020 10:33:20

CH40



Date: 30.JUN.2020 10:36:57

CH48



Date: 30.JUN.2020 10:41:55

Test Mode	UNII-1_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.34	0.22	3.56	17.00	Complies
40	5200	2.65	0.22	2.87	17.00	Complies
48	5240	3.54	0.22	3.76	17.00	Complies

CH36



Date: 30.JUN.2020 10:32:45

CH40



Date: 30.JUN.2020 10:36:34

CH48



Date: 30.JUN.2020 10:41:26

Test Mode	UNII-1_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.89	10.36	Complies
40	5200	9.32	10.36	Complies
48	5240	9.25	10.36	Complies

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.73	0.39	2.12	17.00	Complies
46	5230	2.36	0.39	2.75	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	1.88	0.39	2.27	17.00	Complies
46	5230	2.44	0.39	2.83	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.61	0.39	3.00	17.00	Complies
46	5230	3.37	0.39	3.76	17.00	Complies

CH38



CH46

Test Mode	UNII-1_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.97	0.39	3.36	17.00	Complies
46	5230	3.47	0.39	3.86	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.74	10.36	Complies
46	5230	9.35	10.36	Complies

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.86	0.34	-1.52	17.00	Complies

CH42



Date: 30.JUN.2020 15:46:05

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.74	0.34	-1.40	17.00	Complies

CH42



Date: 30.JUN.2020 15:45:37

Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.98	0.34	-0.64	17.00	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.95	0.34	-0.61	17.00	Complies

CH42



Test Mode	UNII-1_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.00	10.36	Complies

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.30	0.22	-3.08	11.00	Complies
60	5300	-3.06	0.22	-2.84	11.00	Complies
64	5320	-2.50	0.22	-2.28	11.00	Complies

CH52



Date: 30.JUN.2020 10:45:47

CH60



Date: 30.JUN.2020 10:48:18

CH64



Date: 30.JUN.2020 10:54:47

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-4.30	0.22	-4.08	11.00	Complies
60	5300	-4.55	0.22	-4.33	11.00	Complies
64	5320	-2.84	0.22	-2.62	11.00	Complies

CH52



Date: 30.JUN.2020 10:45:26

CH60



Date: 30.JUN.2020 10:47:57

CH64



Date: 30.JUN.2020 10:54:25

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.10	0.22	-2.88	11.00	Complies
60	5300	-2.37	0.22	-2.15	11.00	Complies
64	5320	-2.57	0.22	-2.35	11.00	Complies

CH52



Date: 30.JUN.2020 10:45:04

CH60



Date: 30.JUN.2020 10:47:34

CH64



Date: 30.JUN.2020 10:54:03

Test Mode	UNII-2A_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-2.67	0.22	-2.45	11.00	Complies
60	5300	-3.79	0.22	-3.57	11.00	Complies
64	5320	-2.52	0.22	-2.30	11.00	Complies

CH52



Date: 30.JUN.2020 10:44:33

CH60



Date: 30.JUN.2020 10:47:10

CH64



Date: 30.JUN.2020 10:53:42

Test Mode	UNII-2A_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	2.94	4.32	Complies
60	5300	2.87	4.32	Complies
64	5320	3.63	4.32	Complies

Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.68	0.39	-3.29	11.00	Complies
62	5310	-2.72	0.39	-2.33	11.00	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-4.24	0.39	-3.85	11.00	Complies
62	5310	-4.05	0.39	-3.66	11.00	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-3.09	0.39	-2.70	11.00	Complies
62	5310	-2.78	0.39	-2.39	11.00	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	-2.75	0.39	-2.36	11.00	Complies
62	5310	-2.72	0.39	-2.33	11.00	Complies

CH54



CH62



Test Mode	UNII-2A_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	3.01	4.32	Complies
62	5310	3.38	4.32	Complies

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.42	0.34	-5.08	11.00	Complies

CH58



Date: 30.JUN.2020 15:49:59

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-5.49	0.34	-5.15	11.00	Complies

CH58



Date: 30.JUN.2020 15:49:20

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.91	0.34	-4.57	11.00	Complies

CH58



Date: 30.JUN.2020 15:48:46

Test Mode	UNII-2A_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-4.56	0.34	-4.22	11.00	Complies

CH58



Date: 30.JUN.2020 15:48:13

Test Mode	UNII-2A_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.28	4.32	Complies

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.02	0.22	-2.80	11.00	Complies
116	5580	-3.28	0.22	-3.06	11.00	Complies
140	5700	-3.19	0.22	-2.97	11.00	Complies

CH100



Date: 30.JUN.2020 10:59:26

CH116



Date: 30.JUN.2020 11:03:03

CH140



Date: 30.JUN.2020 11:06:34

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-3.74	0.22	-3.52	11.00	Complies
116	5580	-3.75	0.22	-3.53	11.00	Complies
140	5700	-3.18	0.22	-2.96	11.00	Complies

CH100



Date: 30.JUN.2020 10:59:03

CH116



Date: 30.JUN.2020 11:02:40

CH140



Date: 30.JUN.2020 11:06:09

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.41	0.22	-2.19	11.00	Complies
116	5580	-4.34	0.22	-4.12	11.00	Complies
140	5700	-4.27	0.22	-4.05	11.00	Complies

CH100



Date: 30.JUN.2020 10:58:38

CH116



Date: 30.JUN.2020 11:02:18

CH140



Date: 30.JUN.2020 11:05:48

Test Mode	UNII-2C_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	-2.38	0.22	-2.16	11.00	Complies
116	5580	-2.58	0.22	-2.36	11.00	Complies
140	5700	-2.38	0.22	-2.16	11.00	Complies

CH100



Date: 30.JUN.2020 10:58:10

CH116



Date: 30.JUN.2020 11:01:52

CH140



Date: 30.JUN.2020 11:05:17

Test Mode	UNII-2C_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	3.38	4.49	Complies
116	5580	2.80	4.49	Complies
140	5700	3.03	4.49	Complies

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.01	0.39	-2.62	11.00	Complies
110	5550	-2.95	0.39	-2.56	11.00	Complies
134	5670	-4.14	0.39	-3.75	11.00	Complies

CH102



Date: 30.JUN.2020 14:36:39

CH110



Date: 30.JUN.2020 14:43:13

CH134



Date: 30.JUN.2020 14:48:50

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.47	0.39	-3.08	11.00	Complies
110	5550	-3.95	0.39	-3.56	11.00	Complies
134	5670	-4.01	0.39	-3.62	11.00	Complies

CH102



Date: 30.JUN.2020 14:36:07

CH110



Date: 30.JUN.2020 14:42:45

CH134



Date: 30.JUN.2020 14:48:21

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-2.47	0.39	-2.08	11.00	Complies
110	5550	-2.64	0.39	-2.25	11.00	Complies
134	5670	-3.41	0.39	-3.02	11.00	Complies

CH102



Date: 30.JUN.2020 14:35:40

CH110



Date: 30.JUN.2020 14:42:17

CH134



Date: 30.JUN.2020 14:47:53

Test Mode	UNII-2C_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	-3.12	0.39	-2.73	11.00	Complies
110	5550	-2.86	0.39	-2.47	11.00	Complies
134	5670	-2.55	0.39	-2.16	11.00	Complies

CH102



Date: 30.JUN.2020 14:35:08

CH110



Date: 30.JUN.2020 14:41:51

CH134



Date: 30.JUN.2020 14:47:28

Test Mode	UNII-2C_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	3.41	4.49	Complies
110	5550	3.34	4.49	Complies
134	5670	2.93	4.49	Complies

Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.04	0.34	-2.70	11.00	Complies
122	5610	-3.06	0.34	-2.72	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.43	0.34	-3.09	11.00	Complies
122	5610	-4.14	0.34	-3.80	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-2.57	0.34	-2.23	11.00	Complies
122	5610	-3.07	0.34	-2.73	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	-3.50	0.34	-3.16	11.00	Complies
122	5610	-2.46	0.34	-2.12	11.00	Complies

CH106



CH122



Test Mode	UNII-2C_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	3.24	4.49	Complies
122	5610	3.22	4.49	Complies

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.27	0.22	5.49	30.00	Complies
157	5785	4.75	0.22	4.97	30.00	Complies
165	5825	5.19	0.22	5.41	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.42	0.22	4.64	30.00	Complies
157	5785	4.16	0.22	4.38	30.00	Complies
165	5825	5.17	0.22	5.39	30.00	Complies

CH149



CH157



CH165



Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.88	0.22	6.10	30.00	Complies
157	5785	4.75	0.22	4.97	30.00	Complies
165	5825	5.27	0.22	5.49	30.00	Complies

CH149



Date: 30.JUN.2020 11:10:09

CH157



Date: 30.JUN.2020 11:12:50

CH165



Date: 30.JUN.2020 11:15:50

Test Mode	UNII-3_TX AC (VHT20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	6.65	0.22	6.87	30.00	Complies
157	5785	5.99	0.22	6.21	30.00	Complies
165	5825	6.12	0.22	6.34	30.00	Complies

CH149



Date: 30.JUN.2020 11:11:25

CH157



Date: 30.JUN.2020 11:12:28

CH165



Date: 30.JUN.2020 11:16:20

Test Mode	UNII-3_TX AC (VHT20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.87	23.37	Complies
157	5785	11.20	23.37	Complies
165	5825	11.69	23.37	Complies

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.44	0.39	2.83	30.00	Complies
159	5795	2.07	0.39	2.46	30.00	Complies

CH151



Date: 30.JUN.2020 14:54:29

CH159



Date: 30.JUN.2020 15:00:46

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.72	0.39	2.11	30.00	Complies
159	5795	2.51	0.39	2.90	30.00	Complies

CH151



Date: 30.JUN.2020 14:53:43

CH159



Date: 30.JUN.2020 14:58:22

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.47	0.39	2.86	30.00	Complies
159	5795	2.99	0.39	3.38	30.00	Complies

CH151



Date: 30.JUN.2020 14:53:16

CH159



Date: 30.JUN.2020 14:57:52

Test Mode	UNII-3_TX AC (VHT40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	3.48	0.39	3.87	30.00	Complies
159	5795	3.60	0.39	3.99	30.00	Complies

CH151



Date: 30.JUN.2020 14:52:48

CH159



Date: 30.JUN.2020 14:57:27

Test Mode	UNII-3_TX AC (VHT40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.98	23.37	Complies
159	5795	9.24	23.37	Complies

Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.44	0.34	-0.10	30.00	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.56	0.34	-0.22	30.00	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.36	0.34	0.70	30.00	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	0.99	0.34	1.33	30.00	Complies

CH155



Test Mode	UNII-3_TX AC (VHT80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	6.49	23.37	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.74	0.22	2.96	17.00	Complies
40	5200	2.44	0.22	2.66	17.00	Complies
48	5240	2.04	0.22	2.26	17.00	Complies

CH36



Date: 30.JUN.2020 11:20:31

CH40



Date: 30.JUN.2020 11:23:09

CH48



Date: 30.JUN.2020 11:28:31

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.55	0.22	1.77	17.00	Complies
40	5200	2.13	0.22	2.35	17.00	Complies
48	5240	1.97	0.22	2.19	17.00	Complies

CH36



Date: 30.JUN.2020 11:20:02

CH40



Date: 30.JUN.2020 11:22:44

CH48



Date: 30.JUN.2020 11:28:07

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.77	0.22	3.99	17.00	Complies
40	5200	3.62	0.22	3.84	17.00	Complies
48	5240	3.02	0.22	3.24	17.00	Complies

CH36



Date: 30.JUN.2020 11:19:39

CH40



Date: 30.JUN.2020 11:22:20

CH48



Date: 30.JUN.2020 11:26:43

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.55	0.22	2.77	17.00	Complies
40	5200	3.37	0.22	3.59	17.00	Complies
48	5240	3.54	0.22	3.76	17.00	Complies

CH36



Date: 30.JUN.2020 11:18:42

CH40



Date: 30.JUN.2020 11:21:55

CH48



Date: 30.JUN.2020 11:26:20

Test Mode	UNII-1_TX AX (HEW20) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	8.93	10.36	Complies
40	5200	9.14	10.36	Complies
48	5240	8.90	10.36	Complies

Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.02	0.39	2.41	17.00	Complies
46	5230	2.44	0.39	2.83	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.21	0.39	2.60	17.00	Complies
46	5230	2.67	0.39	3.06	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	2.87	0.39	3.26	17.00	Complies
46	5230	3.57	0.39	3.96	17.00	Complies

CH38



CH46



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	3.16	0.39	3.55	17.00	Complies
46	5230	3.65	0.39	4.04	17.00	Complies

CH38



CH46

Test Mode	UNII-1_TX AX (HEW40) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	8.86	10.36	Complies
46	5230	9.38	10.36	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.43	0.34	-1.09	17.00	Complies

CH42



Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-1.64	0.34	-1.30	17.00	Complies

CH42



Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 3

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.77	0.34	-0.43	17.00	Complies

CH42



Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 4

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-0.48	0.34	-0.14	17.00	Complies

CH42



Test Mode	UNII-1_TX AX (HEW80) Mode_Total

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	5.18	10.36	Complies

Test Mode	UNII-2A_TX AX (HEW20) Mode_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.28	0.22	-3.06	11.00	Complies
60	5300	-2.91	0.22	-2.69	11.00	Complies
64	5320	-3.22	0.22	-3.00	11.00	Complies

CH52



Date: 30.JUN.2020 11:31:54

CH60



Date: 30.JUN.2020 11:34:41

CH64



Date: 30.JUN.2020 11:37:09

Test Mode	UNII-2A_TX AX (HEW20) Mode_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	-3.97	0.22	-3.75	11.00	Complies
60	5300	-3.60	0.22	-3.38	11.00	Complies
64	5320	-4.14	0.22	-3.92	11.00	Complies

CH52



Date: 30.JUN.2020 11:31:31

CH60



Date: 30.JUN.2020 11:34:22

CH64



Date: 30.JUN.2020 11:36:47