



深圳市深广电子科技有限公司

Shenzhen Shenguang Electronic Technology Co.,LTD

Address: Factory 401, 1165 Guangjing Road, Guihuazhuang Community,
Guanlan Street, Longhua District, Shenzhen City

客户/Client	Huizhou Aojiada Technology Co., Ltd.
名称/TYPE	G 25 X 2.3 X 8.1UH
产品型号	
Model NO	
产品编号	
Part numbering	
客户料号	
Client p/NO	
工程编号	
Enginrer NO	TQE 1800510003
日期/Date	2023-11-3

本公司工程部/For Enginrer Departner Only	
修改内容/Rvised Content	认可日期/APPproved Date

编制/Prepared

XieYanQi

审核/Checked

DuanJiaWang

认可/Approved

XieXiaoZai

客户认可回签/Authorixed Signaturure Company Chop



深圳市深广电子科技有限公司

Shenzhen Shenguang Electronic Technology Co.,LTD

Address: Factory 401, 1165 Guangjing Road, Guihuazhuang Community,
Guanlan Street, Longhua District, Shenzhen City

工程/ Enginrer	认可/QC APProved	认可日期/APProved

一、 线圈工艺/Winding Procese:

NO	winding	guage	number of windings	direction of winding	remark
1	N1	2UEW-B-0.08*24p	13TS	CCW	
2					

二. 电气性能/FEATURES:

1.测试条件 (Test conditions) : 25°C,65%RH@100KHz/1V

1.1 电感量 (Inductance)

1.11 L0A (Single coil) =3.8uH±20%

1.12 L0A(Coil + magnetic disc)=8.1uH±10%

1.2 Q=20MIN

1.3 直流电阻 (DCR) : 145mΩ MAX

1.4 工作温度(Operating Temperature): -25°C~85°C

2.Test instrument: **L:**CH1068+1310;**DCR:**502BC;**SIZE:**Callipers

3.Material List

NO	project	materials
1	WIRE	φ 0.08*24p 2UEW





深圳市深广电子科技有限公司

Shenzhen Shenguang Electronic Technology Co.,LTD

Address: Factory 401, 1165 Guangjing Road, Guihuazhuang Community,
Guanlan Street, Longhua District, Shenzhen City


2	FERRITE	G25 soft magnetism
3	GLUE	White Glue BY882
4	SOLDER	XCD-907B
5	Adhesive	double-sided adhesive
6	Magnetism	3000GS) 7.5*2.5(greater than the strength of
7		

三. 电路图/CIRCUIT DIAGRAM



Unit: MM

四. 外形图/OUTSIDE DIAGRA



	A	B	C	D	E	F	H	I	J	K
STD	24±0.5	2.7±0.2	23.7±0.4	20.5min	13.5±0.3	2.3±0.25	7.5±0.3	1±1	12±2	7.5x2.5



深圳市深广电子科技有限公司


Shenzhen Shenguang Electronic Technology Co.,LTD

Address: Factory 401, 1165 Guangjing Road, Guihuazhuang Community,
Guanlan Street, Longhua District, Shenzhen City

Unit: MM

五. 包装/PACKAGE

5.1 包装图片/Packing Picture:



5.2 包装数量 Packing Quantity

Item	数量 Quantity	规格 Material
盒 Box	256PCS	345*240*30 MM
箱子 Big Carton	768 PCS	360*250*140 MM



深圳市深广电子科技有限公司

Shenzhen Shenguang Electronic Technology Co.,LTD

Address: Factory 401, 1165 Guangjing Road, Guihuazhuang Community,
Guanlan Street, Longhua District, Shenzhen City

5.3 包装以现有包装盘为参照标准，以实际出货包装为准，如有特要求可以定制。

The packaging shall be based on the existing packing plate and the actual delivery package shall prevail .If there is any requirement,we can customize it.



深圳市深广电子科技有限公司

Shenzhen Shenguang Electronic Technology Co.,LTD

Address: Factory 401, 1165 Guangjing Road, Guihuazhuang Community,
Guanlan Street, Longhua District, Shenzhen City

六、贮存和使用条件 Storage and Use condition

6.1 贮存条件 Storage condition

6.1.1 建议贮存条件：温度 $-25^{\circ}\text{C} \sim 85^{\circ}\text{C}$ ，湿度 70% (Max.)

Recommended keeping conditions: $-25^{\circ}\text{C} \sim 85^{\circ}\text{C}$, 70%RH (Max.)

6.1.2 贮存期限：自生产之日起六个月内

Storage life : Within the limits of six months from being produced.

6.2 使用条件 Use condition

使用条件限制：温度 $=-25^{\circ}\text{C} \sim 85^{\circ}\text{C}$ ，湿度 $\leq 90\%$

Use condition limit: $T=-25^{\circ}\text{C} \sim 85^{\circ}\text{C}$, $\text{RH} \leq 90\%$.