




Channel Frequency-5260MHz_PW-11.5dBm_UNII-2A_1-18GHz_Vertical Polarization




Channel Frequency-5260MHz_PW-11.5dBm_UNII-2A_1-18GHz_Horizontal Polarization




Channel Frequency-5340MHz_PW-12dBm_UNII-2A_1-18GHz_Vertical Polarization




Channel Frequency-5340MHz_PW-12dBm_UNII-2A_1-18GHz_Horizontal Polarization




Channel Frequency-5500MHz_PW-9.5dBm_UNII-2C_1-18GHz_Vertical Polarization




Channel Frequency-5500MHz_PW-9.5dBm_UNII-2C_1-18GHz_Horizontal Polarization




Channel Frequency-5600MHz_PW-12dBm_UNII-2C_1-18GHz_Vertical Polarization




Channel Frequency-5600MHz_PW-12dBm_UNII-2C_1-18GHz_Horizontal Polarization




Channel Frequency-5700MHz_PW-9.5dBm_UNII-2C_1-18GHz_Vertical Polarization




Channel Frequency-5700MHz_PW-9.5dBm_UNII-2C_1-18GHz_Horizontal Polarization




Channel Frequency-5745MHz_PW-11.5dBm_UNII-3_1-18GHz_Vertical Polarization




Channel Frequency-5745MHz_PW-11.5dBm_UNII-3_1-18GHz_Horizontal Polarization



Channel Frequency-5825MHz_PW-12dBm_UNII-3_1-18GHz_Vertical Polarization




Channel Frequency-5825MHz_PW-12dBm_UNII-3_1-18GHz_Horizontal Polarization




Modulation: 802.11ac_VHT-20

Data Rate : MCS0


Channel Frequency-5180MHz_PW-11.5dBm_UNII-1_1-18GHz_Vertical Polarization




Channel Frequency-5180MHz_PW-11.5dBm_UNII-1_1-18GHz_Horizontal Polarization




Channel Frequency-5240MHz_PW-12dBm_UNII-1_1-18GHz_Vertical Polarization




Channel Frequency-5240MHz_PW-12dBm_UNII-1_1-18GHz_Horizontal Polarization




Channel Frequency-5260MHz_PW-11.5dBm_UNII-2A_1-18GHz_Vertical Polarization




Channel Frequency-5260MHz_PW-11.5dBm_UNII-2A_1-18GHz_Horizontal Polarization




Channel Frequency-5320MHz_PW-11.5dBm_UNII-2A_1-18GHz_Vertical Polarization




Channel Frequency-5320MHz_PW-11.5dBm_UNII-2A_1-18GHz_Horizontal Polarization




Channel Frequency-5500MHz_PW-11.5dBm_UNII-2C_1-18GHz_Vertical Polarization




Channel Frequency-5500MHz_PW-11.5dBm_UNII-2C_1-18GHz_Horizontal Polarization




Channel Frequency-5600MHz_PW-11.5dBm_UNII-2C_1-18GHz_Vertical Polarization




Channel Frequency-5600MHz_PW-11.5dBm_UNII-2C_1-18GHz_Horizontal Polarization




Channel Frequency-5700MHz_PW-11.5dBm_UNII-2C_1-18GHz_Vertical Polarization




Channel Frequency-5700MHz_PW-11.5dBm_UNII-2C_1-18GHz_Horizontal Polarization




Channel Frequency-5745MHz_PW-11.5dBm_UNII-3_1-18GHz_Vertical Polarization




Channel Frequency-5745MHz_PW-11.5dBm_UNII-3_1-18GHz_Horizontal Polarization



Channel Frequency-5825MHz_PW-11.5dBm_UNII-3_1-18GHz_Vertical Polarization



Channel Frequency-5825MHz_PW-11.5dBm_UNII-3_1-18GHz_Horizontal Polarization



Prüfbericht - Nr.:
Test Report No.:

IN26RGUW 001

Seite 91 von 148
Page 91 of 148

Modulation: 802.11n_HT-40MHz
Data rate: MCS0

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBμV/m)	Limit (dBμV/m)	Margin (dB)
UNII 1	38	5190	5190 (Pk)	Vertical	88.60	-	-
			5190 (Av)		79.45	-	-
			5150 (Pk)		54.00	74.00	-20.00
			5150 (Av)		34.31	54.00	-19.69
			10380 (Pk)		52.54	68.23	-15.69
			10380 (Av)		40.71	54.00	-13.29
			15570 (Pk)		54.61	68.23	-13.62
			15570 (Av)		42.74	54.00	-11.26
			5190 (Pk)	Horizontal	85.07	-	-
			5190 (Av)		74.75	-	-
			5150 (Pk)		50.10	74.00	-23.90
			5150 (Av)		32.19	54.00	-21.81
			10380 (Pk)		53.23	68.23	-15.00
			10380 (Av)		41.01	54.00	-12.99
			15570 (Pk)		54.88	68.23	-13.35
			15570 (Av)		42.34	54.00	-11.66
	46	5230	5230 (Pk)	Vertical	91.16	-	-
			5230 (Av)		81.19	-	-
			5350 (Pk)		49.18	74.00	-24.82
			5350 (Av)		31.38	54.00	-22.62
			10460 (Pk)		53.00	68.23	-15.23
			10460 (Av)		40.89	54.00	-13.11
			15690 (Pk)		53.74	68.23	-14.49
			15690 (Av)		42.20	54.00	-11.80
			5230 (Pk)	Horizontal	86.28	-	-
			5230 (Av)		76.29	-	-
			5150 (Pk)		44.13	74.00	-29.87
			5150 (Av)		30.88	54.00	-23.12
			10460 (Pk)		53.94	68.23	-14.29
			10460 (Av)		41.35	54.00	-12.65
			15690 (Pk)		53.87	68.23	-14.36
			15690 (Av)		41.77	54.00	-12.23

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBµV/m)	Limit (dBµV/m)	Margin (dB)
UNII 2a	54	5270	5270 (Pk)	Vertical	90.89	-	-
			5270 (Av)		80.23	-	-
			5350 (Pk)		47.24	74.00	-26.76
			5350 (Av)		30.64	54.00	-23.36
			10540 (Pk)		52.90	68.23	-15.33
			10540 (Av)		41.16	54.00	-12.84
			15810 (Pk)		54.10	68.23	-14.13
			15810 (Av)		41.87	54.00	-12.13
			5270 (Pk)	Horizontal	86.81	-	-
			5270 (Av)		76.05	-	-
			5350 (Pk)		43.34	74.00	-30.66
			5350 (Av)		30.35	54.00	-23.65
			10540 (Pk)		53.48	68.23	-14.75
			10540 (Av)		41.54	54.00	-12.46
			15810 (Pk)		53.73	68.23	-14.50
			15810 (Av)		41.39	54.00	-12.61
	62	5310	5310 (Pk)	Vertical	87.78	-	-
			5310 (Pk)		77.57	-	-
			5350 (Pk)		54.17	74.00	-19.83
			5350 (Pk)		33.15	54.00	-20.85
			10620 (Pk)		53.36	68.23	-14.87
			10620 (Pk)		41.20	54.00	-12.80
			15930 (Pk)		54.36	68.23	-13.87
			15930 (Av)		41.34	54.00	-12.66
			5310 (Pk)	Horizontal	83.87	-	-
			5310 (Pk)		73.87	-	-
			5350 (Pk)		49.38	74.00	-24.62
			5350 (Pk)		31.36	54.00	-22.64
			10620 (Pk)		54.01	68.23	-14.22
			10620 (Pk)		41.53	54.00	-12.47
			15930 (Pk)		53.06	68.23	-15.17
			15930 (Av)		40.82	54.00	-13.18

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBμV/m)	Limit (dBμV/m)	Margin (dB)
UNII 2c	102	5510	5510 (Pk)	Vertical	86.12	-	-
			5510 (Av)		75.85	-	-
			5460 (Pk)		49.45	74.00	-24.55
			5460 (Av)		32.10	54.00	-21.90
			11020 (Pk)		54.21	68.23	-14.02
			11020 (Av)		42.15	54.00	-11.85
			16530 (Pk)		53.37	68.23	-14.86
			16530 (Av)		41.45	54.00	-12.55
			5510 (Pk)	Horizontal	82.38	-	-
			5510 (Av)		72.19	-	-
			5460 (Pk)		46.14	74.00	-27.86
			5460 (Av)		31.15	54.00	-22.85
			11020 (Pk)		55.44	68.23	-12.79
			11020 (Av)		42.63	54.00	-11.37
			16530 (Pk)		54.48	68.23	-13.75
			16530 (Av)		41.49	54.00	-12.51
	134	5590	5590 (Pk)	Vertical	90.60	-	-
			5590 (Av)		80.37	-	-
			5460 (Pk)		44.22	74.00	-29.78
			5460 (Av)		30.73	54.00	-23.27
			11340 (Pk)		54.42	68.23	-13.81
			11340 (Av)		42.41	54.00	-11.59
			17010 (Pk)		54.95	68.23	-13.28
			17010 (Av)		43.21	54.00	-10.79
			5590 (Pk)	Horizontal	86.95	-	-
			5590 (Av)		76.47	-	-
			5460 (Pk)		43.58	74.00	-30.42
			5460 (Av)		30.69	54.00	-23.31
			11340 (Pk)		54.64	68.23	-13.59
			11340 (Av)		42.50	54.00	-11.50
			17010 (Pk)		55.03	68.23	-13.20
			17010 (Av)		42.81	54.00	-11.19
	142	5670	5670 (Pk)	Vertical	91.98	-	-
			5670 (Av)		82.03	-	-
			5460 (Pk)		44.19	74.00	-29.81
			5460 (Av)		30.71	54.00	-23.29
			11420 (Pk)		55.10	68.23	-13.13
			11420 (Av)		42.80	54.00	-11.20
			17130(Pk)		56.73	68.23	-11.50
			17130(Av)		44.56	54.00	-9.44
			5670 (Pk)	Horizontal	87.77	-	-
			5670 (Av)		76.83	-	-
			5460 (Pk)		43.39	74.00	-30.61
			5460 (Av)		30.75	54.00	-23.25
			11420 (Pk)		54.93	68.23	-13.30
			11420 (Av)		42.94	54.00	-11.06
			17130(Pk)		56.27	68.23	-11.96
			17130(Av)		44.20	54.00	-9.80

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBµV/m)	Limit (dBµV/m)	Margin (dB)
UNII 3	151	5755	5755 (Pk)	Vertical	93.17	-	-
			5755 (Av)		82.29	-	-
			5725(Pk)		63.55	122.20	-58.65
			5720(Pk)		62.10	110.80	-48.70
			5700(Pk)		54.99	105.20	-50.21
			5650(Pk)		47.18	68.20	-21.02
			11510 (Pk)		55.74	68.23	-12.49
			11510 (Av)		43.46	54.00	-10.54
			17265 (Pk)		57.10	68.23	-11.13
			17265 (Av)		44.76	54.00	-9.24
			5755 (Pk)	Horizontal	87.57	-	-
			5755 (Av)		77.26	-	-
			5725(Pk)		60.24	122.20	-61.96
			5720(Pk)		58.00	110.80	-52.80
			5700(Pk)		51.44	105.20	-53.76
			5650(Pk)		46.63	68.20	-21.57
			11510 (Pk)		55.72	68.23	-12.51
			11510 (Av)		43.65	54.00	-10.35
			17265 (Pk)		57.01	68.23	-11.22
			17265 (Av)		44.76	54.00	-9.24
	159	5795	5795 (Pk)	Vertical	93.35	-	-
			5795 (Av)		82.47	-	-
			5850 (Pk)		53.96	122.20	-68.24
			5855(Pk)		53.40	110.80	-57.40
			5875(Pk)		49.91	105.20	-55.29
			5925 (Pk)		48.58	68.20	-19.62
			11590 (Pk)		55.17	68.23	-13.06
			11590 (Av)		42.97	54.00	-11.03
			17385 (Pk)		57.43	68.23	-10.80
			17385 (Pk)		45.10	54.00	-8.90
			5795 (Pk)	Horizontal	88.87	-	-
			5795 (Av)		78.00	-	-
			5850 (Pk)		49.71	122.20	-72.49
			5855(Pk)		49.39	110.80	-61.41
			5875(Pk)		45.82	105.20	-59.38
			5925 (Pk)		44.71	68.20	-23.49
			11590 (Pk)		55.60	68.23	-12.63
			11590 (Av)		43.09	54.00	-10.91
			17385 (Pk)		57.79	68.23	-10.44
			17385 (Av)		45.29	54.00	-8.71

Prüfbericht - Nr.:

IN26RGUW 001

Seite 95 von 148

Test Report No.:

Page 95 of 148

Modulation: 802.11ac_VHT-40MHz

Data rate: MCS0

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBμV/m)	Limit (dBμV/m)	Margin (dB)
UNII 1	38	5190	5190 (Pk)	Vertical	92.54	-	-
			5190 (Av)		82.45	-	-
			5150 (Pk)		58.49	74.00	-15.51
			5150 (Av)		38.16	54.00	-15.84
			10380 (Pk)		52.45	68.23	-15.78
			10380 (Av)		40.66	54.00	-13.34
			15570 (Pk)		54.89	68.23	-13.34
			15570 (Av)		42.87	54.00	-11.13
			5190 (Pk)	Horizontal	87.99	-	-
			5190 (Av)		77.59	-	-
			5150 (Pk)		52.82	74.00	-21.18
			5150 (Av)		35.17	54.00	-18.83
			10380 (Pk)		53.53	68.23	-14.70
			10380 (Av)		41.00	54.00	-13.00
			15570 (Pk)		55.57	68.23	-12.66
			15570 (Av)		42.42	54.00	-11.58
	46	5230	5230 (Pk)	Vertical	91.12	-	-
			5230 (Av)		81.18	-	-
			5350 (Pk)		44.13	74.00	-29.87
			5350 (Av)		30.25	54.00	-23.75
			10460 (Pk)		53.10	68.23	-15.13
			10460 (Av)		41.05	54.00	-12.95
			15690 (Pk)		54.37	68.23	-13.86
			15690 (Av)		42.34	54.00	-11.66
			5230 (Pk)	Horizontal	87.13	-	-
			5230 (Av)		76.88	-	-
			5150 (Pk)		43.46	74.00	-30.54
			5150 (Av)		30.26	54.00	-23.74
			10460 (Pk)		53.89	68.23	-14.34
			10460 (Av)		41.49	54.00	-12.51
			15690 (Pk)		54.38	68.23	-13.85
			15690 (Av)		41.88	54.00	-12.12

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBµV/m)	Limit (dBµV/m)	Margin (dB)
UNII 2a	54	5270	5270 (Pk)	Vertical	91.11	-	-
			5270 (Av)		80.55	-	-
			5350 (Pk)		46.53	74.00	-27.47
			5350 (Av)		30.59	54.00	-23.41
			10540 (Pk)		53.06	68.23	-15.17
			10540 (Av)		41.06	54.00	-12.94
			15810 (Pk)		55.21	68.23	-13.02
			15810 (Av)		41.88	54.00	-12.12
			5270 (Pk)	Horizontal	86.88	-	-
			5270 (Av)		76.26	-	-
			5350 (Pk)		43.47	74.00	-30.53
			5350 (Av)		30.30	54.00	-23.70
			10540 (Pk)		52.91	68.23	-15.32
			10540 (Av)		41.42	54.00	-12.58
			15810 (Pk)		53.86	68.23	-14.37
			15810 (Av)		41.38	54.00	-12.62
	62	5310	5310 (Pk)	Vertical	90.66	-	-
			5310 (Pk)		80.10	-	-
			5350 (Pk)		57.05	74.00	-16.95
			5350 (Pk)		35.34	54.00	-18.66
			10620 (Pk)		53.62	68.23	-14.61
			10620 (Pk)		41.50	54.00	-12.50
			15930 (Pk)		53.72	68.23	-14.51
			15930 (Av)		41.46	54.00	-12.54
			5310 (Pk)	Horizontal	86.78	-	-
			5310 (Pk)		76.45	-	-
			5350 (Pk)		51.06	74.00	-22.94
			5350 (Pk)		32.63	54.00	-21.37
			10620 (Pk)		54.05	68.23	-14.18
			10620 (Pk)		41.68	54.00	-12.32
			15930 (Pk)		52.71	68.23	-15.52
			15930 (Av)		40.98	54.00	-13.02

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBµV/m)	Limit (dBµV/m)	Margin (dB)
UNII 2c	102	5510	5510 (Pk)	Vertical	90.77	-	-
			5510 (Av)		79.97	-	-
			5460 (Pk)		53.14	74.00	-20.86
			5460 (Av)		33.37	54.00	-20.63
			11020 (Pk)		54.31	68.23	-13.92
			11020 (Av)		42.16	54.00	-11.84
			16530 (Pk)	Horizontal	54.47	68.23	-13.76
			16530 (Av)		41.42	54.00	-12.58
			5510 (Pk)		85.88	-	-
			5510 (Av)		75.63	-	-
			5460 (Pk)		48.37	74.00	-25.63
			5460 (Av)		31.88	54.00	-22.12
			11020 (Pk)		54.67	68.23	-13.56
			11020 (Av)		42.65	54.00	-11.35
			16530 (Pk)		53.98	68.23	-14.25
			16530 (Av)		41.50	54.00	-12.50
	134	5590	5590 (Pk)	Vertical	91.70	-	-
			5590 (Av)		80.60	-	-
			5460 (Pk)		48.91	74.00	-25.09
			5460 (Av)		31.42	54.00	-22.58
			11340 (Pk)		54.89	68.23	-13.34
			11340 (Av)		42.37	54.00	-11.63
			17010 (Pk)	Horizontal	55.69	68.23	-12.54
			17010 (Av)		43.17	54.00	-10.83
			5590 (Pk)		87.10	-	-
			5590 (Av)		76.56	-	-
			5460 (Pk)		46.42	74.00	-27.58
			5460 (Av)		30.99	54.00	-23.01
			11340 (Pk)		55.02	68.23	-13.21
			11340 (Av)		42.48	54.00	-11.52
			17010 (Pk)		55.17	68.23	-13.06
			17010 (Av)		42.88	54.00	-11.12
	142	5670	5670 (Pk)	Vertical	92.30	-	-
			5670 (Av)		81.98	-	-
			5460 (Pk)		43.84	74.00	-30.16
			5460 (Av)		30.78	54.00	-23.22
			11420 (Pk)		54.72	68.23	-13.51
			11420 (Av)		42.53	54.00	-11.47
			17130(Pk)	Horizontal	57.85	68.23	-10.38
			17130(Av)		45.79	54.00	-8.21
			5670 (Pk)		88.12	-	-
			5670 (Av)		76.99	-	-
			5460 (Pk)		43.40	74.00	-30.60
			5460 (Av)		30.77	54.00	-23.23
			11420 (Pk)		55.82	68.23	-12.41
			11420 (Av)		42.61	54.00	-11.39
			17130(Pk)		58.76	68.23	-9.47
			17130(Av)		45.38	54.00	-8.62

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBμV/m)	Limit (dBμV/m)	Margin (dB)
UNII 3	151	5755	5755 (Pk)	Vertical	92.68	-	-
			5755 (Av)		82.38	-	-
			5725(Pk)		64.00	122.20	-58.20
			5720(Pk)		62.41	110.80	-48.39
			5700(Pk)		54.26	105.20	-50.94
			5650(Pk)		47.53	68.20	-20.67
			11510 (Pk)		55.09	68.23	-13.14
			11510 (Av)		43.17	54.00	-10.83
			17265 (Pk)		57.54	68.23	-10.69
			17265 (Av)		45.35	54.00	-8.65
			5755 (Pk)	Horizontal	88.49	-	-
			5755 (Av)		77.15	-	-
			5725(Pk)		59.49	122.20	-62.71
			5720(Pk)		58.46	110.80	-52.34
			5700(Pk)		51.23	105.20	-53.97
			5650(Pk)		45.80	68.20	-22.40
			11510 (Pk)		56.66	68.23	-11.57
			11510 (Av)		43.34	54.00	-10.66
			17265 (Pk)		57.44	68.23	-10.79
			17265 (Av)		45.39	54.00	-8.61
	159	5795	5795 (Pk)	Vertical	94.48	-	-
			5795 (Av)		83.26	-	-
			5850 (Pk)		54.27	122.20	-67.93
			5855(Pk)		52.39	110.80	-58.41
			5875(Pk)		50.30	105.20	-54.90
			5925 (Pk)		46.42	68.20	-21.78
			11590 (Pk)		55.03	68.23	-13.20
			11590 (Av)		42.62	54.00	-11.38
			17385 (Pk)		58.26	68.23	-9.97
			17385 (Pk)		45.51	54.00	-8.49
			5795 (Pk)	Horizontal	88.78	-	-
			5795 (Av)		77.77	-	-
			5850 (Pk)		49.76	122.20	-72.44
			5855(Pk)		49.67	110.80	-61.13
			5875(Pk)		45.60	105.20	-59.60
			5925 (Pk)		44.52	68.20	-23.68
			11590 (Pk)		55.33	68.23	-12.90
			11590 (Av)		42.78	54.00	-11.22
			17385 (Pk)		57.72	68.23	-10.51
			17385 (Av)		45.60	54.00	-8.40

Prüfbericht - Nr.:
Test Report No.:

IN26RGUW 001

Seite 99 von 148
Page 99 of 148

Modulation: 802.11ac_VHT-80MHz
Data rate: MCS0

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBμV/m)	Limit (dBμV/m)	Margin (dB)
UNII 1	42	5210	5210 (Pk)	Vertical	89.03	-	-
			5210 (Av)		74.70	-	-
			5150 (Pk)		52.57	74.00	-21.43
			5150 (Av)		35.44	54.00	-18.56
			10420 (Pk)		52.40	68.23	-15.83
			10420 (Av)		40.54	54.00	-13.46
			15630 (Pk)		54.89	68.23	-13.34
			15630 (Av)		42.70	54.00	-11.30
			5210 (Pk)	Horizontal	84.08	-	-
			5210 (Av)		70.30	-	-
			5150 (Pk)		49.26	74.00	-24.74
			5150 (Av)		33.19	54.00	-20.81
			10420 (Pk)		53.22	68.23	-15.01
			10420 (Av)		40.89	54.00	-13.11
			15630 (Pk)		54.57	68.23	-13.66
			15630 (Av)		42.20	54.00	-11.80
UNII 2a	58	5290	5290 (Pk)	Vertical	86.58	-	-
			5290 (Av)		73.36	-	-
			5350 (Pk)		49.58	74.00	-24.42
			5350 (Av)		33.14	54.00	-20.86
			10580 (Pk)		53.54	68.23	-14.69
			10580 (Av)		40.99	54.00	-13.01
			15870 (Pk)		54.62	68.23	-13.61
			15870 (Av)		42.28	54.00	-11.72
			5290 (Pk)	Horizontal	82.82	-	-
			5290 (Av)		68.77	-	-
			5350 (Pk)		46.76	74.00	-27.24
			5350 (Av)		31.31	54.00	-22.69
			10580 (Pk)		53.99	68.23	-14.24
			10580 (Av)		41.38	54.00	-12.62
			15870 (Pk)		53.40	68.23	-14.83
			15870 (Av)		41.78	54.00	-12.22

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBµV/m)	Limit (dBµV/m)	Margin (dB)
UNII 2c	106	5530	5530 (Pk)	Vertical	87.35	-	-
			5530 (Av)		73.88	-	-
			5460 (Pk)		50.42	74.00	-23.58
			5460 (Av)		35.11	54.00	-18.89
			11060 (Pk)		53.46	68.23	-14.77
			11060 (Av)		41.74	54.00	-12.26
			16590 (Pk)		55.57	68.23	-12.66
			16590 (Av)		43.49	54.00	-10.51
			5530 (Pk)	Horizontal	83.80	-	-
			5530 (Av)		70.05	-	-
			5460 (Pk)		47.04	74.00	-26.96
			5460 (Av)		32.74	54.00	-21.26
			11060 (Pk)		54.91	68.23	-13.32
			11060 (Av)		42.13	54.00	-11.87
			16590 (Pk)		55.85	68.23	-12.38
			16590 (Av)		43.60	54.00	-10.40
	138	5610	5690 (Pk)	Vertical	88.40	-	-
			5690 (Av)		75.04	-	-
			5460 (Pk)		44.35	74.00	-29.65
			5460 (Av)		31.83	54.00	-22.17
			11380 (Pk)		55.32	68.23	-12.91
			11380 (Av)		42.54	54.00	-11.46
			17070 (Pk)		56.23	68.23	-12.00
			17070 (Av)		44.60	54.00	-9.40
			5690 (Pk)	Horizontal	86.70	-	-
			5690 (Av)		71.79	-	-
			5460 (Pk)		44.06	74.00	-29.94
			5460 (Av)		31.18	54.00	-22.82
			11380 (Pk)		54.47	68.23	-13.76
			11380 (Av)		42.71	54.00	-11.29
			17070 (Pk)		56.45	68.23	-11.78
			17070 (Av)		44.28	54.00	-9.72

UNII Bands	Channel No.	Channel Frequency (MHz)	Measured Frequency (MHz)	Antenna Polarization	Measured Emission (dBµV/m)	Limit (dBµV/m)	Margin (dB)
UNII 3	155	5775	5775 (Pk)	Vertical	90.98	-	-
			5775 (Pk)		76.71	-	-
			5725(Pk)		60.20	122.20	-62.00
			5720(Pk)		55.89	110.80	-54.91
			5700(Pk)		51.81	105.20	-53.39
			5650(Pk)		46.84	68.20	-21.36
			11550 (Pk)		55.06	68.23	-13.17
			11550 (Av)		42.92	54.00	-11.08
			17325 (Pk)		58.38	68.23	-9.85
			17325 (Av)		45.52	54.00	-8.48
			5775 (Pk)	Horizontal	85.95	-	-
			5775 (Pk)		71.90	-	-
			5725(Pk)		56.36	122.20	-65.84
			5720(Pk)		53.50	110.80	-57.30
			5700(Pk)		50.84	105.20	-54.36
			5650(Pk)		47.27	68.20	-20.93
			11550 (Pk)		55.03	68.23	-13.20
			11550 (Av)		43.12	54.00	-10.88
			17325 (Pk)		57.22	68.23	-11.01
			17325 (Av)		45.39	54.00	-8.61


WiFi 5GHz

Restricted Bands of Operations


Modulation: 802.11n_HT-40MHz

Data Rate : MCS0


Channel Frequency-5190MHz_PW-9.5dBm_UNII-1_1-18GHz_Vertical Polarization




Channel Frequency-5190MHz_PW-9.5dBm_UNII-1_1-18GHz_Horizontal Polarization




Channel Frequency-5230MHz_PW-12dBm_UNII-1_1-18GHz_Vertical Polarization




Channel Frequency-5230MHz_PW-12dBm_UNII-1_1-18GHz_Horizontal Polarization




Channel Frequency-5270MHz_PW-12dBm_UNII-2A_1-18GHz_Vertical Polarization




Channel Frequency-5270MHz_PW-12dBm_UNII-2A_1-18GHz_Horizontal Polarization




Channel Frequency-5310MHz_PW-10dBm_UNII-2A_1-18GHz_Vertical Polarization




Channel Frequency-5310MHz_PW-10dBm_UNII-2A_1-18GHz_Horizontal Polarization




Channel Frequency-5510MHz_PW-8.5dBm_UNII-2C_1-18GHz_Vertical Polarization




Channel Frequency-5510MHz_PW-8.5dBm_UNII-2C_1-18GHz_Horizontal Polarization




Channel Frequency-5590MHz_PW-12dBm_UNII-2C_1-18GHz_Vertical Polarization




Channel Frequency-5590MHz_PW-12dBm_UNII-2C_1-18GHz_Horizontal Polarization




Channel Frequency-5670MHz_PW-12dBm_UNII-2C_1-18GHz_Vertical Polarization




Channel Frequency-5670MHz_PW-12dBm_UNII-2C_1-18GHz_Horizontal Polarization




Channel Frequency-5755MHz_PW-12.5dBm_UNII-3_1-18GHz_Vertical Polarization



Channel Frequency-5755MHz_PW-12.5dBm_UNII-3_1-18GHz_Horizontal Polarization



Channel Frequency-5795MHz_PW-12.5dBm_UNII-3_1-18GHz_Vertical Polarization



Channel Frequency-5795MHz_PW-12.5dBm_UNII-3_1-18GHz_Horizontal Polarization

