

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.38022G	38.57	54.00	-15.43	3	Vertical	65	1.16
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.39876G	40.32	54.00	-13.68	3	Horizontal	68	1.98
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	11.94269G	39.08	54.00	-14.92	3	Horizontal	6	1.81
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	11.97513G	38.81	54.00	-15.19	3	Horizontal	321	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.69014G	39.47	54.00	-14.53	3	Vertical	41	1.55
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.86734G	39.58	68.20	-28.62	3	Vertical	339	1.50
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	12.95256G	40.19	68.20	-28.01	3	Vertical	12	2.13
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	12.97063G	39.88	68.20	-28.32	3	Vertical	189	1.50
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	12.93294G	39.73	68.20	-28.47	3	Vertical	21	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	12.93176G	39.55	68.20	-28.65	3	Vertical	43	2.52
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.3953G	39.95	54.00	-14.05	3	Horizontal	9	2.51
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	13.38914G	40.45	54.00	-13.55	3	Horizontal	151	1.17
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	13.36172G	39.94	54.00	-14.06	3	Horizontal	315	1.46
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	13.25006G	39.95	54.00	-14.05	3	Horizontal	19	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	13.2964G	40.01	54.00	-13.99	3	Horizontal	193	1.31
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.125G	66.58	68.20	-1.62	3	Vertical	23	1.82
802.11be EHT20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	63.53	68.20	-4.67	3	Vertical	21	1.87
802.11be EHT40_Nss1,(MCS0)_2TX	Pass	AV	7.2323G	46.21	68.20	-21.99	3	Vertical	23	1.79
802.11be EHT80_Nss1,(MCS0)_2TX	Pass	AV	7.1261G	46.02	68.20	-22.18	3	Vertical	22	1.73
802.11be EHT160_Nss1,(MCS0)_2TX	Pass	AV	7.125G	49.17	68.20	-19.03	3	Vertical	24	1.57

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.925G	43.01	68.20	-25.19	3	Vertical	343	1.08
5955MHz	Pass	AV	5.9544G	96.51	Inf	-Inf	3	Vertical	343	1.08
5955MHz	Pass	PK	5.9025G	56.61	88.20	-31.59	3	Vertical	343	1.08
5955MHz	Pass	PK	5.9544G	106.87	Inf	-Inf	3	Vertical	343	1.08
5955MHz	Pass	AV	11.91566G	38.46	54.00	-15.54	3	Vertical	323	3.00
5955MHz	Pass	PK	11.90444G	53.11	74.00	-20.89	3	Vertical	323	3.00
5955MHz	Pass	AV	11.91186G	38.51	54.00	-15.49	3	Horizontal	106	1.50
5955MHz	Pass	PK	11.89626G	52.83	74.00	-21.17	3	Horizontal	106	1.50
6195MHz	Pass	AV	12.38022G	38.57	54.00	-15.43	3	Vertical	65	1.16
6195MHz	Pass	PK	12.39872G	52.17	74.00	-21.83	3	Vertical	65	1.16
6195MHz	Pass	AV	12.38036G	38.56	54.00	-15.44	3	Horizontal	49	2.01
6195MHz	Pass	PK	12.38234G	53.00	74.00	-21.00	3	Horizontal	49	2.01
6415MHz	Pass	AV	12.83762G	39.51	68.20	-28.69	3	Vertical	201	1.50
6415MHz	Pass	PK	12.83292G	53.69	88.20	-34.51	3	Vertical	201	1.50
6415MHz	Pass	AV	12.83968G	39.50	68.20	-28.70	3	Horizontal	44	1.24
6415MHz	Pass	PK	12.82688G	53.44	88.20	-34.76	3	Horizontal	44	1.24
6435MHz	Pass	AV	12.86734G	39.58	68.20	-28.62	3	Vertical	339	1.50
6435MHz	Pass	PK	12.86658G	53.44	88.20	-34.76	3	Vertical	339	1.50
6435MHz	Pass	AV	12.8652G	39.57	68.20	-28.63	3	Horizontal	162	1.43
6435MHz	Pass	PK	12.86944G	53.73	88.20	-34.47	3	Horizontal	162	1.43
6475MHz	Pass	AV	12.95006G	39.56	68.20	-28.64	3	Vertical	46	1.13
6475MHz	Pass	PK	12.95752G	55.12	88.20	-33.08	3	Vertical	46	1.13
6475MHz	Pass	AV	12.95198G	39.47	68.20	-28.73	3	Horizontal	126	1.50
6475MHz	Pass	PK	12.9432G	54.28	88.20	-33.92	3	Horizontal	126	1.50
6515MHz	Pass	AV	13.03004G	39.51	68.20	-28.69	3	Vertical	42	1.50
6515MHz	Pass	PK	13.026G	54.18	88.20	-34.02	3	Vertical	42	1.50
6515MHz	Pass	AV	13.02284G	39.38	68.20	-28.82	3	Horizontal	356	2.43
6515MHz	Pass	PK	13.02108G	54.02	88.20	-34.18	3	Horizontal	356	2.43
6535MHz	Pass	AV	13.07728G	39.33	68.20	-28.87	3	Vertical	221	1.50
6535MHz	Pass	PK	13.07174G	53.68	88.20	-34.52	3	Vertical	221	1.50
6535MHz	Pass	AV	13.07598G	39.33	68.20	-28.87	3	Horizontal	316	1.50
6535MHz	Pass	PK	13.06812G	53.69	88.20	-34.51	3	Horizontal	316	1.50
6695MHz	Pass	AV	13.38732G	39.93	54.00	-14.07	3	Vertical	87	1.76
6695MHz	Pass	PK	13.3828G	55.12	74.00	-18.88	3	Vertical	87	1.76
6695MHz	Pass	AV	13.3953G	39.95	54.00	-14.05	3	Horizontal	9	2.51
6695MHz	Pass	PK	13.382G	54.17	74.00	-19.83	3	Horizontal	9	2.51
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74028G	40.23	68.20	-27.97	3	Vertical	142	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.7405G	54.45	88.20	-33.75	3	Vertical	142	1.50
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74284G	40.23	68.20	-27.97	3	Horizontal	73	2.01
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74326G	55.50	88.20	-32.70	3	Horizontal	73	2.01
6895MHz	Pass	AV	13.7974G	40.28	68.20	-27.92	3	Vertical	356	1.50
6895MHz	Pass	PK	13.78986G	54.66	88.20	-33.54	3	Vertical	356	1.50
6895MHz	Pass	AV	13.79932G	40.26	68.20	-27.94	3	Horizontal	197	2.66
6895MHz	Pass	PK	13.78492G	55.58	88.20	-32.62	3	Horizontal	197	2.66
6995MHz	Pass	AV	13.98894G	40.89	68.20	-27.31	3	Vertical	318	2.86
6995MHz	Pass	PK	13.99152G	56.08	88.20	-32.12	3	Vertical	318	2.86
6995MHz	Pass	AV	13.99026G	40.86	68.20	-27.34	3	Horizontal	83	2.67
6995MHz	Pass	PK	13.9835G	56.17	88.20	-32.03	3	Horizontal	83	2.67
7095MHz	Pass	AV	14.18442G	41.71	68.20	-26.49	3	Vertical	301	1.50
7095MHz	Pass	PK	14.18522G	55.64	88.20	-32.56	3	Vertical	301	1.50
7095MHz	Pass	AV	14.18472G	41.63	68.20	-26.57	3	Horizontal	355	1.50
7095MHz	Pass	PK	14.19784G	56.15	88.20	-32.05	3	Horizontal	355	1.50
7115MHz	Pass	AV	7.1155G	92.28	Inf	-Inf	3	Vertical	23	1.82
7115MHz	Pass	AV	7.125G	66.58	68.20	-1.62	3	Vertical	23	1.82
7115MHz	Pass	PK	7.1157G	101.96	Inf	-Inf	3	Vertical	23	1.82
7115MHz	Pass	PK	7.1252G	83.09	88.20	-5.11	3	Vertical	23	1.82
7115MHz	Pass	AV	14.22998G	41.48	68.20	-26.72	3	Vertical	95	1.50
7115MHz	Pass	PK	14.23378G	56.25	88.20	-31.95	3	Vertical	95	1.50
7115MHz	Pass	AV	14.2299G	41.46	68.20	-26.74	3	Horizontal	341	1.50
7115MHz	Pass	PK	14.2382G	56.00	88.20	-32.20	3	Horizontal	341	1.50

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9172G	43.24	68.20	-24.96	3	Vertical	344	1.13
5955MHz	Pass	AV	5.9544G	97.23	Inf	-Inf	3	Vertical	344	1.13
5955MHz	Pass	PK	5.8776G	56.76	88.20	-31.44	3	Vertical	344	1.13
5955MHz	Pass	PK	5.9532G	109.01	Inf	-Inf	3	Vertical	344	1.13
5955MHz	Pass	AV	11.91506G	38.82	54.00	-15.18	3	Vertical	217	1.53
5955MHz	Pass	PK	11.9124G	52.60	74.00	-21.40	3	Vertical	217	1.53
5955MHz	Pass	AV	11.91632G	39.01	54.00	-14.99	3	Horizontal	43	1.50
5955MHz	Pass	PK	11.91224G	52.32	74.00	-21.68	3	Horizontal	43	1.50
6195MHz	Pass	AV	12.38184G	39.10	54.00	-14.90	3	Vertical	236	1.50
6195MHz	Pass	PK	12.38088G	51.92	74.00	-22.08	3	Vertical	236	1.50
6195MHz	Pass	AV	12.39876G	40.32	54.00	-13.68	3	Horizontal	68	1.98
6195MHz	Pass	PK	12.39466G	53.28	74.00	-20.72	3	Horizontal	68	1.98
6415MHz	Pass	AV	12.83836G	39.51	68.20	-28.69	3	Vertical	326	1.00
6415MHz	Pass	PK	12.83734G	53.61	88.20	-34.59	3	Vertical	326	1.00
6415MHz	Pass	AV	12.83882G	40.06	68.20	-28.14	3	Horizontal	95	1.50
6415MHz	Pass	PK	12.81545G	52.90	88.20	-35.30	3	Horizontal	95	1.50
6435MHz	Pass	AV	12.87004G	40.14	68.20	-28.06	3	Vertical	52	2.61
6435MHz	Pass	PK	12.86984G	54.00	88.20	-34.20	3	Vertical	52	2.61
6435MHz	Pass	AV	12.87082G	40.07	68.20	-28.13	3	Horizontal	262	1.80
6435MHz	Pass	PK	12.87132G	54.21	88.20	-33.99	3	Horizontal	262	1.80
6475MHz	Pass	AV	12.95256G	40.19	68.20	-28.01	3	Vertical	12	2.13
6475MHz	Pass	PK	12.94194G	53.17	88.20	-35.03	3	Vertical	12	2.13
6475MHz	Pass	AV	12.9409G	40.19	68.20	-28.01	3	Horizontal	284	1.80
6475MHz	Pass	PK	12.95804G	53.73	88.20	-34.47	3	Horizontal	284	1.80
6515MHz	Pass	AV	13.02692G	39.96	68.20	-28.24	3	Vertical	78	2.15
6515MHz	Pass	PK	13.02552G	52.78	88.20	-35.42	3	Vertical	78	2.15
6515MHz	Pass	AV	13.0201G	39.84	68.20	-28.36	3	Horizontal	330	2.74
6515MHz	Pass	PK	13.03618G	52.31	88.20	-35.89	3	Horizontal	330	2.74
6535MHz	Pass	AV	13.0754G	39.82	68.20	-28.38	3	Vertical	13	2.43
6535MHz	Pass	PK	13.06688G	51.74	88.20	-36.46	3	Vertical	13	2.43
6535MHz	Pass	AV	13.0758G	39.72	68.20	-28.48	3	Horizontal	19	1.84
6535MHz	Pass	PK	13.0662G	51.89	88.20	-36.31	3	Horizontal	19	1.84
6695MHz	Pass	AV	13.38262G	40.36	54.00	-13.64	3	Vertical	312	1.05
6695MHz	Pass	PK	13.38348G	52.12	74.00	-21.88	3	Vertical	312	1.05
6695MHz	Pass	AV	13.38914G	40.45	54.00	-13.55	3	Horizontal	151	1.17
6695MHz	Pass	PK	13.38248G	53.92	74.00	-20.08	3	Horizontal	151	1.17
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.7401G	40.22	68.20	-27.98	3	Vertical	118	1.78
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74618G	52.68	88.20	-35.52	3	Vertical	118	1.78
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74332G	40.62	68.20	-27.58	3	Horizontal	36	1.58
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74664G	53.50	88.20	-34.70	3	Horizontal	36	1.58
6895MHz	Pass	AV	13.79726G	40.45	68.20	-27.75	3	Vertical	169	2.79
6895MHz	Pass	PK	13.79644G	52.95	88.20	-35.25	3	Vertical	169	2.79
6895MHz	Pass	AV	13.79818G	40.48	68.20	-27.72	3	Horizontal	65	2.04
6895MHz	Pass	PK	13.79394G	52.74	88.20	-35.46	3	Horizontal	65	2.04
6995MHz	Pass	AV	13.98046G	40.79	68.20	-27.41	3	Vertical	14	1.41
6995MHz	Pass	PK	13.99422G	54.19	88.20	-34.01	3	Vertical	14	1.41
6995MHz	Pass	AV	13.98908G	40.66	68.20	-27.54	3	Horizontal	112	2.74
6995MHz	Pass	PK	13.98934G	53.47	88.20	-34.73	3	Horizontal	112	2.74
7095MHz	Pass	AV	7.0941G	97.24	Inf	-Inf	3	Vertical	20	1.79
7095MHz	Pass	AV	7.245G	46.28	68.20	-21.92	3	Vertical	20	1.79
7095MHz	Pass	PK	7.0959G	109.43	Inf	-Inf	3	Vertical	20	1.79
7095MHz	Pass	PK	7.2222G	60.11	88.20	-28.09	3	Vertical	20	1.79
7095MHz	Pass	AV	14.19544G	42.09	68.20	-26.11	3	Vertical	36	2.35
7095MHz	Pass	PK	14.18796G	55.28	88.20	-32.92	3	Vertical	36	2.35
7095MHz	Pass	AV	14.1993G	42.25	68.20	-25.95	3	Horizontal	240	2.39
7095MHz	Pass	PK	14.19714G	53.89	88.20	-34.31	3	Horizontal	240	2.39
7115MHz	Pass	AV	7.1145G	100.22	Inf	-Inf	3	Vertical	21	1.87
7115MHz	Pass	AV	7.1255G	63.53	68.20	-4.67	3	Vertical	21	1.87
7115MHz	Pass	PK	7.1145G	106.44	Inf	-Inf	3	Vertical	21	1.87
7115MHz	Pass	PK	7.1255G	76.96	88.20	-11.24	3	Vertical	21	1.87
7115MHz	Pass	AV	14.22948G	42.04	68.20	-26.16	3	Vertical	336	1.87

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	PK	14.2352G	54.44	88.20	-33.76	3	Vertical	336	1.87
7115MHz	Pass	AV	14.22782G	41.94	68.20	-26.26	3	Horizontal	33	1.45
7115MHz	Pass	PK	14.22058G	54.53	88.20	-33.67	3	Horizontal	33	1.45
802.11be EHT40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9206G	43.82	68.20	-24.38	3	Vertical	7	1.15
5965MHz	Pass	AV	5.962G	95.55	Inf	-Inf	3	Vertical	7	1.15
5965MHz	Pass	PK	5.9221G	57.57	88.20	-30.63	3	Vertical	7	1.15
5965MHz	Pass	PK	5.9605G	107.98	Inf	-Inf	3	Vertical	7	1.15
5965MHz	Pass	AV	11.94341G	39.06	54.00	-14.94	3	Vertical	144	1.50
5965MHz	Pass	PK	11.94419G	51.93	74.00	-22.07	3	Vertical	144	1.50
5965MHz	Pass	AV	11.94269G	39.08	54.00	-14.92	3	Horizontal	6	1.81
5965MHz	Pass	PK	11.94017G	52.62	74.00	-21.38	3	Horizontal	6	1.81
6205MHz	Pass	AV	12.41162G	38.58	54.00	-15.42	3	Vertical	320	2.58
6205MHz	Pass	PK	12.41147G	52.27	74.00	-21.73	3	Vertical	320	2.58
6205MHz	Pass	AV	12.3983G	38.57	54.00	-15.43	3	Horizontal	47	1.85
6205MHz	Pass	PK	12.39677G	53.04	74.00	-20.96	3	Horizontal	47	1.85
6405MHz	Pass	AV	12.80848G	39.60	68.20	-28.60	3	Vertical	226	1.50
6405MHz	Pass	PK	12.81156G	53.88	88.20	-34.32	3	Vertical	226	1.50
6405MHz	Pass	AV	12.81004G	39.78	68.20	-28.42	3	Horizontal	55	1.50
6405MHz	Pass	PK	12.8176G	53.73	88.20	-34.47	3	Horizontal	55	1.50
6445MHz	Pass	AV	12.90371G	39.59	68.20	-28.61	3	Vertical	214	1.11
6445MHz	Pass	PK	12.88682G	53.64	88.20	-34.56	3	Vertical	214	1.11
6445MHz	Pass	AV	12.90371G	39.85	68.20	-28.35	3	Horizontal	113	1.50
6445MHz	Pass	PK	12.90341G	52.61	88.20	-35.59	3	Horizontal	113	1.50
6485MHz	Pass	AV	12.97063G	39.88	68.20	-28.32	3	Vertical	189	1.50
6485MHz	Pass	PK	12.96985G	52.88	88.20	-35.32	3	Vertical	189	1.50
6485MHz	Pass	AV	12.9784G	39.86	68.20	-28.34	3	Horizontal	252	1.50
6485MHz	Pass	PK	12.97738G	52.93	88.20	-35.27	3	Horizontal	252	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.0371G	39.38	68.20	-28.82	3	Vertical	360	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04118G	53.90	88.20	-34.30	3	Vertical	360	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04094G	39.37	68.20	-28.83	3	Horizontal	112	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04559G	53.28	88.20	-34.92	3	Horizontal	112	1.50
6565MHz	Pass	AV	13.13789G	39.68	68.20	-28.52	3	Vertical	178	1.50
6565MHz	Pass	PK	13.14449G	53.14	88.20	-35.06	3	Vertical	178	1.50
6565MHz	Pass	AV	13.14131G	39.67	68.20	-28.53	3	Horizontal	65	2.79
6565MHz	Pass	PK	13.14464G	53.87	88.20	-34.33	3	Horizontal	65	2.79
6685MHz	Pass	AV	13.37102G	39.93	54.00	-14.07	3	Vertical	263	1.14
6685MHz	Pass	PK	13.36334G	53.74	74.00	-20.26	3	Vertical	263	1.14
6685MHz	Pass	AV	13.36172G	39.94	54.00	-14.06	3	Horizontal	315	1.46
6685MHz	Pass	PK	13.38254G	53.39	74.00	-20.61	3	Horizontal	315	1.46
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76968G	40.36	68.20	-27.84	3	Vertical	78	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.7576G	54.85	88.20	-33.35	3	Vertical	78	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.7666G	40.33	68.20	-27.87	3	Horizontal	194	2.55
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.75768G	55.67	88.20	-32.53	3	Horizontal	194	2.55
6925MHz	Pass	AV	13.86552G	40.33	68.20	-27.87	3	Vertical	199	1.76
6925MHz	Pass	PK	13.86156G	55.05	88.20	-33.15	3	Vertical	199	1.76
6925MHz	Pass	AV	13.83088G	40.33	68.20	-27.87	3	Horizontal	3	1.50
6925MHz	Pass	PK	13.86844G	54.94	88.20	-33.26	3	Horizontal	3	1.50
7005MHz	Pass	AV	14.02164G	41.05	68.20	-27.15	3	Vertical	102	1.22
7005MHz	Pass	PK	14.02732G	55.41	88.20	-32.79	3	Vertical	102	1.22
7005MHz	Pass	AV	14.02152G	41.04	68.20	-27.16	3	Horizontal	321	1.50
7005MHz	Pass	PK	14.01808G	55.93	88.20	-32.27	3	Horizontal	321	1.50
7085MHz	Pass	AV	7.0862G	97.23	Inf	-Inf	3	Vertical	23	1.79
7085MHz	Pass	AV	7.2323G	46.21	68.20	-21.99	3	Vertical	23	1.79
7085MHz	Pass	PK	7.0856G	109.80	Inf	-Inf	3	Vertical	23	1.79
7085MHz	Pass	PK	7.2308G	59.91	88.20	-28.29	3	Vertical	23	1.79
7085MHz	Pass	AV	14.15104G	41.82	68.20	-26.38	3	Vertical	43	1.22
7085MHz	Pass	PK	14.1836G	56.45	88.20	-31.75	3	Vertical	43	1.22
7085MHz	Pass	AV	14.15172G	41.82	68.20	-26.38	3	Horizontal	9	2.99
7085MHz	Pass	PK	14.175G	56.47	88.20	-31.73	3	Horizontal	9	2.99
802.11be EHT80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.924G	42.97	68.20	-25.23	3	Vertical	344	1.01

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.9835G	96.93	Inf	-Inf	3	Vertical	344	1.01
5985MHz	Pass	PK	5.9235G	55.83	88.20	-32.37	3	Vertical	344	1.01
5985MHz	Pass	PK	5.9835G	109.37	Inf	-Inf	3	Vertical	344	1.01
5985MHz	Pass	AV	11.9748G	38.80	54.00	-15.20	3	Vertical	88	1.50
5985MHz	Pass	PK	11.95848G	53.19	74.00	-20.81	3	Vertical	88	1.50
5985MHz	Pass	AV	11.97513G	38.81	54.00	-15.19	3	Horizontal	321	1.50
5985MHz	Pass	PK	11.95926G	52.75	74.00	-21.25	3	Horizontal	321	1.50
6225MHz	Pass	AV	12.46341G	38.66	54.00	-15.34	3	Vertical	39	1.07
6225MHz	Pass	PK	12.4647G	52.36	74.00	-21.64	3	Vertical	39	1.07
6225MHz	Pass	AV	12.46269G	38.63	54.00	-15.37	3	Horizontal	127	1.50
6225MHz	Pass	PK	12.45516G	53.21	74.00	-20.79	3	Horizontal	127	1.50
6385MHz	Pass	AV	12.75737G	39.59	68.20	-28.61	3	Vertical	191	1.50
6385MHz	Pass	PK	12.76616G	53.03	88.20	-35.17	3	Vertical	191	1.50
6385MHz	Pass	AV	12.75671G	39.61	68.20	-28.59	3	Horizontal	205	2.39
6385MHz	Pass	PK	12.77048G	53.62	88.20	-34.58	3	Horizontal	205	2.39
6465MHz	Pass	AV	12.93294G	39.73	68.20	-28.47	3	Vertical	21	1.50
6465MHz	Pass	PK	12.9357G	54.33	88.20	-33.87	3	Vertical	21	1.50
6465MHz	Pass	AV	12.93288G	39.72	68.20	-28.48	3	Horizontal	11	1.62
6465MHz	Pass	PK	12.91503G	54.18	88.20	-34.02	3	Horizontal	11	1.62
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.07878G	39.40	68.20	-28.80	3	Vertical	270	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08685G	54.08	88.20	-34.12	3	Vertical	270	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.10356G	39.40	68.20	-28.80	3	Horizontal	214	1.27
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.10035G	53.16	88.20	-35.04	3	Horizontal	214	1.27
6625MHz	Pass	AV	13.25924G	39.94	54.00	-14.06	3	Vertical	306	1.17
6625MHz	Pass	PK	13.23605G	53.77	88.20	-34.43	3	Vertical	306	1.17
6625MHz	Pass	AV	13.25006G	39.95	54.00	-14.05	3	Horizontal	19	1.50
6625MHz	Pass	PK	13.24616G	54.36	88.20	-33.84	3	Horizontal	19	1.50
6705MHz	Pass	AV	13.42101G	40.19	68.20	-28.01	3	Vertical	155	1.64
6705MHz	Pass	PK	13.40484G	54.27	88.20	-33.93	3	Vertical	155	1.64
6705MHz	Pass	AV	13.42116G	40.17	68.20	-28.03	3	Horizontal	283	2.36
6705MHz	Pass	PK	13.41618G	54.82	88.20	-33.38	3	Horizontal	283	2.36
6785MHz	Pass	AV	13.56001G	40.72	68.20	-27.48	3	Vertical	216	1.50
6785MHz	Pass	PK	13.57285G	55.21	88.20	-32.99	3	Vertical	216	1.50
6785MHz	Pass	AV	13.56004G	40.75	68.20	-27.45	3	Horizontal	252	1.80
6785MHz	Pass	PK	13.55881G	54.29	88.20	-33.91	3	Horizontal	252	1.80
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73543G	40.31	68.20	-27.89	3	Vertical	184	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73387G	53.59	88.20	-34.61	3	Vertical	184	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.7357G	40.36	68.20	-27.84	3	Horizontal	187	1.80
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.72262G	54.04	88.20	-34.16	3	Horizontal	187	1.80
6945MHz	Pass	AV	13.89303G	40.49	68.20	-27.71	3	Vertical	280	1.20
6945MHz	Pass	PK	13.88442G	53.51	88.20	-34.69	3	Vertical	280	1.20
6945MHz	Pass	AV	13.8948G	40.47	68.20	-27.73	3	Horizontal	168	1.50
6945MHz	Pass	PK	13.89072G	53.84	88.20	-34.36	3	Horizontal	168	1.50
7025MHz	Pass	AV	7.0262G	97.67	Inf	-Inf	3	Vertical	22	1.73
7025MHz	Pass	AV	7.1261G	46.02	68.20	-22.18	3	Vertical	22	1.73
7025MHz	Pass	PK	7.0271G	110.04	Inf	-Inf	3	Vertical	22	1.73
7025MHz	Pass	PK	7.1303G	59.28	88.20	-28.92	3	Vertical	22	1.73
7025MHz	Pass	AV	14.05399G	41.37	68.20	-26.83	3	Vertical	0	1.50
7025MHz	Pass	PK	14.05552G	55.48	88.20	-32.72	3	Vertical	0	1.50
7025MHz	Pass	AV	14.05321G	41.61	68.20	-26.59	3	Horizontal	130	2.59
7025MHz	Pass	PK	14.05801G	55.82	88.20	-32.38	3	Horizontal	130	2.59
802.11be EHT 160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	46.76	68.20	-21.44	3	Vertical	345	1.02
6025MHz	Pass	AV	6.023G	97.05	Inf	-Inf	3	Vertical	345	1.02
6025MHz	Pass	PK	5.922G	65.46	88.20	-22.74	3	Vertical	345	1.02
6025MHz	Pass	PK	6.0425G	109.51	Inf	-Inf	3	Vertical	345	1.02
6025MHz	Pass	AV	11.97416G	39.05	54.00	-14.95	3	Vertical	338	1.82
6025MHz	Pass	PK	12.04648G	52.88	74.00	-21.12	3	Vertical	338	1.82
6025MHz	Pass	AV	11.97512G	38.90	54.00	-15.10	3	Horizontal	17	2.04
6025MHz	Pass	PK	12.0412G	53.23	74.00	-20.77	3	Horizontal	17	2.04
6185MHz	Pass	AV	12.36856G	38.67	54.00	-15.33	3	Vertical	336	1.50
6185MHz	Pass	PK	12.3164G	53.46	74.00	-20.54	3	Vertical	336	1.50




RSE TX above 1GHz_Non-Beamforming

Appendix F.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	AV	12.37G	38.68	54.00	-15.32	3	Horizontal	34	2.26
6185MHz	Pass	PK	12.42696G	53.58	74.00	-20.42	3	Horizontal	34	2.26
6345MHz	Pass	AV	12.69014G	39.47	54.00	-14.53	3	Vertical	41	1.55
6345MHz	Pass	PK	12.68816G	52.99	74.00	-21.01	3	Vertical	41	1.55
6345MHz	Pass	AV	12.6875G	39.35	54.00	-14.65	3	Horizontal	287	1.50
6345MHz	Pass	PK	12.69069G	53.39	74.00	-20.61	3	Horizontal	287	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	12.93176G	39.55	68.20	-28.65	3	Vertical	43	2.52
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.03864G	54.30	88.20	-33.90	3	Vertical	43	2.52
6505MHz Straddle 6.425-6.525GHz	Pass	AV	12.93176G	39.54	68.20	-28.66	3	Horizontal	272	1.30
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.02808G	54.15	88.20	-34.05	3	Horizontal	272	1.30
6665MHz	Pass	AV	13.29832G	40.00	54.00	-14.00	3	Vertical	345	1.50
6665MHz	Pass	PK	13.40616G	54.86	88.20	-33.34	3	Vertical	345	1.50
6665MHz	Pass	AV	13.2964G	40.01	54.00	-13.99	3	Horizontal	193	1.31
6665MHz	Pass	PK	13.3708G	54.32	74.00	-19.68	3	Horizontal	193	1.31
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.5724G	40.44	68.20	-27.76	3	Vertical	270	1.50
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.69144G	54.78	88.20	-33.42	3	Vertical	270	1.50
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.57128G	40.47	68.20	-27.73	3	Horizontal	327	1.50
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.66904G	55.17	88.20	-33.03	3	Horizontal	327	1.50
6985MHz	Pass	AV	6.9865G	97.49	Inf	-Inf	3	Vertical	24	1.57
6985MHz	Pass	AV	7.125G	49.17	68.20	-19.03	3	Vertical	24	1.57
6985MHz	Pass	PK	7.005G	109.95	Inf	-Inf	3	Vertical	24	1.57
6985MHz	Pass	PK	7.1265G	61.80	88.20	-26.40	3	Vertical	24	1.57
6985MHz	Pass	AV	14.04968G	41.13	68.20	-27.07	3	Vertical	360	1.50
6985MHz	Pass	PK	14.03992G	55.77	88.20	-32.43	3	Vertical	360	1.50
6985MHz	Pass	AV	14.05G	41.12	68.20	-27.08	3	Horizontal	273	2.40
6985MHz	Pass	PK	14.02584G	55.11	88.20	-33.09	3	Horizontal	273	2.40


5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11a_Nss1,(6Mbps)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6345MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6435MHz_TX




6.425-6.525GHz_802.11a_Nss1,(6Mbps)_2TX

6435MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6665MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11a_Nss1,(6Mbps)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)				
AV	14.05G	41.12	68.20	-27.08	11.45	3	Horizontal	273	2.40	29.67	40.30	9.53	38.38				
PK	14.02584G	55.11	88.20	-33.09	11.39	3	Horizontal	273	2.40	43.72	40.25	9.52	38.38				

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.40101G	43.13	54.00	-10.87	3	Horizontal	68	1.98
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	11.94332G	42.09	54.00	-11.91	3	Horizontal	6	1.81
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	11.97462G	41.82	54.00	-12.18	3	Horizontal	321	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.69018G	42.37	54.00	-11.63	3	Vertical	41	1.55
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.93713G	43.21	68.20	-24.99	3	Horizontal	284	1.80
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.9038G	42.87	68.20	-25.33	3	Vertical	214	1.11
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.93222G	42.71	68.20	-25.49	3	Vertical	21	1.50
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.01015G	42.72	68.20	-25.48	3	Vertical	43	2.52
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39624G	43.43	54.00	-10.57	3	Vertical	312	1.05
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37099G	42.94	54.00	-11.06	3	Vertical	263	1.14
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.25657G	42.94	54.00	-11.06	3	Vertical	306	1.17
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.32235G	43.16	54.00	-10.84	3	Horizontal	193	1.31
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	66.67	68.20	-1.53	3	Vertical	21	1.87
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.232G	50.05	68.20	-18.15	3	Vertical	23	1.79
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	49.56	68.20	-18.64	3	Vertical	22	1.73
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.125G	52.45	68.20	-15.75	3	Vertical	24	1.57

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9106G	45.51	68.20	-22.69	3	Vertical	344	1.13
5955MHz	Pass	AV	5.9544G	100.34	Inf	-Inf	3	Vertical	344	1.13
5955MHz	Pass	PK	5.8845G	58.63	88.20	-29.57	3	Vertical	344	1.13
5955MHz	Pass	PK	5.9541G	113.07	Inf	-Inf	3	Vertical	344	1.13
5955MHz	Pass	AV	11.89524G	42.10	54.00	-11.90	3	Vertical	217	1.53
5955MHz	Pass	PK	11.90907G	54.77	74.00	-19.23	3	Vertical	217	1.53
5955MHz	Pass	AV	11.91366G	41.99	54.00	-12.01	3	Horizontal	43	1.50
5955MHz	Pass	PK	11.89755G	55.05	74.00	-18.95	3	Horizontal	43	1.50
6195MHz	Pass	AV	12.3759G	41.99	54.00	-12.01	3	Vertical	236	1.50
6195MHz	Pass	PK	12.38292G	54.10	74.00	-19.90	3	Vertical	236	1.50
6195MHz	Pass	AV	12.40101G	43.13	54.00	-10.87	3	Horizontal	68	1.98
6195MHz	Pass	PK	12.38859G	55.77	74.00	-18.23	3	Horizontal	68	1.98
6415MHz	Pass	AV	12.84278G	43.00	68.20	-25.20	3	Vertical	326	1.00
6415MHz	Pass	PK	12.84272G	55.78	88.20	-32.42	3	Vertical	326	1.00
6415MHz	Pass	AV	12.83804G	42.96	68.20	-25.24	3	Horizontal	95	1.50
6415MHz	Pass	PK	12.8243G	55.55	88.20	-32.65	3	Horizontal	95	1.50
6435MHz	Pass	AV	12.85722G	43.13	68.20	-25.07	3	Vertical	52	2.61
6435MHz	Pass	PK	12.8817G	56.00	88.20	-32.20	3	Vertical	52	2.61
6435MHz	Pass	AV	12.85698G	43.10	68.20	-25.10	3	Horizontal	262	1.80
6435MHz	Pass	PK	12.86073G	56.17	88.20	-32.03	3	Horizontal	262	1.80
6475MHz	Pass	AV	12.93704G	43.14	68.20	-25.06	3	Vertical	12	2.13
6475MHz	Pass	PK	12.93965G	56.05	88.20	-32.15	3	Vertical	12	2.13
6475MHz	Pass	AV	12.93713G	43.21	68.20	-24.99	3	Horizontal	284	1.80
6475MHz	Pass	PK	12.96088G	56.15	88.20	-32.05	3	Horizontal	284	1.80
6515MHz	Pass	AV	13.01533G	42.95	68.20	-25.25	3	Vertical	78	2.15
6515MHz	Pass	PK	13.01725G	55.39	88.20	-32.81	3	Vertical	78	2.15
6515MHz	Pass	AV	13.01812G	42.93	68.20	-25.27	3	Horizontal	330	2.74
6515MHz	Pass	PK	13.03855G	55.55	88.20	-32.65	3	Horizontal	330	2.74
6535MHz	Pass	AV	13.07138G	42.70	68.20	-25.50	3	Vertical	13	2.43
6535MHz	Pass	PK	13.06811G	54.96	88.20	-33.24	3	Vertical	13	2.43
6535MHz	Pass	AV	13.05899G	42.81	68.20	-25.39	3	Horizontal	19	1.84
6535MHz	Pass	PK	13.085G	55.34	88.20	-32.86	3	Horizontal	19	1.84
6695MHz	Pass	AV	13.39624G	43.43	54.00	-10.57	3	Vertical	312	1.05
6695MHz	Pass	PK	13.38754G	55.06	74.00	-18.94	3	Vertical	312	1.05
6695MHz	Pass	AV	13.38184G	43.42	54.00	-10.58	3	Horizontal	151	1.17
6695MHz	Pass	PK	13.39228G	56.31	74.00	-17.69	3	Horizontal	151	1.17
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.73569G	43.68	68.20	-24.52	3	Vertical	118	1.78
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74964G	56.22	88.20	-31.98	3	Vertical	118	1.78
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.73794G	43.74	68.20	-24.46	3	Horizontal	36	1.58
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.76269G	55.94	88.20	-32.26	3	Horizontal	36	1.58
6895MHz	Pass	AV	13.79336G	43.54	68.20	-24.66	3	Vertical	169	2.79
6895MHz	Pass	PK	13.79882G	55.84	88.20	-32.36	3	Vertical	169	2.79
6895MHz	Pass	AV	13.79684G	43.70	68.20	-24.50	3	Horizontal	65	2.04
6895MHz	Pass	PK	13.77728G	56.42	88.20	-31.78	3	Horizontal	65	2.04
6995MHz	Pass	AV	13.98858G	43.30	68.20	-24.90	3	Vertical	14	1.41
6995MHz	Pass	PK	13.98548G	56.05	88.20	-32.15	3	Vertical	14	1.41
6995MHz	Pass	AV	13.98616G	43.29	68.20	-24.91	3	Horizontal	112	2.74
6995MHz	Pass	PK	13.9853G	56.61	88.20	-31.59	3	Horizontal	112	2.74
7095MHz	Pass	AV	7.0956G	100.12	Inf	-Inf	3	Vertical	22	1.79
7095MHz	Pass	AV	7.2438G	49.98	68.20	-18.22	3	Vertical	22	1.79
7095MHz	Pass	PK	7.0959G	111.63	Inf	-Inf	3	Vertical	22	1.79
7095MHz	Pass	PK	7.2435G	64.70	88.20	-23.50	3	Vertical	22	1.79
7095MHz	Pass	AV	14.19975G	45.20	68.20	-23.00	3	Vertical	36	2.35
7095MHz	Pass	PK	14.18613G	57.30	88.20	-30.90	3	Vertical	36	2.35
7095MHz	Pass	AV	14.18034G	45.10	68.20	-23.10	3	Horizontal	240	2.39
7095MHz	Pass	PK	14.18505G	57.79	88.20	-30.41	3	Horizontal	240	2.39
7115MHz	Pass	AV	7.1155G	103.32	Inf	-Inf	3	Vertical	21	1.87
7115MHz	Pass	AV	7.1255G	66.67	68.20	-1.53	3	Vertical	21	1.87
7115MHz	Pass	PK	7.1155G	109.37	Inf	-Inf	3	Vertical	21	1.87
7115MHz	Pass	PK	7.1255G	79.79	88.20	-8.41	3	Vertical	21	1.87

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7115MHz	Pass	AV	14.23042G	45.01	68.20	-23.19	3	Vertical	336	1.87
7115MHz	Pass	PK	14.22208G	56.71	88.20	-31.49	3	Vertical	336	1.87
7115MHz	Pass	AV	14.21623G	44.92	68.20	-23.28	3	Horizontal	33	1.45
7115MHz	Pass	PK	14.22898G	56.77	88.20	-31.43	3	Horizontal	33	1.45
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9215G	46.10	68.20	-22.10	3	Vertical	7	1.15
5965MHz	Pass	AV	5.9623G	98.44	Inf	-Inf	3	Vertical	7	1.15
5965MHz	Pass	PK	5.9176G	59.17	88.20	-29.03	3	Vertical	7	1.15
5965MHz	Pass	PK	5.9806G	111.28	Inf	-Inf	3	Vertical	7	1.15
5965MHz	Pass	AV	11.94308G	41.87	54.00	-12.13	3	Vertical	144	1.50
5965MHz	Pass	PK	11.93447G	55.50	74.00	-18.50	3	Vertical	144	1.50
5965MHz	Pass	AV	11.94332G	42.09	54.00	-11.91	3	Horizontal	6	1.81
5965MHz	Pass	PK	11.92613G	55.11	74.00	-18.89	3	Horizontal	6	1.81
6205MHz	Pass	AV	12.41039G	41.56	54.00	-12.44	3	Vertical	320	2.58
6205MHz	Pass	PK	12.42155G	54.85	74.00	-19.15	3	Vertical	320	2.58
6205MHz	Pass	AV	12.41021G	41.60	54.00	-12.40	3	Horizontal	47	1.85
6205MHz	Pass	PK	12.4211G	55.39	74.00	-18.61	3	Horizontal	47	1.85
6405MHz	Pass	AV	12.81042G	42.58	68.20	-25.62	3	Vertical	226	1.50
6405MHz	Pass	PK	12.81402G	55.85	88.20	-32.35	3	Vertical	226	1.50
6405MHz	Pass	AV	12.81012G	42.57	68.20	-25.63	3	Horizontal	55	1.50
6405MHz	Pass	PK	12.80895G	56.74	88.20	-31.46	3	Horizontal	55	1.50
6445MHz	Pass	AV	12.9038G	42.87	68.20	-25.33	3	Vertical	214	1.11
6445MHz	Pass	PK	12.89003G	55.88	88.20	-32.32	3	Vertical	214	1.11
6445MHz	Pass	AV	12.90242G	42.84	68.20	-25.36	3	Horizontal	113	1.50
6445MHz	Pass	PK	12.89033G	56.14	88.20	-32.06	3	Horizontal	113	1.50
6485MHz	Pass	AV	12.96139G	42.86	68.20	-25.34	3	Vertical	189	1.50
6485MHz	Pass	PK	12.96025G	55.71	88.20	-32.49	3	Vertical	189	1.50
6485MHz	Pass	AV	12.95557G	42.81	68.20	-25.39	3	Horizontal	252	1.50
6485MHz	Pass	PK	12.97447G	56.13	88.20	-32.07	3	Horizontal	252	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.03983G	42.60	68.20	-25.60	3	Vertical	360	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.05702G	55.78	88.20	-32.42	3	Vertical	360	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.05294G	42.60	68.20	-25.60	3	Horizontal	112	1.50
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04043G	55.44	88.20	-32.76	3	Horizontal	112	1.50
6565MHz	Pass	AV	13.14329G	42.66	68.20	-25.54	3	Vertical	178	1.50
6565MHz	Pass	PK	13.12328G	55.97	88.20	-32.23	3	Vertical	178	1.50
6565MHz	Pass	AV	13.13978G	42.68	68.20	-25.52	3	Horizontal	65	2.79
6565MHz	Pass	PK	13.14434G	56.29	88.20	-31.91	3	Horizontal	65	2.79
6685MHz	Pass	AV	13.37099G	42.94	54.00	-11.06	3	Vertical	263	1.14
6685MHz	Pass	PK	13.3652G	56.77	74.00	-17.23	3	Vertical	263	1.14
6685MHz	Pass	AV	13.37072G	42.94	54.00	-11.06	3	Horizontal	315	1.46
6685MHz	Pass	PK	13.38173G	56.80	74.00	-17.20	3	Horizontal	315	1.46
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76784G	43.61	68.20	-24.59	3	Vertical	78	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.764G	56.64	88.20	-31.56	3	Vertical	78	1.50
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76814G	43.52	68.20	-24.68	3	Horizontal	194	2.55
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.78029G	56.30	88.20	-31.90	3	Horizontal	194	2.55
6925MHz	Pass	AV	13.86254G	43.32	68.20	-24.88	3	Vertical	199	1.76
6925MHz	Pass	PK	13.85624G	55.77	88.20	-32.43	3	Vertical	199	1.76
6925MHz	Pass	AV	13.8638G	43.31	68.20	-24.89	3	Horizontal	3	1.50
6925MHz	Pass	PK	13.85855G	55.70	88.20	-32.50	3	Horizontal	3	1.50
7005MHz	Pass	AV	14.02011G	43.94	68.20	-24.26	3	Vertical	102	1.22
7005MHz	Pass	PK	14.02323G	58.77	88.20	-29.43	3	Vertical	102	1.22
7005MHz	Pass	AV	14.02284G	43.94	68.20	-24.26	3	Horizontal	321	1.50
7005MHz	Pass	PK	13.99557G	57.13	88.20	-31.07	3	Horizontal	321	1.50
7085MHz	Pass	AV	7.0859G	100.26	Inf	-Inf	3	Vertical	23	1.79
7085MHz	Pass	AV	7.232G	50.05	68.20	-18.15	3	Vertical	23	1.79
7085MHz	Pass	PK	7.0859G	112.83	Inf	-Inf	3	Vertical	23	1.79
7085MHz	Pass	PK	7.1978G	64.19	88.20	-24.01	3	Vertical	23	1.79
7085MHz	Pass	AV	14.16559G	44.63	68.20	-23.57	3	Vertical	43	1.22
7085MHz	Pass	PK	14.15965G	57.93	88.20	-30.27	3	Vertical	43	1.22
7085MHz	Pass	AV	14.16304G	44.65	68.20	-23.55	3	Horizontal	9	2.99
7085MHz	Pass	PK	14.17807G	57.11	88.20	-31.09	3	Horizontal	9	2.99
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5985MHz	Pass	AV	5.9245G	46.46	68.20	-21.74	3	Vertical	344	1.01
5985MHz	Pass	AV	5.9835G	99.97	Inf	-Inf	3	Vertical	344	1.01
5985MHz	Pass	PK	5.917G	59.49	88.20	-28.71	3	Vertical	344	1.01
5985MHz	Pass	PK	5.984G	111.90	Inf	-Inf	3	Vertical	344	1.01
5985MHz	Pass	AV	11.9604G	41.81	54.00	-12.19	3	Vertical	88	1.50
5985MHz	Pass	PK	11.96733G	55.55	74.00	-18.45	3	Vertical	88	1.50
5985MHz	Pass	AV	11.97462G	41.82	54.00	-12.18	3	Horizontal	321	1.50
5985MHz	Pass	PK	11.96283G	55.70	74.00	-18.30	3	Horizontal	321	1.50
6225MHz	Pass	AV	12.46473G	41.64	54.00	-12.36	3	Vertical	39	1.07
6225MHz	Pass	PK	12.44892G	55.33	74.00	-18.67	3	Vertical	39	1.07
6225MHz	Pass	AV	12.46143G	41.63	54.00	-12.37	3	Horizontal	127	1.50
6225MHz	Pass	PK	12.45174G	55.29	74.00	-18.71	3	Horizontal	127	1.50
6385MHz	Pass	AV	12.75707G	42.60	68.20	-25.60	3	Vertical	191	1.50
6385MHz	Pass	PK	12.78482G	55.80	88.20	-32.40	3	Vertical	191	1.50
6385MHz	Pass	AV	12.7562G	42.60	68.20	-25.60	3	Horizontal	205	2.39
6385MHz	Pass	PK	12.76154G	56.23	88.20	-31.97	3	Horizontal	205	2.39
6465MHz	Pass	AV	12.93222G	42.71	68.20	-25.49	3	Vertical	21	1.50
6465MHz	Pass	PK	12.92337G	56.08	88.20	-32.12	3	Vertical	21	1.50
6465MHz	Pass	AV	12.93378G	42.71	68.20	-25.49	3	Horizontal	11	1.62
6465MHz	Pass	PK	12.92529G	56.25	88.20	-31.95	3	Horizontal	11	1.62
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.07791G	42.41	68.20	-25.79	3	Vertical	270	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.07803G	55.72	88.20	-32.48	3	Vertical	270	1.50
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.07977G	42.40	68.20	-25.80	3	Horizontal	214	1.27
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.09588G	55.68	88.20	-32.52	3	Horizontal	214	1.27
6625MHz	Pass	AV	13.25657G	42.94	54.00	-11.06	3	Vertical	306	1.17
6625MHz	Pass	PK	13.23953G	56.29	88.20	-31.91	3	Vertical	306	1.17
6625MHz	Pass	AV	13.26383G	42.94	54.00	-11.06	3	Horizontal	19	1.50
6625MHz	Pass	PK	13.23977G	56.70	88.20	-31.50	3	Horizontal	19	1.50
6705MHz	Pass	AV	13.42089G	43.18	68.20	-25.02	3	Vertical	155	1.64
6705MHz	Pass	PK	13.42104G	56.79	88.20	-31.41	3	Vertical	155	1.64
6705MHz	Pass	AV	13.42263G	43.16	68.20	-25.04	3	Horizontal	283	2.36
6705MHz	Pass	PK	13.39749G	56.88	74.00	-17.12	3	Horizontal	283	2.36
6785MHz	Pass	AV	13.55995G	43.73	68.20	-24.47	3	Vertical	216	1.50
6785MHz	Pass	PK	13.57525G	57.57	88.20	-30.63	3	Vertical	216	1.50
6785MHz	Pass	AV	13.55977G	43.74	68.20	-24.46	3	Horizontal	252	1.80
6785MHz	Pass	PK	13.57564G	56.69	88.20	-31.51	3	Horizontal	252	1.80
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73582G	43.34	68.20	-24.86	3	Vertical	184	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73453G	56.81	88.20	-31.39	3	Vertical	184	1.50
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73501G	43.34	68.20	-24.86	3	Horizontal	187	1.80
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.74383G	57.08	88.20	-31.12	3	Horizontal	187	1.80
6945MHz	Pass	AV	13.89399G	43.46	68.20	-24.74	3	Vertical	280	1.20
6945MHz	Pass	PK	13.8849G	56.02	88.20	-32.18	3	Vertical	280	1.20
6945MHz	Pass	AV	13.89681G	43.47	68.20	-24.73	3	Horizontal	168	1.50
6945MHz	Pass	PK	13.90182G	56.72	88.20	-31.48	3	Horizontal	168	1.50
7025MHz	Pass	AV	7.0259G	100.67	Inf	-Inf	3	Vertical	22	1.73
7025MHz	Pass	AV	7.1252G	49.56	68.20	-18.64	3	Vertical	22	1.73
7025MHz	Pass	PK	7.0241G	113.25	Inf	-Inf	3	Vertical	22	1.73
7025MHz	Pass	PK	7.1666G	63.21	88.20	-24.99	3	Vertical	22	1.73
7025MHz	Pass	AV	14.05522G	44.35	68.20	-23.85	3	Vertical	0	1.50
7025MHz	Pass	PK	14.04295G	57.04	88.20	-31.16	3	Vertical	0	1.50
7025MHz	Pass	AV	14.05426G	44.34	68.20	-23.86	3	Horizontal	130	2.59
7025MHz	Pass	PK	14.05294G	58.42	88.20	-29.78	3	Horizontal	130	2.59
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.925G	50.13	68.20	-18.07	3	Vertical	345	1.02
6025MHz	Pass	AV	6.023G	100.28	Inf	-Inf	3	Vertical	345	1.02
6025MHz	Pass	PK	5.9125G	65.38	88.20	-22.82	3	Vertical	345	1.02
6025MHz	Pass	PK	6.024G	111.89	Inf	-Inf	3	Vertical	345	1.02
6025MHz	Pass	AV	12.04265G	41.99	54.00	-12.01	3	Vertical	338	1.82
6025MHz	Pass	PK	12.04178G	55.24	74.00	-18.76	3	Vertical	338	1.82
6025MHz	Pass	AV	12.03722G	42.00	54.00	-12.00	3	Horizontal	17	2.04
6025MHz	Pass	PK	12.04892G	54.98	74.00	-19.02	3	Horizontal	17	2.04
6185MHz	Pass	AV	12.37318G	41.94	54.00	-12.06	3	Vertical	336	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6185MHz	Pass	PK	12.36349G	55.02	74.00	-18.98	3	Vertical	336	1.50
6185MHz	Pass	AV	12.37105G	41.92	54.00	-12.08	3	Horizontal	34	2.26
6185MHz	Pass	PK	12.36316G	54.70	74.00	-19.30	3	Horizontal	34	2.26
6345MHz	Pass	AV	12.69018G	42.37	54.00	-11.63	3	Vertical	41	1.55
6345MHz	Pass	PK	12.69996G	56.18	74.00	-17.82	3	Vertical	41	1.55
6345MHz	Pass	AV	12.69246G	42.37	54.00	-11.63	3	Horizontal	287	1.50
6345MHz	Pass	PK	12.70011G	56.62	88.20	-31.58	3	Horizontal	287	1.50
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01015G	42.72	68.20	-25.48	3	Vertical	43	2.52
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01234G	55.56	88.20	-32.64	3	Vertical	43	2.52
6505MHz Straddle 6.425-6.525GHz	Pass	AV	12.99896G	42.68	68.20	-25.52	3	Horizontal	272	1.30
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.0148G	55.63	88.20	-32.57	3	Horizontal	272	1.30
6665MHz	Pass	AV	13.32046G	43.12	54.00	-10.88	3	Vertical	345	1.50
6665MHz	Pass	PK	13.32247G	56.34	74.00	-17.66	3	Vertical	345	1.50
6665MHz	Pass	AV	13.32235G	43.16	54.00	-10.84	3	Horizontal	193	1.31
6665MHz	Pass	PK	13.32625G	56.52	74.00	-17.48	3	Horizontal	193	1.31
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65489G	43.23	68.20	-24.97	3	Vertical	270	1.50
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64439G	56.43	88.20	-31.77	3	Vertical	270	1.50
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65684G	43.23	68.20	-24.97	3	Horizontal	327	1.50
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64172G	57.73	88.20	-30.47	3	Horizontal	327	1.50
6985MHz	Pass	AV	6.9865G	100.48	Inf	-Inf	3	Vertical	24	1.57
6985MHz	Pass	AV	7.125G	52.45	68.20	-15.75	3	Vertical	24	1.57
6985MHz	Pass	PK	6.983G	113.57	Inf	-Inf	3	Vertical	24	1.57
6985MHz	Pass	PK	7.1275G	66.12	88.20	-22.08	3	Vertical	24	1.57
6985MHz	Pass	AV	13.95827G	43.99	68.20	-24.21	3	Vertical	360	1.50
6985MHz	Pass	PK	13.9631G	57.66	88.20	-30.54	3	Vertical	360	1.50
6985MHz	Pass	AV	13.95998G	44.01	68.20	-24.19	3	Horizontal	273	2.40
6985MHz	Pass	PK	13.95833G	57.47	88.20	-30.73	3	Horizontal	273	2.40


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX



5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	46.10	68.20	-22.10	2.54	3	Vertical	7	1.15	43.56	34.36	6.05	37.87
AV	5.9623G	98.44	Inf	-Inf	2.53	3	Vertical	7	1.15	95.91	34.30	6.07	37.84
PK	5.9176G	59.17	88.20	-29.03	2.54	3	Vertical	7	1.15	56.63	34.36	6.05	37.87
PK	5.9806G	111.28	Inf	-Inf	2.56	3	Vertical	7	1.15	108.72	34.30	6.08	37.82

5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94308G	41.87	54.00	-12.13	9.69	3	Vertical	144	1.50	32.18	38.99	8.70	38.00
PK	11.93447G	55.50	74.00	-18.50	9.67	3	Vertical	144	1.50	45.83	38.97	8.70	38.00


5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




Antenna Gain (dBi)			
UNII5	UNII6	UNII7	UNII8
5.5	5.5	5.5	5.5

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-68.00	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-68.00	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-67.00	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-69.00	OFF	10	100	90	Pass


Contention Based protocol 802.11be EHT160											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-71.50	OFF	10	100	90	Pass
				Center	6185	-69.50	OFF	10	100	90	Pass
				High edge	6260	-70.50	OFF	10	100	90	Pass
6	111	160	6505	Low edge	6430	-71.50	OFF	10	100	90	Pass
				Center	6505	-72.50	OFF	10	100	90	Pass
				High edge	6580	-69.50	OFF	10	100	90	Pass
7	175	160	6825	Low edge	6750	-73.50	OFF	10	100	90	Pass
				Center	6825	-68.50	OFF	10	100	90	Pass
				High edge	6900	-71.50	OFF	10	100	90	Pass
8	207	160	6985	Low edge	6910	-71.50	OFF	10	100	90	Pass
				Center	6985	-69.50	OFF	10	100	90	Pass
				High edge	7060	-75.50	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT20										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-68.00	5.50	-73.50	≤ -62
						Minimal	-69.00	5.50	-74.50	≤ -62
						ON	-70.00	5.50	-75.50	≤ -62
6	101	20	6455	Center	6455	OFF	-68.00	5.50	-73.50	≤ -62
						Minimal	-69.00	5.50	-74.50	≤ -62
						ON	-70.00	5.50	-75.50	≤ -62
7	149	20	6695	Center	6695	OFF	-67.00	5.50	-72.50	≤ -62
						Minimal	-68.00	5.50	-73.50	≤ -62
						ON	-69.00	5.50	-74.50	≤ -62
8	213	20	7015	Center	7015	OFF	-69.00	5.50	-74.50	≤ -62
						Minimal	-70.00	5.50	-75.50	≤ -62
						ON	-71.00	5.50	-76.50	≤ -62

Contention Based protocol 802.11be EHT160										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-66.00	5.50	-71.50	≤ -62
						Minimal	-67.00	5.50	-72.50	≤ -62
						ON	-70.00	5.50	-75.50	≤ -62
				Center	6185	OFF	-64.00	5.50	-69.50	≤ -62
						Minimal	-65.00	5.50	-70.50	≤ -62
						ON	-66.00	5.50	-71.50	≤ -62
				High edge	6260	OFF	-65.00	5.50	-70.50	≤ -62
						Minimal	-66.00	5.50	-71.50	≤ -62
						ON	-67.00	5.50	-72.50	≤ -62
6	111	160	6505	Low edge	6430	OFF	-66.00	5.50	-71.50	≤ -62
						Minimal	-67.00	5.50	-72.50	≤ -62
						ON	-68.00	5.50	-73.50	≤ -62
				Center	6505	OFF	-67.00	5.50	-72.50	≤ -62
						Minimal	-68.00	5.50	-73.50	≤ -62
						ON	-69.00	5.50	-74.50	≤ -62
				High edge	6580	OFF	-64.00	5.50	-69.50	≤ -62
						Minimal	-65.00	5.50	-70.50	≤ -62
						ON	-66.00	5.50	-71.50	≤ -62
7	175	160	6825	Low edge	6750	OFF	-68.00	5.50	-73.50	≤ -62
						Minimal	-69.00	5.50	-74.50	≤ -62
						ON	-70.00	5.50	-75.50	≤ -62
				Center	6825	OFF	-63.00	5.50	-68.50	≤ -62
						Minimal	-64.00	5.50	-69.50	≤ -62
						ON	-65.00	5.50	-70.50	≤ -62
				High edge	6900	OFF	-66.00	5.50	-71.50	≤ -62
						Minimal	-67.00	5.50	-72.50	≤ -62
						ON	-68.00	5.50	-73.50	≤ -62
8	207	160	6985	Low edge	6910	OFF	-66.00	5.50	-71.50	≤ -62
						Minimal	-67.00	5.50	-72.50	≤ -62
						ON	-68.00	5.50	-73.50	≤ -62
				Center	6985	OFF	-64.00	5.50	-69.50	≤ -62
						Minimal	-65.00	5.50	-70.50	≤ -62
						ON	-66.00	5.50	-71.50	≤ -62
				High edge	7060	OFF	-70.00	5.50	-75.50	≤ -62
						Minimal	-71.00	5.50	-76.50	≤ -62
						ON	-72.00	5.50	-77.50	≤ -62




1. Incumbent signal (AWGN) Plot




Date: 7.FEB.2026 10:17:46

2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 175 ; Incumbent signal 6750 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 175 ; Incumbent signal 6825 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 175 ; Incumbent signal 6900 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -68 dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -69 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20

Frequency (MHz): 6215 MHz (Threshold Level: -70 dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160


Frequency (MHz): 6110 MHz (Threshold Level: -66dBm)

Time Analysis



Frequency (MHz): 6110 MHz (Threshold Level: -67dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -70dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160


Frequency (MHz): 6185 MHz (Threshold Level: -64dBm)

Time Analysis



Frequency (MHz): 6185 MHz (Threshold Level: -65dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6185 MHz (Threshold Level: -66dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160


Frequency (MHz): 6260 MHz (Threshold Level: -65dBm)


Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -66dBm)

Time Analysis



Contention Based Protocol Threshold Level Verify Plot**Bandwidth (MHz): 160****Frequency (MHz): 6260 MHz (Threshold Level: -67dBm)****Time Analysis**




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.824G	45.86	54.00	-8.14	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	4.824G	44.18	54.00	-9.82	3	Vertical	213	2.27	-
Mode 1	Pass	AV	11.1597G	39.82	54.00	-14.18	3	Vertical	277	1.66	-
Mode 1	Pass	AV	13.38713G	39.45	54.00	-14.55	3	Vertical	89	1.63	-
Mode 1	Pass	AV	16.74286G	49.50	68.20	-18.70	3	Vertical	248	2.13	-
Mode 1	Pass	PK	4.82334G	48.67	74.00	-25.33	3	Vertical	213	2.27	-
Mode 1	Pass	PK	11.1554G	51.45	74.00	-22.55	3	Vertical	277	1.66	-
Mode 1	Pass	PK	13.38277G	54.32	74.00	-19.68	3	Vertical	89	1.63	-
Mode 1	Pass	PK	16.7433G	62.23	88.20	-25.97	3	Vertical	248	2.13	-
Mode 1	Pass	AV	4.824G	45.86	54.00	-8.14	3	Horizontal	0	1.79	-
Mode 1	Pass	AV	11.16024G	41.11	54.00	-12.89	3	Horizontal	33	1.47	-
Mode 1	Pass	AV	13.3934G	39.75	54.00	-14.25	3	Horizontal	360	2.55	-
Mode 1	Pass	AV	16.74213G	53.23	68.20	-14.97	3	Horizontal	355	1.33	-
Mode 1	Pass	PK	4.824G	49.78	74.00	-24.22	3	Horizontal	0	1.79	-
Mode 1	Pass	PK	11.15967G	54.06	74.00	-19.94	3	Horizontal	33	1.47	-
Mode 1	Pass	PK	13.3842G	54.66	74.00	-19.34	3	Horizontal	360	2.55	-
Mode 1	Pass	PK	16.74228G	65.68	88.20	-22.52	3	Horizontal	355	1.33	-

Radiated Emissions above 1GHz_Mode 1



Radiated Emissions above 1GHz_Mode 1

