

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 448 of 465

			-10	14.4	5499.960	5470 to 5725	Pass
			0	14.4	5500.020	5470 to 5725	Pass
			10	14.4	5500.000	5470 to 5725	Pass
			30	14.4	5499.980	5470 to 5725	Pass
			40	14.4	5499.980	5470 to 5725	Pass
			50	14.4	5500.020	5470 to 5725	Pass
		5580	20	12.2	5579.940	5470 to 5725	Pass
				14.4	5580.000	5470 to 5725	Pass
				16.6	5579.940	5470 to 5725	Pass
			-30	14.4	5580.020	5470 to 5725	Pass
			-20	14.4	5579.940	5470 to 5725	Pass
			-10	14.4	5579.980	5470 to 5725	Pass
			0	14.4	5579.980	5470 to 5725	Pass
			10	14.4	5579.980	5470 to 5725	Pass
			30	14.4	5579.940	5470 to 5725	Pass
			40	14.4	5579.960	5470 to 5725	Pass
			50	14.4	5579.980	5470 to 5725	Pass
		5700	20	12.2	5699.960	5470 to 5725	Pass
				14.4	5699.980	5470 to 5725	Pass
				16.6	5699.980	5470 to 5725	Pass
			-30	14.4	5700.020	5470 to 5725	Pass
			-20	14.4	5699.980	5470 to 5725	Pass
			-10	14.4	5700.000	5470 to 5725	Pass
			0	14.4	5699.980	5470 to 5725	Pass
			10	14.4	5700.000	5470 to 5725	Pass
			30	14.4	5700.000	5470 to 5725	Pass
			40	14.4	5699.960	5470 to 5725	Pass
			50	14.4	5699.980	5470 to 5725	Pass
		5745	20	12.2	5745.020	5725 to 5850	Pass
				14.4	5744.960	5725 to 5850	Pass
				16.6	5745.000	5725 to 5850	Pass
			-30	14.4	5744.980	5725 to 5850	Pass
			-20	14.4	5745.000	5725 to 5850	Pass
			-10	14.4	5745.000	5725 to 5850	Pass
			0	14.4	5744.980	5725 to 5850	Pass
			10	14.4	5745.000	5725 to 5850	Pass
			30	14.4	5745.040	5725 to 5850	Pass
			40	14.4	5745.000	5725 to 5850	Pass
			50	14.4	5744.980	5725 to 5850	Pass
		5785	20	12.2	5784.960	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 449 of 465

				14.4	5785.020	5725 to 5850	Pass
				16.6	5785.020	5725 to 5850	Pass
			-30	14.4	5784.960	5725 to 5850	Pass
			-20	14.4	5785.060	5725 to 5850	Pass
			-10	14.4	5784.980	5725 to 5850	Pass
			0	14.4	5785.040	5725 to 5850	Pass
			10	14.4	5785.000	5725 to 5850	Pass
			30	14.4	5784.980	5725 to 5850	Pass
			40	14.4	5785.020	5725 to 5850	Pass
			50	14.4	5784.960	5725 to 5850	Pass
		5825	20	12.2	5825.020	5725 to 5850	Pass
				14.4	5824.980	5725 to 5850	Pass
				16.6	5824.980	5725 to 5850	Pass
			-30	14.4	5825.000	5725 to 5850	Pass
			-20	14.4	5825.020	5725 to 5850	Pass
			-10	14.4	5824.940	5725 to 5850	Pass
			0	14.4	5825.020	5725 to 5850	Pass
			10	14.4	5825.020	5725 to 5850	Pass
			30	14.4	5824.960	5725 to 5850	Pass
			40	14.4	5824.920	5725 to 5850	Pass
			50	14.4	5825.040	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	20	12.2	5180.040	5150 to 5250	Pass
				14.4	5180.080	5150 to 5250	Pass
				16.6	5180.040	5150 to 5250	Pass
			-30	14.4	5179.980	5150 to 5250	Pass
			-20	14.4	5180.000	5150 to 5250	Pass
			-10	14.4	5179.980	5150 to 5250	Pass
			0	14.4	5180.060	5150 to 5250	Pass
			10	14.4	5180.020	5150 to 5250	Pass
			30	14.4	5180.040	5150 to 5250	Pass
			40	14.4	5180.020	5150 to 5250	Pass
			50	14.4	5179.960	5150 to 5250	Pass
		5200	20	12.2	5199.980	5150 to 5250	Pass
				14.4	5200.000	5150 to 5250	Pass
				16.6	5199.960	5150 to 5250	Pass
			-30	14.4	5200.000	5150 to 5250	Pass
			-20	14.4	5199.980	5150 to 5250	Pass
			-10	14.4	5200.040	5150 to 5250	Pass
			0	14.4	5199.940	5150 to 5250	Pass
			10	14.4	5199.980	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 450 of 465

			30	14.4	5200.020	5150 to 5250	Pass
			40	14.4	5200.040	5150 to 5250	Pass
			50	14.4	5200.020	5150 to 5250	Pass
		5240	20	12.2	5239.940	5150 to 5250	Pass
				14.4	5239.980	5150 to 5250	Pass
				16.6	5239.960	5150 to 5250	Pass
			-30	14.4	5239.960	5150 to 5250	Pass
			-20	14.4	5239.920	5150 to 5250	Pass
			-10	14.4	5239.960	5150 to 5250	Pass
			0	14.4	5240.020	5150 to 5250	Pass
			10	14.4	5239.960	5150 to 5250	Pass
			30	14.4	5239.980	5150 to 5250	Pass
			40	14.4	5239.940	5150 to 5250	Pass
			50	14.4	5240.000	5150 to 5250	Pass
		5260	20	12.2	5259.960	5250 to 5350	Pass
				14.4	5259.940	5250 to 5350	Pass
				16.6	5260.020	5250 to 5350	Pass
			-30	14.4	5260.000	5250 to 5350	Pass
			-20	14.4	5259.960	5250 to 5350	Pass
			-10	14.4	5260.000	5250 to 5350	Pass
			0	14.4	5259.940	5250 to 5350	Pass
			10	14.4	5260.000	5250 to 5350	Pass
			30	14.4	5260.020	5250 to 5350	Pass
			40	14.4	5260.020	5250 to 5350	Pass
			50	14.4	5260.020	5250 to 5350	Pass
		5300	20	12.2	5299.940	5250 to 5350	Pass
				14.4	5299.980	5250 to 5350	Pass
				16.6	5300.000	5250 to 5350	Pass
			-30	14.4	5299.960	5250 to 5350	Pass
			-20	14.4	5300.020	5250 to 5350	Pass
			-10	14.4	5300.000	5250 to 5350	Pass
			0	14.4	5300.020	5250 to 5350	Pass
			10	14.4	5300.020	5250 to 5350	Pass
			30	14.4	5300.000	5250 to 5350	Pass
			40	14.4	5299.980	5250 to 5350	Pass
			50	14.4	5300.000	5250 to 5350	Pass
		5320	20	12.2	5320.000	5250 to 5350	Pass
				14.4	5319.960	5250 to 5350	Pass
				16.6	5320.060	5250 to 5350	Pass
			-30	14.4	5319.960	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 451 of 465

			-20	14.4	5319.980	5250 to 5350	Pass
			-10	14.4	5320.000	5250 to 5350	Pass
			0	14.4	5319.980	5250 to 5350	Pass
			10	14.4	5319.980	5250 to 5350	Pass
			30	14.4	5319.980	5250 to 5350	Pass
			40	14.4	5319.980	5250 to 5350	Pass
			50	14.4	5319.900	5250 to 5350	Pass
		5500	20	12.2	5500.020	5470 to 5725	Pass
				14.4	5500.060	5470 to 5725	Pass
				16.6	5499.960	5470 to 5725	Pass
			-30	14.4	5500.020	5470 to 5725	Pass
			-20	14.4	5500.020	5470 to 5725	Pass
			-10	14.4	5499.940	5470 to 5725	Pass
			0	14.4	5500.020	5470 to 5725	Pass
			10	14.4	5499.900	5470 to 5725	Pass
			30	14.4	5499.960	5470 to 5725	Pass
			40	14.4	5500.020	5470 to 5725	Pass
			50	14.4	5500.020	5470 to 5725	Pass
		5580	20	12.2	5579.960	5470 to 5725	Pass
				14.4	5579.920	5470 to 5725	Pass
				16.6	5579.980	5470 to 5725	Pass
			-30	14.4	5579.960	5470 to 5725	Pass
			-20	14.4	5579.940	5470 to 5725	Pass
			-10	14.4	5579.980	5470 to 5725	Pass
			0	14.4	5579.940	5470 to 5725	Pass
			10	14.4	5579.980	5470 to 5725	Pass
			30	14.4	5580.000	5470 to 5725	Pass
			40	14.4	5579.920	5470 to 5725	Pass
			50	14.4	5580.000	5470 to 5725	Pass
		5700	20	12.2	5700.020	5470 to 5725	Pass
				14.4	5699.980	5470 to 5725	Pass
				16.6	5700.000	5470 to 5725	Pass
			-30	14.4	5700.020	5470 to 5725	Pass
			-20	14.4	5700.000	5470 to 5725	Pass
			-10	14.4	5699.980	5470 to 5725	Pass
			0	14.4	5700.000	5470 to 5725	Pass
			10	14.4	5699.940	5470 to 5725	Pass
			30	14.4	5700.020	5470 to 5725	Pass
			40	14.4	5700.000	5470 to 5725	Pass
			50	14.4	5700.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 452 of 465

		5745	20	12.2	5744.940	5725 to 5850	Pass
				14.4	5745.020	5725 to 5850	Pass
				16.6	5744.980	5725 to 5850	Pass
			-30	14.4	5744.960	5725 to 5850	Pass
			-20	14.4	5745.040	5725 to 5850	Pass
			-10	14.4	5744.960	5725 to 5850	Pass
			0	14.4	5745.000	5725 to 5850	Pass
			10	14.4	5744.960	5725 to 5850	Pass
			30	14.4	5745.020	5725 to 5850	Pass
			40	14.4	5744.960	5725 to 5850	Pass
			50	14.4	5744.980	5725 to 5850	Pass
		5785	20	12.2	5784.980	5725 to 5850	Pass
				14.4	5785.000	5725 to 5850	Pass
				16.6	5784.980	5725 to 5850	Pass
			-30	14.4	5784.980	5725 to 5850	Pass
			-20	14.4	5785.000	5725 to 5850	Pass
			-10	14.4	5784.920	5725 to 5850	Pass
			0	14.4	5785.020	5725 to 5850	Pass
			10	14.4	5784.980	5725 to 5850	Pass
			30	14.4	5784.940	5725 to 5850	Pass
			40	14.4	5784.960	5725 to 5850	Pass
			50	14.4	5785.000	5725 to 5850	Pass
		5825	20	12.2	5824.960	5725 to 5850	Pass
				14.4	5824.980	5725 to 5850	Pass
				16.6	5825.000	5725 to 5850	Pass
			-30	14.4	5824.980	5725 to 5850	Pass
			-20	14.4	5824.900	5725 to 5850	Pass
			-10	14.4	5824.980	5725 to 5850	Pass
			0	14.4	5824.960	5725 to 5850	Pass
			10	14.4	5825.000	5725 to 5850	Pass
			30	14.4	5825.000	5725 to 5850	Pass
			40	14.4	5824.960	5725 to 5850	Pass
			50	14.4	5824.980	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	20	12.2	5190.040	5150 to 5250	Pass
				14.4	5190.040	5150 to 5250	Pass
				16.6	5190.040	5150 to 5250	Pass
			-30	14.4	5189.960	5150 to 5250	Pass
			-20	14.4	5190.000	5150 to 5250	Pass
			-10	14.4	5190.000	5150 to 5250	Pass
			0	14.4	5190.040	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 453 of 465

			10	14.4	5190.000	5150 to 5250	Pass
			30	14.4	5190.000	5150 to 5250	Pass
			40	14.4	5190.040	5150 to 5250	Pass
			50	14.4	5190.000	5150 to 5250	Pass
	5230	20	12.2	5230.000	5150 to 5250	Pass	
			14.4	5230.000	5150 to 5250	Pass	
			16.6	5230.040	5150 to 5250	Pass	
		-30	14.4	5230.000	5150 to 5250	Pass	
		-20	14.4	5230.000	5150 to 5250	Pass	
		-10	14.4	5230.040	5150 to 5250	Pass	
		0	14.4	5230.040	5150 to 5250	Pass	
		10	14.4	5230.000	5150 to 5250	Pass	
		30	14.4	5229.960	5150 to 5250	Pass	
		40	14.4	5230.000	5150 to 5250	Pass	
		50	14.4	5230.040	5150 to 5250	Pass	
			5270	20	12.2	5269.960	5250 to 5350
14.4	5269.960				5250 to 5350	Pass	
16.6	5269.920				5250 to 5350	Pass	
-30	14.4			5269.960	5250 to 5350	Pass	
-20	14.4			5270.000	5250 to 5350	Pass	
-10	14.4			5270.000	5250 to 5350	Pass	
0	14.4			5270.040	5250 to 5350	Pass	
10	14.4			5269.960	5250 to 5350	Pass	
30	14.4			5269.960	5250 to 5350	Pass	
40	14.4			5269.960	5250 to 5350	Pass	
50	14.4			5269.920	5250 to 5350	Pass	
	5310			20	12.2	5309.960	5250 to 5350
		14.4	5309.960		5250 to 5350	Pass	
		16.6	5310.000		5250 to 5350	Pass	
		-30	14.4	5310.040	5250 to 5350	Pass	
		-20	14.4	5310.000	5250 to 5350	Pass	
		-10	14.4	5309.920	5250 to 5350	Pass	
		0	14.4	5310.040	5250 to 5350	Pass	
		10	14.4	5309.960	5250 to 5350	Pass	
		30	14.4	5309.960	5250 to 5350	Pass	
		40	14.4	5310.040	5250 to 5350	Pass	
		50	14.4	5309.960	5250 to 5350	Pass	
			5510	20	12.2	5510.000	5470 to 5725
14.4	5510.000				5470 to 5725	Pass	
16.6	5510.000				5470 to 5725	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 454 of 465

			-30	14.4	5509.960	5470 to 5725	Pass
			-20	14.4	5510.040	5470 to 5725	Pass
			-10	14.4	5510.040	5470 to 5725	Pass
			0	14.4	5510.080	5470 to 5725	Pass
			10	14.4	5509.960	5470 to 5725	Pass
			30	14.4	5509.960	5470 to 5725	Pass
			40	14.4	5509.960	5470 to 5725	Pass
			50	14.4	5509.960	5470 to 5725	Pass
		5550	20	12.2	5549.960	5470 to 5725	Pass
				14.4	5550.040	5470 to 5725	Pass
				16.6	5550.000	5470 to 5725	Pass
			-30	14.4	5550.000	5470 to 5725	Pass
			-20	14.4	5550.000	5470 to 5725	Pass
			-10	14.4	5550.000	5470 to 5725	Pass
			0	14.4	5550.000	5470 to 5725	Pass
			10	14.4	5550.040	5470 to 5725	Pass
			30	14.4	5550.040	5470 to 5725	Pass
			40	14.4	5550.080	5470 to 5725	Pass
			50	14.4	5549.960	5470 to 5725	Pass
		5670	20	12.2	5669.920	5470 to 5725	Pass
				14.4	5669.960	5470 to 5725	Pass
				16.6	5669.960	5470 to 5725	Pass
			-30	14.4	5669.920	5470 to 5725	Pass
			-20	14.4	5669.920	5470 to 5725	Pass
			-10	14.4	5669.960	5470 to 5725	Pass
			0	14.4	5669.960	5470 to 5725	Pass
			10	14.4	5669.960	5470 to 5725	Pass
			30	14.4	5669.960	5470 to 5725	Pass
			40	14.4	5669.960	5470 to 5725	Pass
			50	14.4	5669.960	5470 to 5725	Pass
		5755	20	12.2	5755.000	5725 to 5850	Pass
				14.4	5754.960	5725 to 5850	Pass
				16.6	5755.000	5725 to 5850	Pass
			-30	14.4	5755.040	5725 to 5850	Pass
			-20	14.4	5754.920	5725 to 5850	Pass
			-10	14.4	5754.920	5725 to 5850	Pass
			0	14.4	5754.920	5725 to 5850	Pass
			10	14.4	5754.880	5725 to 5850	Pass
			30	14.4	5755.000	5725 to 5850	Pass
			40	14.4	5755.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 455 of 465

		5795	50	14.4	5754.880	5725 to 5850	Pass
			20	12.2	5794.920	5725 to 5850	Pass
				14.4	5795.000	5725 to 5850	Pass
				16.6	5794.960	5725 to 5850	Pass
			-30	14.4	5795.000	5725 to 5850	Pass
			-20	14.4	5795.000	5725 to 5850	Pass
			-10	14.4	5794.920	5725 to 5850	Pass
			0	14.4	5794.960	5725 to 5850	Pass
			10	14.4	5794.960	5725 to 5850	Pass
			30	14.4	5794.960	5725 to 5850	Pass
			40	14.4	5794.920	5725 to 5850	Pass
			50	14.4	5794.920	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	20	12.2	5179.960	5150 to 5250	Pass
				14.4	5180.040	5150 to 5250	Pass
				16.6	5180.040	5150 to 5250	Pass
			-30	14.4	5179.980	5150 to 5250	Pass
			-20	14.4	5180.000	5150 to 5250	Pass
			-10	14.4	5180.040	5150 to 5250	Pass
			0	14.4	5180.040	5150 to 5250	Pass
			10	14.4	5179.980	5150 to 5250	Pass
			30	14.4	5180.020	5150 to 5250	Pass
			40	14.4	5180.040	5150 to 5250	Pass
			50	14.4	5180.020	5150 to 5250	Pass
		5200	20	12.2	5199.960	5150 to 5250	Pass
				14.4	5199.980	5150 to 5250	Pass
				16.6	5200.000	5150 to 5250	Pass
			-30	14.4	5200.020	5150 to 5250	Pass
			-20	14.4	5200.020	5150 to 5250	Pass
			-10	14.4	5200.060	5150 to 5250	Pass
			0	14.4	5200.000	5150 to 5250	Pass
			10	14.4	5199.980	5150 to 5250	Pass
			30	14.4	5200.040	5150 to 5250	Pass
			40	14.4	5200.020	5150 to 5250	Pass
			50	14.4	5200.000	5150 to 5250	Pass
		5240	20	12.2	5239.960	5150 to 5250	Pass
				14.4	5239.980	5150 to 5250	Pass
				16.6	5239.980	5150 to 5250	Pass
			-30	14.4	5240.000	5150 to 5250	Pass
			-20	14.4	5239.980	5150 to 5250	Pass
			-10	14.4	5239.920	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 456 of 465

			0	14.4	5240.020	5150 to 5250	Pass
			10	14.4	5239.980	5150 to 5250	Pass
			30	14.4	5239.920	5150 to 5250	Pass
			40	14.4	5240.000	5150 to 5250	Pass
			50	14.4	5239.980	5150 to 5250	Pass
		5260	20	12.2	5260.000	5250 to 5350	Pass
				14.4	5260.060	5250 to 5350	Pass
				16.6	5260.040	5250 to 5350	Pass
			-30	14.4	5260.060	5250 to 5350	Pass
			-20	14.4	5260.000	5250 to 5350	Pass
			-10	14.4	5259.960	5250 to 5350	Pass
			0	14.4	5260.100	5250 to 5350	Pass
			10	14.4	5260.080	5250 to 5350	Pass
			30	14.4	5259.960	5250 to 5350	Pass
			40	14.4	5259.960	5250 to 5350	Pass
			50	14.4	5260.060	5250 to 5350	Pass
		5300	20	12.2	5299.980	5250 to 5350	Pass
				14.4	5299.960	5250 to 5350	Pass
				16.6	5299.960	5250 to 5350	Pass
			-30	14.4	5299.960	5250 to 5350	Pass
			-20	14.4	5299.980	5250 to 5350	Pass
			-10	14.4	5300.000	5250 to 5350	Pass
			0	14.4	5299.940	5250 to 5350	Pass
			10	14.4	5299.920	5250 to 5350	Pass
			30	14.4	5300.040	5250 to 5350	Pass
			40	14.4	5299.920	5250 to 5350	Pass
			50	14.4	5300.020	5250 to 5350	Pass
		5320	20	12.2	5320.000	5250 to 5350	Pass
				14.4	5319.980	5250 to 5350	Pass
				16.6	5319.980	5250 to 5350	Pass
			-30	14.4	5320.020	5250 to 5350	Pass
			-20	14.4	5319.980	5250 to 5350	Pass
			-10	14.4	5319.960	5250 to 5350	Pass
			0	14.4	5319.980	5250 to 5350	Pass
			10	14.4	5320.040	5250 to 5350	Pass
			30	14.4	5320.020	5250 to 5350	Pass
			40	14.4	5319.940	5250 to 5350	Pass
			50	14.4	5319.940	5250 to 5350	Pass
		5500	20	12.2	5499.980	5470 to 5725	Pass
				14.4	5500.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 457 of 465

				16.6	5499.980	5470 to 5725	Pass
			-30	14.4	5499.940	5470 to 5725	Pass
			-20	14.4	5499.940	5470 to 5725	Pass
			-10	14.4	5499.960	5470 to 5725	Pass
			0	14.4	5500.000	5470 to 5725	Pass
			10	14.4	5499.960	5470 to 5725	Pass
			30	14.4	5500.020	5470 to 5725	Pass
			40	14.4	5499.980	5470 to 5725	Pass
			50	14.4	5499.960	5470 to 5725	Pass
		5580	20	12.2	5580.040	5470 to 5725	Pass
				14.4	5580.000	5470 to 5725	Pass
				16.6	5579.960	5470 to 5725	Pass
			-30	14.4	5580.080	5470 to 5725	Pass
			-20	14.4	5579.940	5470 to 5725	Pass
			-10	14.4	5579.980	5470 to 5725	Pass
			0	14.4	5580.000	5470 to 5725	Pass
			10	14.4	5580.000	5470 to 5725	Pass
			30	14.4	5580.000	5470 to 5725	Pass
			40	14.4	5579.920	5470 to 5725	Pass
			50	14.4	5579.980	5470 to 5725	Pass
		5700	20	12.2	5700.000	5470 to 5725	Pass
				14.4	5699.940	5470 to 5725	Pass
				16.6	5700.020	5470 to 5725	Pass
			-30	14.4	5699.980	5470 to 5725	Pass
			-20	14.4	5699.940	5470 to 5725	Pass
			-10	14.4	5699.980	5470 to 5725	Pass
			0	14.4	5699.920	5470 to 5725	Pass
			10	14.4	5700.000	5470 to 5725	Pass
			30	14.4	5700.020	5470 to 5725	Pass
			40	14.4	5699.980	5470 to 5725	Pass
			50	14.4	5699.940	5470 to 5725	Pass
		5745	20	12.2	5744.980	5725 to 5850	Pass
				14.4	5744.980	5725 to 5850	Pass
				16.6	5745.020	5725 to 5850	Pass
			-30	14.4	5744.980	5725 to 5850	Pass
			-20	14.4	5744.920	5725 to 5850	Pass
			-10	14.4	5744.920	5725 to 5850	Pass
			0	14.4	5745.000	5725 to 5850	Pass
			10	14.4	5744.940	5725 to 5850	Pass
			30	14.4	5745.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 458 of 465

			40	14.4	5744.960	5725 to 5850	Pass
			50	14.4	5744.960	5725 to 5850	Pass
		5785	20	12.2	5785.020	5725 to 5850	Pass
				14.4	5785.000	5725 to 5850	Pass
				16.6	5784.960	5725 to 5850	Pass
			-30	14.4	5784.960	5725 to 5850	Pass
			-20	14.4	5785.020	5725 to 5850	Pass
			-10	14.4	5785.020	5725 to 5850	Pass
			0	14.4	5784.960	5725 to 5850	Pass
			10	14.4	5785.060	5725 to 5850	Pass
			30	14.4	5784.940	5725 to 5850	Pass
			40	14.4	5785.040	5725 to 5850	Pass
			50	14.4	5785.020	5725 to 5850	Pass
		5825	20	12.2	5824.980	5725 to 5850	Pass
				14.4	5824.960	5725 to 5850	Pass
				16.6	5824.960	5725 to 5850	Pass
			-30	14.4	5824.980	5725 to 5850	Pass
			-20	14.4	5825.040	5725 to 5850	Pass
			-10	14.4	5824.960	5725 to 5850	Pass
			0	14.4	5824.940	5725 to 5850	Pass
			10	14.4	5824.960	5725 to 5850	Pass
			30	14.4	5824.920	5725 to 5850	Pass
			40	14.4	5824.960	5725 to 5850	Pass
			50	14.4	5825.000	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	20	12.2	5189.960	5150 to 5250	Pass
				14.4	5190.000	5150 to 5250	Pass
				16.6	5190.040	5150 to 5250	Pass
			-30	14.4	5189.920	5150 to 5250	Pass
			-20	14.4	5190.040	5150 to 5250	Pass
			-10	14.4	5190.000	5150 to 5250	Pass
			0	14.4	5190.040	5150 to 5250	Pass
			10	14.4	5190.000	5150 to 5250	Pass
			30	14.4	5190.040	5150 to 5250	Pass
			40	14.4	5190.000	5150 to 5250	Pass
			50	14.4	5190.000	5150 to 5250	Pass
		5230	20	12.2	5230.000	5150 to 5250	Pass
				14.4	5229.960	5150 to 5250	Pass
				16.6	5230.040	5150 to 5250	Pass
			-30	14.4	5230.000	5150 to 5250	Pass
			-20	14.4	5230.000	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 459 of 465

			-10	14.4	5230.040	5150 to 5250	Pass
			0	14.4	5229.920	5150 to 5250	Pass
			10	14.4	5230.040	5150 to 5250	Pass
			30	14.4	5230.040	5150 to 5250	Pass
			40	14.4	5230.000	5150 to 5250	Pass
			50	14.4	5230.040	5150 to 5250	Pass
		5270	20	12.2	5270.000	5250 to 5350	Pass
				14.4	5270.040	5250 to 5350	Pass
				16.6	5270.000	5250 to 5350	Pass
			-30	14.4	5270.000	5250 to 5350	Pass
			-20	14.4	5270.000	5250 to 5350	Pass
			-10	14.4	5270.040	5250 to 5350	Pass
			0	14.4	5269.960	5250 to 5350	Pass
			10	14.4	5270.000	5250 to 5350	Pass
			30	14.4	5269.960	5250 to 5350	Pass
			40	14.4	5269.960	5250 to 5350	Pass
			50	14.4	5270.000	5250 to 5350	Pass
		5310	20	12.2	5309.960	5250 to 5350	Pass
				14.4	5310.040	5250 to 5350	Pass
				16.6	5309.960	5250 to 5350	Pass
			-30	14.4	5310.000	5250 to 5350	Pass
			-20	14.4	5310.000	5250 to 5350	Pass
			-10	14.4	5309.960	5250 to 5350	Pass
			0	14.4	5310.040	5250 to 5350	Pass
			10	14.4	5309.960	5250 to 5350	Pass
			30	14.4	5310.000	5250 to 5350	Pass
			40	14.4	5310.000	5250 to 5350	Pass
			50	14.4	5309.960	5250 to 5350	Pass
		5510	20	12.2	5510.000	5470 to 5725	Pass
				14.4	5510.080	5470 to 5725	Pass
				16.6	5510.040	5470 to 5725	Pass
			-30	14.4	5510.000	5470 to 5725	Pass
			-20	14.4	5510.080	5470 to 5725	Pass
			-10	14.4	5509.920	5470 to 5725	Pass
			0	14.4	5510.000	5470 to 5725	Pass
			10	14.4	5510.000	5470 to 5725	Pass
			30	14.4	5510.000	5470 to 5725	Pass
			40	14.4	5509.960	5470 to 5725	Pass
			50	14.4	5510.040	5470 to 5725	Pass
		5550	20	12.2	5550.000	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 460 of 465

				14.4	5549.960	5470 to 5725	Pass
				16.6	5550.040	5470 to 5725	Pass
			-30	14.4	5549.960	5470 to 5725	Pass
			-20	14.4	5550.000	5470 to 5725	Pass
			-10	14.4	5550.000	5470 to 5725	Pass
			0	14.4	5550.000	5470 to 5725	Pass
			10	14.4	5549.960	5470 to 5725	Pass
			30	14.4	5550.040	5470 to 5725	Pass
			40	14.4	5550.000	5470 to 5725	Pass
			50	14.4	5550.000	5470 to 5725	Pass
		5670	20	12.2	5669.960	5470 to 5725	Pass
				14.4	5670.000	5470 to 5725	Pass
				16.6	5669.880	5470 to 5725	Pass
			-30	14.4	5670.000	5470 to 5725	Pass
			-20	14.4	5670.040	5470 to 5725	Pass
			-10	14.4	5670.000	5470 to 5725	Pass
			0	14.4	5669.960	5470 to 5725	Pass
			10	14.4	5669.920	5470 to 5725	Pass
			30	14.4	5670.000	5470 to 5725	Pass
			40	14.4	5669.960	5470 to 5725	Pass
			50	14.4	5670.040	5470 to 5725	Pass
		5755	20	12.2	5754.960	5725 to 5850	Pass
				14.4	5754.960	5725 to 5850	Pass
				16.6	5754.960	5725 to 5850	Pass
			-30	14.4	5754.960	5725 to 5850	Pass
			-20	14.4	5755.000	5725 to 5850	Pass
			-10	14.4	5755.000	5725 to 5850	Pass
			0	14.4	5755.040	5725 to 5850	Pass
			10	14.4	5754.960	5725 to 5850	Pass
			30	14.4	5754.960	5725 to 5850	Pass
			40	14.4	5755.000	5725 to 5850	Pass
			50	14.4	5755.040	5725 to 5850	Pass
		5795	20	12.2	5794.920	5725 to 5850	Pass
				14.4	5794.960	5725 to 5850	Pass
				16.6	5794.920	5725 to 5850	Pass
			-30	14.4	5794.960	5725 to 5850	Pass
			-20	14.4	5794.960	5725 to 5850	Pass
			-10	14.4	5794.960	5725 to 5850	Pass
			0	14.4	5794.920	5725 to 5850	Pass
			10	14.4	5795.000	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 461 of 465

802.11ac (VHT80)	SISO		30	14.4	5794.920	5725 to 5850	Pass
			40	14.4	5794.960	5725 to 5850	Pass
			50	14.4	5794.960	5725 to 5850	Pass
		5210	20	12.2	5209.925	5150 to 5250	Pass
				14.4	5209.925	5150 to 5250	Pass
				16.6	5209.925	5150 to 5250	Pass
			-30	14.4	5209.925	5150 to 5250	Pass
			-20	14.4	5210.000	5150 to 5250	Pass
			-10	14.4	5210.000	5150 to 5250	Pass
			0	14.4	5209.925	5150 to 5250	Pass
			10	14.4	5210.000	5150 to 5250	Pass
			30	14.4	5210.000	5150 to 5250	Pass
			40	14.4	5209.925	5150 to 5250	Pass
			50	14.4	5210.000	5150 to 5250	Pass
		5290	20	12.2	5289.925	5250 to 5350	Pass
				14.4	5289.925	5250 to 5350	Pass
				16.6	5290.000	5250 to 5350	Pass
			-30	14.4	5290.000	5250 to 5350	Pass
			-20	14.4	5289.925	5250 to 5350	Pass
			-10	14.4	5289.925	5250 to 5350	Pass
			0	14.4	5289.925	5250 to 5350	Pass
			10	14.4	5289.925	5250 to 5350	Pass
			30	14.4	5289.925	5250 to 5350	Pass
			40	14.4	5289.925	5250 to 5350	Pass
			50	14.4	5290.000	5250 to 5350	Pass
		5530	20	12.2	5529.925	5470 to 5725	Pass
				14.4	5530.000	5470 to 5725	Pass
				16.6	5529.925	5470 to 5725	Pass
			-30	14.4	5529.925	5470 to 5725	Pass
			-20	14.4	5529.925	5470 to 5725	Pass
			-10	14.4	5529.925	5470 to 5725	Pass
			0	14.4	5529.925	5470 to 5725	Pass
			10	14.4	5529.925	5470 to 5725	Pass
			30	14.4	5529.925	5470 to 5725	Pass
			40	14.4	5529.925	5470 to 5725	Pass
			50	14.4	5529.925	5470 to 5725	Pass
		5610	20	12.2	5609.925	5470 to 5725	Pass
				14.4	5609.925	5470 to 5725	Pass
				16.6	5609.850	5470 to 5725	Pass
			-30	14.4	5609.925	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZEMC) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250900407805

Page: 462 of 465

			-20	14.4	5609.925	5470 to 5725	Pass
			-10	14.4	5609.850	5470 to 5725	Pass
			0	14.4	5609.925	5470 to 5725	Pass
			10	14.4	5609.850	5470 to 5725	Pass
			30	14.4	5609.925	5470 to 5725	Pass
			40	14.4	5609.925	5470 to 5725	Pass
			50	14.4	5610.000	5470 to 5725	Pass
		5775	20	12.2	5774.925	5725 to 5850	Pass
				14.4	5774.925	5725 to 5850	Pass
				16.6	5774.925	5725 to 5850	Pass
			-30	14.4	5774.850	5725 to 5850	Pass
			-20	14.4	5774.925	5725 to 5850	Pass
			-10	14.4	5774.925	5725 to 5850	Pass
			0	14.4	5774.925	5725 to 5850	Pass
			10	14.4	5774.925	5725 to 5850	Pass
			30	14.4	5774.925	5725 to 5850	Pass
			40	14.4	5774.925	5725 to 5850	Pass
			50	14.4	5774.925	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch / Shenzhen CSTC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


6. DFS

6.1 Test Result



6.1.1 Rader





6.1.2 Duty cycle



5290MHz:



5530MHz:



- End of the Report -