

Product Similarity Declaration

Product name: Wireless Diagnostics Module / Vehicle Communication Interface

Model name: A200、A114、A140、Anyscan A30X、A30X、A30E、A30S、A30L

IC: 29441-A01B2

PMN: A200、A114、A140、Anyscan A30X、A30X、A30E、A30S、A30L

HVIN: A01B2: A200、Anyscan A30X、A30X、A30E、A30S、A30L

A01B2A: A114

A01B2B : A140

We (Shenzhen Xtooltech Intelligent Co.,Ltd.) hereby state that all the models are electrical identical including the same software parameter and hardware design (i.e., circuit design, PCB Layout, RF module/circuit, antenna type(s) and antenna location, components on PCB, etc.), The only differences are the model names, distinct appearances and the built-in software functions of the products, A200、A114、A140、Anyscan A30X、A30X、A30E、A30S、A30L (if any difference).

Demonstrate the detail(descriptions and pictures) as to the difference list above.

Shenzhen Xtooltech Intelligent Co.,Ltd.

Models		A140	A200、Anyscan A30X、A30X、A30E、A30S、A30L	A114
Input Voltage		DC 9-36V		
FCC ID NO. IC ISSED NO.		FCC ID: 2AW3IA01B2 IC:29441-A01B2 HVIN:A01B2 A200, Anyscan A30X, A30X, A30E, A30S, A30L HVIN:A01B2A A114 HVIN:A01B2B		
Physical Product Photo	Internal Photos Three models are identical			
	External Photos Three models with distinct appearances			

Shenzhen Xtooltech Intelligent Co.,Ltd.

	Product Model	Version	A200	A114	A140	Anyscan A30X	A30X	A30E	A30S	A30L
Basic Diagnosis funcion	Full system	5.7.57	Y	Y	Y	Y	Y	Y	Y	Y
	Auto VIN	5.7.57	Y	Y	Y	Y	Y	Y	Y	Y
	Read ECU Info	5.7.57	Y	Y	Y	Y	Y	Y	Y	Y
	Read code	5.7.57	Y	Y	Y	Y	Y	Y	Y	Y
	Clear code	5.7.57	Y	Y	Y	Y	Y	Y	Y	Y
	Read live data	/	N	N	N	N	N	N	N	N
	Read freeze frame	/	N	N	N	N	N	N	N	N
	Actuation test	/	N	N	N	N	N	N	N	N
Features for EV	Battery Pack Test	/	N	N	N	N	N	N	N	N
	AC compressor test	/	N	N	N	N	N	N	N	N
	48V Motor Test	/	N	N	N	N	N	N	N	N
	OBC Test	/	N	N	N	N	N	N	N	N
	DCDC Test	/	N	N	N	N	N	N	N	N
Full System	TPMS Functions	5.7	Y	Y	Y	Y	N	N	Y	N
	Full special function	5.7.57	N	N	N	N	N	N	N	N
	ECU Configuration	20.02	Y	Y	Y	N	Y	N	N	Y
	BMW TEST PLAN	/	N	N	N	N	N	N	N	N
	Offline Coding	5.2	Y	Y	N	N	N	Y	Y	N
	Programmable module installation	20.02	N	N	N	N	Y	Y	N	Y
	Online ECU Coding	5.2	Y	N	N	N	Y	N	N	N
	Online ECU Programming	5.2	N	N	N	N	N	Y	Y	N
	J2534 Protocol	/	N	N	N	Y	N	N	Y	N
	Key Programming	/	N	N	N	N	N	N	N	N
	Amount of special functions		24	7	4	2	31	19	19	15

The functional differences of the built-in software of the Smart Diagnostic System are as follows:

Signature:



Name: Pink Zou

Title: Product Certification Engineer

Address: 17&18/F, A2 Building, Creative City, Liuxian Avenue, Nanshan District, Shenzhen

Date: 2026-1-26