


Appendix RF test data for WIFI5.5G

F.1 -26dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	27.099	---	Pass
NVNT	a	5580	Ant1	26.559	---	Pass
NVNT	a	5700	Ant1	28.028	---	Pass
NVNT	n20	5500	Ant1	27.231	---	Pass
NVNT	n20	5580	Ant1	25.662	---	Pass
NVNT	n20	5700	Ant1	29.327	---	Pass
NVNT	n40	5510	Ant1	47.029	---	Pass
NVNT	n40	5550	Ant1	46.333	---	Pass
NVNT	n40	5670	Ant1	53.731	---	Pass
NVNT	ac20	5500	Ant1	28.321	---	Pass
NVNT	ac20	5580	Ant1	28.433	---	Pass
NVNT	ac20	5700	Ant1	28.693	---	Pass
NVNT	ac40	5510	Ant1	52.075	---	Pass
NVNT	ac40	5550	Ant1	45.437	---	Pass
NVNT	ac40	5670	Ant1	45.323	---	Pass
NVNT	ac80	5530	Ant1	85.391	---	Pass
NVNT	ac80	5610	Ant1	84.681	---	Pass

Test Graphs


-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5580MHz Ant1




-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5580MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant1




-26dB Bandwidth NVNT n40 5550MHz Ant1




-26dB Bandwidth NVNT n40 5670MHz Ant1




-26dB Bandwidth NVNT ac20 5500MHz Ant1




-26dB Bandwidth NVNT ac20 5580MHz Ant1




-26dB Bandwidth NVNT ac20 5700MHz Ant1




-26dB Bandwidth NVNT ac40 5510MHz Ant1




-26dB Bandwidth NVNT ac40 5550MHz Ant1




-26dB Bandwidth NVNT ac40 5670MHz Ant1



-26dB Bandwidth NVNT ac80 5530MHz Ant1





F.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	11.17	0.19	11.36	22.27	Pass
NVNT	a	5580	Ant1	11.05	0.19	11.24	22.27	Pass
NVNT	a	5700	Ant1	11.1	0.19	11.29	22.27	Pass
NVNT	n20	5500	Ant1	11.27	0.23	11.5	22.27	Pass
NVNT	n20	5580	Ant1	11.22	0.23	11.45	22.27	Pass
NVNT	n20	5700	Ant1	11.36	0.23	11.59	22.27	Pass
NVNT	n40	5510	Ant1	8.37	0.44	8.81	22.27	Pass
NVNT	n40	5550	Ant1	8.19	0.44	8.63	22.27	Pass
NVNT	n40	5670	Ant1	9.11	0.43	9.54	22.27	Pass
NVNT	ac20	5500	Ant1	10.3	0.22	10.52	22.27	Pass
NVNT	ac20	5580	Ant1	10.47	0.22	10.69	22.27	Pass
NVNT	ac20	5700	Ant1	10.29	0.22	10.51	22.27	Pass
NVNT	ac40	5510	Ant1	8.48	0.43	8.91	22.27	Pass
NVNT	ac40	5550	Ant1	8.25	0.44	8.69	22.27	Pass
NVNT	ac40	5670	Ant1	9.05	0.44	9.49	22.27	Pass
NVNT	ac80	5530	Ant1	8.14	0.83	8.97	22.27	Pass
NVNT	ac80	5610	Ant1	8.39	0.83	9.22	22.27	Pass

F.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5500	Ant1	0.46	0.19	0.65	9.27	Pass
NVNT	a	5580	Ant1	0.46	0.19	0.65	9.27	Pass
NVNT	a	5700	Ant1	0.63	0.19	0.82	9.27	Pass
NVNT	n20	5500	Ant1	0.32	0.23	0.55	9.27	Pass
NVNT	n20	5580	Ant1	0.59	0.23	0.82	9.27	Pass
NVNT	n20	5700	Ant1	0.58	0.23	0.81	9.27	Pass
NVNT	n40	5510	Ant1	-5.13	0.44	-4.69	9.27	Pass
NVNT	n40	5550	Ant1	-5.39	0.44	-4.95	9.27	Pass
NVNT	n40	5670	Ant1	-4.4	0.43	-3.97	9.27	Pass
NVNT	ac20	5500	Ant1	-0.33	0.22	-0.11	9.27	Pass
NVNT	ac20	5580	Ant1	-0.46	0.22	-0.24	9.27	Pass
NVNT	ac20	5700	Ant1	-0.05	0.22	0.17	9.27	Pass
NVNT	ac40	5510	Ant1	-5.03	0.43	-4.6	9.27	Pass
NVNT	ac40	5550	Ant1	-5.26	0.44	-4.82	9.27	Pass
NVNT	ac40	5670	Ant1	-4.39	0.44	-3.95	9.27	Pass
NVNT	ac80	5530	Ant1	-8.24	0.83	-7.41	9.27	Pass
NVNT	ac80	5610	Ant1	-7.75	0.83	-6.92	9.27	Pass

Test Graphs


PSD NVNT a 5500MHz Ant1




PSD NVNT a 5580MHz Ant1




PSD NVNT a 5700MHz Ant1




PSD NVNT n20 5500MHz Ant1




PSD NVNT n20 5580MHz Ant1




PSD NVNT n20 5700MHz Ant1




PSD NVNT n40 5510MHz Ant1




PSD NVNT n40 5550MHz Ant1




PSD NVNT n40 5670MHz Ant1




PSD NVNT ac20 5500MHz Ant1




PSD NVNT ac20 5580MHz Ant1




PSD NVNT ac20 5700MHz Ant1




PSD NVNT ac40 5510MHz Ant1




PSD NVNT ac40 5550MHz Ant1




PSD NVNT ac40 5670MHz Ant1



PSD NVNT ac80 5530MHz Ant1







F.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5500	Ant1	5460	-44.25	7.73	-	58.71	Peak	68.2	Pass
NVNT	a	5500	Ant1	5460	-55.16	7.73	0.19	47.99	Average	54	Pass
NVNT	a	5500	Ant1	5469.8	-37.85	7.73	-	65.11	Peak	68.2	Pass
NVNT	a	5500	Ant1	5470	-50.3	7.73	0.19	52.85	Average	54	Pass
NVNT	a	5500	Ant1	5470	-39.73	7.73	-	63.23	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725	-35.18	7.73	-	67.78	Peak	68.2	Pass
NVNT	a	5700	Ant1	5725	-47.8	7.73	0.19	53.35	Average	54	Pass
NVNT	a	5700	Ant1	5725.4	-31.07	7.73	-	61.89	Peak	68.2	Pass
NVNT	a	5700	Ant1	5735	-46.28	7.73	-	56.68	Peak	68.2	Pass
NVNT	a	5700	Ant1	5735	-53.92	7.73	0.19	49.23	Average	54	Pass
NVNT	n20	5500	Ant1	5460	-42.2	7.73	-	60.76	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5460	-55.2	7.73	0.23	47.99	Average	54	Pass
NVNT	n20	5500	Ant1	5469.8	-32.98	7.73	-	59.98	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5468.4	-49.79	7.73	0.23	53.40	Average	54	Pass
NVNT	n20	5500	Ant1	5470	-35.01	7.73	-	67.95	Peak	68.2	Pass
NVNT	n20	5500	Ant1	5470	-49.91	7.73	0.23	53.28	Average	54	Pass
NVNT	n20	5700	Ant1	5725	-33.72	7.73	-	59.24	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5725	-45.22	7.73	0.23	47.97	Average	54	Pass
NVNT	n20	5700	Ant1	5726.4	-29.6	7.73	-	63.36	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-41.32	7.73	-	61.64	Peak	68.2	Pass
NVNT	n20	5700	Ant1	5735	-55.24	7.73	0.23	47.95	Average	54	Pass
NVNT	n40	5510	Ant1	5460	-45.48	7.73	-	57.48	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5460	-53.94	7.73	0.44	49.46	Average	54	Pass
NVNT	n40	5510	Ant1	5470	-33.53	7.73	-	59.43	Peak	68.2	Pass
NVNT	n40	5510	Ant1	5470	-49.64	7.73	0.44	53.76	Average	54	Pass
NVNT	n40	5670	Ant1	5725	-48.95	7.73	-	54.01	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5725	-56.34	7.73	0.43	47.05	Average	54	Pass
NVNT	n40	5670	Ant1	5727.6	-45.65	7.73	-	57.31	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5735	-49.83	7.73	-	53.13	Peak	68.2	Pass
NVNT	n40	5670	Ant1	5735	-56.67	7.73	0.43	46.72	Average	54	Pass
NVNT	ac20	5500	Ant1	5460	-46.18	7.73	-	56.78	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5460	-55.49	7.73	0.22	47.69	Average	54	Pass
NVNT	ac20	5500	Ant1	5469.8	-32.57	7.73	-	60.39	Peak	68.2	Pass
NVNT	ac20	5500	Ant1	5470	-48.89	7.73	0.22	44.29	Average	54	Pass
NVNT	ac20	5500	Ant1	5470	-37.93	7.73	-	65.03	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725	-30.97	7.73	-	61.99	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5725	-43.73	7.73	0.22	49.45	Average	54	Pass
NVNT	ac20	5700	Ant1	5725.4	-29.11	7.73	-	63.85	Peak	68.2	Pass


NVNT	ac20	5700	Ant1	5735	-43.48	7.73	-	59.48	Peak	68.2	Pass
NVNT	ac20	5700	Ant1	5735	-53.46	7.73	0.22	49.72	Average	54	Pass
NVNT	ac40	5510	Ant1	5460	-43.01	7.73	-	59.95	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5460	-54.52	7.73	0.43	48.87	Average	54	Pass
NVNT	ac40	5510	Ant1	5470	-36.97	7.73	-	65.99	Peak	68.2	Pass
NVNT	ac40	5510	Ant1	5469	-49.6	7.73	0.43	53.79	Average	54	Pass
NVNT	ac40	5510	Ant1	5470	-49.99	7.73	0.43	53.40	Average	54	Pass
NVNT	ac40	5670	Ant1	5725	-47.91	7.73	-	55.05	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5725	-56.15	7.73	0.44	47.25	Average	54	Pass
NVNT	ac40	5670	Ant1	5732.4	-45.11	7.73	-	57.85	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5725.8	-55.72	7.73	0.44	47.68	Average	54	Pass
NVNT	ac40	5670	Ant1	5735	-48.52	7.73	-	54.44	Peak	68.2	Pass
NVNT	ac40	5670	Ant1	5735	-57.22	7.73	0.44	46.18	Average	54	Pass
NVNT	ac80	5530	Ant1	5460	-42.74	7.73	-	60.22	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5460	-50.18	7.73	0.83	53.61	Average	54	Pass
NVNT	ac80	5530	Ant1	5467.4	-37.27	7.73	-	65.69	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5463.8	-49.89	7.73	0.83	53.90	Average	54	Pass
NVNT	ac80	5530	Ant1	5470	-41	7.73	-	61.96	Peak	68.2	Pass
NVNT	ac80	5530	Ant1	5470	-50.64	7.73	0.83	53.15	Average	54	Pass
NVNT	ac80	5610	Ant1	5725	-49.23	7.73	-	53.73	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5725	-56.66	7.73	0.83	47.13	Average	54	Pass
NVNT	ac80	5610	Ant1	5731.925	-47.64	7.73	-	55.32	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5725.16	-56.69	7.73	0.83	47.10	Average	54	Pass
NVNT	ac80	5610	Ant1	5735	-49.27	7.73	-	53.69	Peak	68.2	Pass
NVNT	ac80	5610	Ant1	5735	-57.59	7.73	0.83	46.20	Average	54	Pass






Restrict Band NVNT a 5700MHz Ant1 Peak






Restrict Band NVNT a 5700MHz Ant1 Average
















Restrict Band NVNT n40 5670MHz Ant1 Average







Restrict Band NVNT ac20 5500MHz Ant1 Average










Restrict Band NVNT ac40 5670MHz Ant1 Average






Restrict Band NVNT ac80 5610MHz Ant1 Peak




Restrict Band NVNT ac80 5610MHz Ant1 Average




F.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5500	Ant1	5500	0	0	25	Pass
NVNT	a	5580	Ant1	5580	0	0	25	Pass
NVNT	a	5700	Ant1	5700	0	0	25	Pass
NVNT	n20	5500	Ant1	5500	0	0	25	Pass
NVNT	n20	5580	Ant1	5580	0	0	25	Pass
NVNT	n20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
NVNT	n40	5510	Ant1	5510	0	0	25	Pass
NVNT	n40	5550	Ant1	5549.96	-40000	-7.21	25	Pass
NVNT	n40	5670	Ant1	5670	0	0	25	Pass
NVNT	ac20	5500	Ant1	5499.98	-20000	-3.64	25	Pass
NVNT	ac20	5580	Ant1	5579.98	-20000	-3.58	25	Pass
NVNT	ac20	5700	Ant1	5699.98	-20000	-3.51	25	Pass
NVNT	ac40	5510	Ant1	5509.96	-40000	-7.26	25	Pass
NVNT	ac40	5550	Ant1	5549.96	-40000	-7.21	25	Pass
NVNT	ac40	5670	Ant1	5670	0	0	25	Pass
NVNT	ac80	5530	Ant1	5530	0	0	25	Pass
NVNT	ac80	5610	Ant1	5610	0	0	25	Pass




Freq. Stability NVNT a 5700MHz Ant1




Freq. Stability NVNT n20 5500MHz Ant1







Freq. Stability NVNT n20 5700MHz Ant1




Freq. Stability NVNT n40 5510MHz Ant1




Freq. Stability NVNT n40 5550MHz Ant1







Freq. Stability NVNT ac20 5500MHz Ant1




Freq. Stability NVNT ac20 5580MHz Ant1




Freq. Stability NVNT ac20 5700MHz Ant1




Freq. Stability NVNT ac40 5510MHz Ant1




Freq. Stability NVNT ac40 5550MHz Ant1



Freq. Stability NVNT ac40 5670MHz Ant1




Freq. Stability NVNT ac80 5530MHz Ant1




F.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5500	Ant1	95.68	0.19	0.72
NVNT	a	5580	Ant1	95.68	0.19	0.72
NVNT	a	5700	Ant1	95.68	0.19	0.72
NVNT	n20	5500	Ant1	94.94	0.23	0.85
NVNT	n20	5580	Ant1	94.94	0.23	0.85
NVNT	n20	5700	Ant1	94.94	0.23	0.85
NVNT	n40	5510	Ant1	90.45	0.44	1.7
NVNT	n40	5550	Ant1	90.45	0.44	1.7
NVNT	n40	5670	Ant1	90.6	0.43	1.7
NVNT	ac20	5500	Ant1	95.04	0.22	0.84
NVNT	ac20	5580	Ant1	94.96	0.22	0.84
NVNT	ac20	5700	Ant1	94.97	0.22	0.84
NVNT	ac40	5510	Ant1	90.56	0.43	1.68
NVNT	ac40	5550	Ant1	90.41	0.44	1.68
NVNT	ac40	5670	Ant1	90.41	0.44	1.68
NVNT	ac80	5530	Ant1	82.68	0.83	3.38
NVNT	ac80	5610	Ant1	82.68	0.83	3.38




Duty Cycle NVNT a 5700MHz Ant1




Duty Cycle NVNT n20 5500MHz Ant1




Duty Cycle NVNT n20 5580MHz Ant1




Duty Cycle NVNT n20 5700MHz Ant1




Duty Cycle NVNT n40 5510MHz Ant1




Duty Cycle NVNT n40 5550MHz Ant1




Duty Cycle NVNT n40 5670MHz Ant1




Duty Cycle NVNT ac20 5500MHz Ant1




Duty Cycle NVNT ac20 5580MHz Ant1




Duty Cycle NVNT ac20 5700MHz Ant1




Duty Cycle NVNT ac40 5510MHz Ant1



Duty Cycle NVNT ac40 5550MHz Ant1



Duty Cycle NVNT ac40 5670MHz Ant1



Duty Cycle NVNT ac80 5530MHz Ant1

