


Radiated Emission Test Results at 30MHz-1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Vertical



Final Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	30.1054	35.91	-23.39	40.00	4.09	100	160	Vertical
2	56.3948	33.13	-21.25	40.00	6.87	100	170	Vertical
3	60.4919	36.59	-21.53	40.00	3.41	100	90	Vertical
4	156.4578	35.15	-19.64	43.50	8.35	100	220	Vertical
5	170.7926	35.03	-20.38	43.50	8.47	100	160	Vertical
6	278.0668	38.64	-19.28	46.00	7.36	100	140	Vertical

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emission Test Results at 30MHz-1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Horizontal




Final Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	69.3568	20.55	-25.26	40.00	19.45	100	190	Horizontal
2	86.8068	21.66	-27.59	40.00	18.34	100	110	Horizontal
3	154.2786	28.11	-20.79	43.50	15.39	100	130	Horizontal
4	287.9904	35.17	-19.83	46.00	10.83	100	290	Horizontal
5	386.6338	33.02	-17.68	46.00	12.98	100	180	Horizontal
6	478.8456	37.22	-17.33	46.00	8.78	100	170	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emission Test Results at 30MHz-1GHz			
EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Vertical




Final Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	40.8446	26.70	-21.90	40.00	13.3	100	120	Vertical
2	46.9948	27.87	-21.37	40.00	12.13	100	230	Vertical
3	53.8818	29.98	-21.13	40.00	10.02	100	70	Vertical
4	73.1025	27.84	-23.40	40.00	12.16	100	290	Vertical
5	153.2004	34.10	-19.81	43.50	9.4	100	310	Vertical
6	478.8456	38.86	-14.76	46.00	7.14	100	170	Vertical

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Radiated Emission Test Results at 30MHz-1GHz			
EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Horizontal



Final Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	291.0360	33.94	-19.76	46.00	12.06	100	100	Horizontal
2	316.5890	33.53	-19.10	46.00	12.47	100	160	Horizontal
3	373.3112	32.83	-17.84	46.00	13.17	100	170	Horizontal
4	394.8545	33.59	-17.56	46.00	12.41	100	210	Horizontal
5	440.1963	34.53	-17.97	46.00	11.47	100	260	Horizontal
6	478.8456	38.17	-17.33	46.00	7.83	100	200	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emission Test Results at 30MHz-1GHz			
EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Vertical




Final Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	136.9391	20.04	-20.52	43.50	23.46	100	180	Vertical
2	290.0172	25.02	-18.99	46.00	20.98	100	100	Vertical
3	309.9977	25.14	-18.55	46.00	20.86	100	160	Vertical
4	444.8514	29.78	-15.14	46.00	16.22	100	180	Vertical
5	478.8456	32.01	-14.76	46.00	13.99	100	210	Vertical
6	785.0935	32.21	-7.86	46.00	13.79	100	220	Vertical

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emission Test Results at 30MHz-1GHz			
EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Horizontal




Final Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	129.4677	16.68	-22.51	43.50	26.82	100	230	Horizontal
2	150.0108	18.01	-20.75	43.50	25.49	100	260	Horizontal
3	287.9904	18.53	-19.83	46.00	27.47	100	140	Horizontal
4	396.2415	22.20	-17.57	46.00	23.8	100	160	Horizontal
5	590.9737	25.03	-14.33	46.00	20.97	100	120	Horizontal
6	758.0408	28.42	-10.46	46.00	17.58	100	80	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emission Test Results at 30MHz-1GHz			
EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Vertical



Final Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	143.8295	19.07	-19.92	43.50	24.43	100	80	Vertical
2	159.7844	19.36	-19.80	43.50	24.14	100	90	Vertical
3	364.2595	21.88	-17.39	46.00	24.12	100	230	Vertical
4	506.4791	24.80	-14.05	46.00	21.2	100	160	Vertical
5	620.7096	27.88	-11.01	46.00	18.12	100	180	Vertical
6	782.3453	31.57	-7.87	46.00	14.43	100	210	Vertical

Result: Pass

Note: 1. Factor=Antenna Factor + Cable loss, Margin=Limit-Measurement.


2. All test modes had been pre-tested. The mode 1 is the worst case and recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Radiated Emissions Test Results above 1 GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Horizontal



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4823.491175	45.62	-8.81	54.00	-8.38	150	260	Horizontal
2	7020.001	46.99	-2.57	54.00	-7.01	150	100	Horizontal
3	9647.482374	50.48	-0.41	54.00	-3.52	150	70	Horizontal
4	12059.052953	50.40	3.24	54.00	-3.60	150	150	Horizontal
5	14471.473574	49.52	2.02	54.00	-4.48	150	210	Horizontal
6	16496.274814	50.96	3.94	54.00	-3.04	150	170	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19295.185026	44.28	-7.02	54.00	-9.72	150	150	Horizontal
2	20421.345907	37.67	-6.40	54.00	-16.33	150	260	Horizontal
3	21707.529647	45.59	-4.79	54.00	-8.41	150	280	Horizontal
4	22679.668524	41.27	-3.62	54.00	-12.73	150	100	Horizontal
5	24120.874411	48.93	-3.15	54.00	-5.07	150	50	Horizontal
6	24607.943992	42.26	-3.02	54.00	-11.74	150	50	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	3562.878144	38.86	-10.53	54.00	-15.14	150	190	Vertical
2	4824.341217	45.30	-8.81	54.00	-8.70	150	220	Vertical
3	7236.761838	50.42	-2.87	54.00	-3.58	150	320	Vertical
4	9648.332417	49.37	-0.40	54.00	-4.63	150	260	Vertical
5	12059.052953	50.14	3.24	54.00	-3.86	150	290	Vertical
6	14471.473574	49.58	2.02	54.00	-4.42	150	30	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19295.185026	45.31	-6.95	54.00	-8.69	150	110	Vertical
2	20190.312902	36.52	-6.76	54.00	-17.48	150	20	Vertical
3	21708.52979	47.83	-4.79	54.00	-6.17	150	150	Vertical
4	22953.707673	41.68	-3.35	54.00	-12.32	150	10	Vertical
5	24119.874268	48.69	-3.23	54.00	-5.31	150	240	Vertical
6	24751.964566	42.42	-3.00	54.00	-11.58	150	330	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4873.643682	47.15	-8.76	54.00	-6.85	150	310	Horizontal
2	7311.565578	50.16	-2.97	54.00	-3.84	150	300	Horizontal
3	9748.637432	49.34	0.17	54.00	-4.66	150	70	Horizontal
4	12184.009201	50.46	3.06	54.00	-3.54	150	20	Horizontal
5	14621.081054	49.88	1.78	54.00	-4.12	150	150	Horizontal
6	17059.852993	50.73	3.26	54.00	-3.27	150	210	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19005.143592	36.22	-7.00	54.00	-17.78	150	290	Horizontal
2	19495.213602	43.62	-7.03	54.00	-10.38	150	340	Horizontal
3	20842.406058	38.88	-5.74	54.00	-15.12	150	250	Horizontal
4	21932.561795	46.72	-4.55	54.00	-7.28	150	280	Horizontal
5	23063.723389	42.22	-3.19	54.00	-11.78	150	100	Horizontal
6	24370.91013	47.85	-3.09	54.00	-6.15	150	220	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.493725	49.25	-8.76	54.00	-4.75	150	220	Vertical
2	7311.565578	50.12	-2.97	54.00	-3.88	150	330	Vertical
3	9748.637432	49.84	0.17	54.00	-4.16	150	220	Vertical
4	12184.859243	50.85	3.06	54.00	-3.15	150	270	Vertical
5	14621.931097	50.30	1.78	54.00	-3.70	150	200	Vertical
6	17059.00295	51.33	3.27	54.00	-2.67	150	350	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18782.11173	36.66	-7.03	54.00	-17.34	150	40	Vertical
2	19495.213602	45.23	-6.98	54.00	-8.77	150	260	Vertical
3	20389.341335	37.38	-6.45	54.00	-16.62	150	300	Vertical
4	21933.561937	46.40	-4.55	54.00	-7.60	150	30	Vertical
5	23166.738105	41.31	-3.29	54.00	-12.69	150	330	Vertical
6	24369.909987	48.79	-3.15	54.00	-5.21	150	50	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4923.79619	48.60	-8.71	54.00	-5.40	150	210	Horizontal
2	7385.519276	49.91	-3.08	54.00	-4.09	150	190	Horizontal
3	9847.242362	49.52	0.74	54.00	-4.48	150	50	Horizontal
4	12309.815491	50.80	2.88	54.00	-3.20	150	280	Horizontal
5	14771.538577	50.41	1.66	54.00	-3.59	150	120	Horizontal
6	17198.409921	50.90	3.03	54.00	-3.10	150	310	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18470.067153	36.49	-7.30	54.00	-17.51	150	300	Horizontal
2	19695.242178	44.57	-7.04	54.00	-9.43	150	80	Horizontal
3	20635.376482	37.89	-6.07	54.00	-16.11	150	140	Horizontal
4	22158.594085	48.04	-4.29	54.00	-5.96	150	230	Horizontal
5	23212.744678	41.62	-3.19	54.00	-12.38	150	110	Horizontal
6	24620.945849	49.17	-3.02	54.00	-4.83	150	80	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4923.79619	47.67	-8.71	54.00	-6.33	150	70	Vertical
2	7386.369319	50.34	-3.08	54.00	-3.66	150	150	Vertical
3	9847.242362	48.40	0.74	54.00	-5.60	150	330	Vertical
4	12310.665533	50.84	2.88	54.00	-3.16	150	220	Vertical
5	14772.388619	50.34	1.66	54.00	-3.66	150	320	Vertical
6	17148.257413	50.04	3.12	54.00	-3.96	150	190	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19140.16288	36.98	-6.92	54.00	-17.02	150	340	Vertical
2	19696.24232	45.68	-7.01	54.00	-8.32	150	210	Vertical
3	20846.40663	39.01	-5.74	54.00	-14.99	150	310	Vertical
4	22157.593942	46.79	-4.30	54.00	-7.21	150	140	Vertical
5	23298.756965	41.80	-3.29	54.00	-12.20	150	240	Vertical
6	24619.945707	48.71	-3.05	54.00	-5.29	150	50	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1 GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4823.491175	44.29	-8.81	54.00	-9.71	150	330	Horizontal
2	7235.911796	49.49	-2.87	54.00	-4.51	150	300	Horizontal
3	9648.332417	50.02	-0.40	54.00	-3.98	150	60	Horizontal
4	12059.902995	50.28	3.24	54.00	-3.72	150	340	Horizontal
5	14472.323616	49.56	2.02	54.00	-4.44	150	280	Horizontal
6	16883.044152	50.71	3.50	54.00	-3.29	150	340	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18551.078726	36.02	-7.26	54.00	-17.98	150	90	Horizontal
2	19296.185169	45.04	-7.02	54.00	-8.96	150	180	Horizontal
3	20535.362195	37.70	-6.23	54.00	-16.30	150	60	Horizontal
4	21707.529647	48.78	-4.79	54.00	-5.22	150	120	Horizontal
5	23244.74925	41.59	-3.19	54.00	-12.41	150	60	Horizontal
6	24119.874268	49.18	-3.15	54.00	-4.82	150	180	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4823.491175	43.13	-8.81	54.00	-10.87	150	140	Vertical
2	7235.911796	49.45	-2.87	54.00	-4.55	150	90	Vertical
3	9647.482374	50.84	-0.41	54.00	-3.16	150	240	Vertical
4	12060.753038	49.94	3.24	54.00	-4.06	150	200	Vertical
5	14472.323616	49.59	2.02	54.00	-4.41	150	180	Vertical
6	16884.744237	50.34	3.50	54.00	-3.66	150	10	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18658.094013	36.59	-7.10	54.00	-17.41	150	290	Vertical
2	19295.185026	43.11	-6.95	54.00	-10.89	150	50	Vertical
3	20257.322475	37.57	-6.66	54.00	-16.43	150	50	Vertical
4	21707.529647	47.40	-4.79	54.00	-6.60	150	210	Vertical
5	22672.667524	41.24	-3.69	54.00	-12.76	150	40	Vertical
6	24119.874268	47.01	-3.23	54.00	-6.99	150	160	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2## DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4873.643682	48.39	-8.76	54.00	-5.61	150	290	Horizontal
2	7311.565578	49.68	-2.97	54.00	-4.32	150	330	Horizontal
3	9747.787389	48.51	0.17	54.00	-5.49	150	190	Horizontal
4	12185.709286	51.47	3.06	54.00	-2.53	150	100	Horizontal
5	14621.931097	50.34	1.78	54.00	-3.66	150	170	Horizontal
6	17059.00295	51.06	3.27	54.00	-2.94	150	250	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18690.098586	36.13	-7.17	54.00	-17.87	150	160	Horizontal
2	19495.213602	42.74	-7.03	54.00	-11.26	150	230	Horizontal
3	20959.422775	39.17	-5.57	54.00	-14.83	150	200	Horizontal
4	21932.561795	47.05	-4.55	54.00	-6.95	150	30	Horizontal
5	23637.805401	42.02	-3.18	54.00	-11.98	150	270	Horizontal
6	24369.909987	47.81	-3.09	54.00	-6.19	150	80	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4873.643682	48.53	-8.76	54.00	-5.47	150	280	Vertical
2	7310.715536	48.61	-2.97	54.00	-5.39	150	160	Vertical
3	9748.637432	50.36	0.17	54.00	-3.64	150	100	Vertical
4	12185.709286	50.23	3.06	54.00	-3.77	150	190	Vertical
5	14621.081054	50.48	1.78	54.00	-3.52	150	240	Vertical
6	17059.852993	51.02	3.26	54.00	-2.98	150	290	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18700.100014	36.55	-7.07	54.00	-17.45	150	170	Vertical
2	19495.213602	45.36	-6.98	54.00	-8.64	150	260	Vertical
3	20573.367624	38.57	-6.16	54.00	-15.43	150	180	Vertical
4	21933.561937	47.53	-4.55	54.00	-6.47	150	90	Vertical
5	23148.735534	41.94	-3.30	54.00	-12.06	150	10	Vertical
6	24369.909987	50.15	-3.15	54.00	-3.85	150	290	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4924.646232	46.41	-8.71	54.00	-7.59	150	180	Horizontal
2	7386.369319	48.31	-3.08	54.00	-5.69	150	150	Horizontal
3	9848.942447	51.14	0.75	54.00	-2.86	150	340	Horizontal
4	12310.665533	50.84	2.88	54.00	-3.16	150	200	Horizontal
5	14771.538577	50.40	1.66	54.00	-3.60	150	330	Horizontal
6	17181.40907	50.58	3.06	54.00	-3.42	150	270	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18260.037148	37.34	-7.43	54.00	-16.66	150	100	Horizontal
2	19696.24232	43.76	-7.04	54.00	-10.24	150	50	Horizontal
3	21369.481355	39.57	-5.13	54.00	-14.43	150	10	Horizontal
4	22158.594085	45.22	-4.29	54.00	-8.78	150	110	Horizontal
5	23215.745106	42.01	-3.19	54.00	-11.99	150	230	Horizontal
6	24620.945849	47.13	-3.02	54.00	-6.87	150	80	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4923.79619	46.72	-8.71	54.00	-7.28	150	340	Vertical
2	7385.519276	49.49	-3.08	54.00	-4.51	150	120	Vertical
3	9848.942447	50.53	0.75	54.00	-3.47	150	210	Vertical
4	12310.665533	50.78	2.88	54.00	-3.22	150	100	Vertical
5	14771.538577	50.89	1.66	54.00	-3.11	150	290	Vertical
6	17090.454523	50.89	3.22	54.00	-3.11	150	20	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18564.080583	37.26	-7.15	54.00	-16.74	150	10	Vertical
2	19696.24232	44.89	-7.01	54.00	-9.11	150	10	Vertical
3	21019.431347	39.70	-5.48	54.00	-14.30	150	80	Vertical
4	22158.594085	49.01	-4.30	54.00	-4.99	150	210	Vertical
5	23158.736962	41.71	-3.30	54.00	-12.29	150	170	Vertical
6	24619.945707	48.61	-3.05	54.00	-5.39	150	280	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1 GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4823.491175	43.42	-8.81	54.00	-10.58	150	200	Horizontal
2	7235.061753	49.32	-2.87	54.00	-4.68	150	120	Horizontal
3	9648.332417	50.12	-0.40	54.00	-3.88	150	280	Horizontal
4	12059.052953	50.75	3.24	54.00	-3.25	150	260	Horizontal
5	13012.80064	51.46	3.95	54.00	-2.54	150	280	Horizontal
6	16510.725536	50.77	3.93	54.00	-3.23	150	110	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18366.052293	37.42	-7.37	54.00	-16.58	150	110	Horizontal
2	19295.185026	44.47	-7.02	54.00	-9.53	150	290	Horizontal
3	20682.383198	38.50	-6.00	54.00	-15.50	150	240	Horizontal
4	21708.52979	48.51	-4.79	54.00	-5.49	150	250	Horizontal
5	23128.732676	41.98	-3.20	54.00	-12.02	150	20	Horizontal
6	24119.874268	48.57	-3.15	54.00	-5.43	150	130	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824.341217	43.33	-8.81	54.00	-10.67	150	50	Vertical
2	7236.761838	48.79	-2.87	54.00	-5.21	150	0	Vertical
3	9648.332417	49.77	-0.40	54.00	-4.23	150	80	Vertical
4	12059.902995	49.62	3.24	54.00	-4.38	150	290	Vertical
5	14472.323616	50.11	2.02	54.00	-3.89	150	80	Vertical
6	16551.527576	51.23	3.88	54.00	-2.77	150	180	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18457.065295	36.21	-7.21	54.00	-17.79	150	140	Vertical
2	19296.185169	44.96	-6.95	54.00	-9.04	150	280	Vertical
3	20724.389199	38.30	-5.93	54.00	-15.70	150	270	Vertical
4	21707.529647	49.81	-4.79	54.00	-4.19	150	290	Vertical
5	23162.737534	43.01	-3.29	54.00	-10.99	150	70	Vertical
6	24119.874268	50.62	-3.23	54.00	-3.38	150	180	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.493725	47.29	-8.76	54.00	-6.71	150	190	Horizontal
2	7311.565578	49.40	-2.97	54.00	-4.60	150	120	Horizontal
3	9747.787389	50.53	0.17	54.00	-3.47	150	40	Horizontal
4	12184.859243	50.43	3.06	54.00	-3.57	150	330	Horizontal
5	14621.931097	50.14	1.78	54.00	-3.86	150	70	Horizontal
6	17059.00295	50.38	3.27	54.00	-3.62	150	40	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18540.077154	35.94	-7.27	54.00	-18.06	150	30	Horizontal
2	19496.213745	44.79	-7.03	54.00	-9.21	150	270	Horizontal
3	20691.384484	38.69	-5.98	54.00	-15.31	150	180	Horizontal
4	21933.561937	47.96	-4.55	54.00	-6.04	150	350	Horizontal
5	23254.750679	41.47	-3.20	54.00	-12.53	150	90	Horizontal
6	24370.91013	49.99	-3.09	54.00	-4.01	150	40	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4873.643682	48.07	-8.76	54.00	-5.93	150	330	Vertical
2	7311.565578	50.43	-2.97	54.00	-3.57	150	60	Vertical
3	9748.637432	50.48	0.17	54.00	-3.52	150	290	Vertical
4	12185.709286	50.65	3.06	54.00	-3.35	150	120	Vertical
5	14622.781139	50.16	1.78	54.00	-3.84	150	280	Vertical
6	16565.978299	51.09	3.86	54.00	-2.91	150	70	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18704.100586	36.63	-7.07	54.00	-17.37	150	70	Vertical
2	19495.213602	45.50	-6.98	54.00	-8.50	150	340	Vertical
3	20675.382198	38.07	-6.01	54.00	-15.93	150	260	Vertical
4	21932.561795	48.04	-4.55	54.00	-5.96	150	40	Vertical
5	23406.772396	42.47	-3.29	54.00	-11.53	150	280	Vertical
6	24369.909987	50.44	-3.15	54.00	-3.56	150	220	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4923.79619	48.34	-8.71	54.00	-5.66	150	360	Horizontal
2	7385.519276	49.64	-3.08	54.00	-4.36	150	240	Horizontal
3	9847.242362	50.29	0.74	54.00	-3.71	150	150	Horizontal
4	12310.665533	50.37	2.88	54.00	-3.63	150	280	Horizontal
5	14772.388619	49.88	1.66	54.00	-4.12	150	290	Horizontal
6	17234.111706	51.19	2.98	54.00	-2.81	150	110	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19288.184026	36.73	-7.01	54.00	-17.27	150	270	Horizontal
2	19695.242178	46.80	-7.04	54.00	-7.20	150	60	Horizontal
3	20633.376197	37.92	-6.08	54.00	-16.08	150	140	Horizontal
4	22158.594085	49.80	-4.29	54.00	-4.20	150	130	Horizontal
5	23923.846264	41.40	-3.18	54.00	-12.60	150	30	Horizontal
6	24620.945849	49.42	-3.02	54.00	-4.58	150	210	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4924.646232	46.27	-8.71	54.00	-7.73	150	160	Vertical
2	7386.369319	48.97	-3.08	54.00	-5.03	150	190	Vertical
3	9848.092405	48.30	0.75	54.00	-5.70	150	170	Vertical
4	11352.667633	49.99	3.17	54.00	-4.01	150	270	Vertical
5	12309.815491	49.22	2.88	54.00	-4.78	150	20	Vertical
6	17141.457073	51.25	3.13	54.00	-2.75	150	10	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18495.070724	35.77	-7.19	54.00	-18.23	150	180	Vertical
2	19696.24232	46.03	-7.01	54.00	-7.97	150	40	Vertical
3	20814.402057	38.15	-5.79	54.00	-15.85	150	100	Vertical
4	22157.593942	47.02	-4.30	54.00	-6.98	150	220	Vertical
5	23973.853408	42.38	-3.28	54.00	-11.62	150	320	Vertical
6	24619.945707	50.08	-3.05	54.00	-3.92	150	340	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1 GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Horizontal



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824.341217	44.77	-8.81	54.00	-9.23	150	240	Horizontal
2	7235.911796	50.10	-2.87	54.00	-3.90	150	50	Horizontal
3	9647.482374	50.20	-0.41	54.00	-3.80	150	210	Horizontal
4	12059.052953	50.11	3.24	54.00	-3.89	150	70	Horizontal
5	14471.473574	49.78	2.02	54.00	-4.22	150	340	Horizontal
6	16558.327916	50.39	3.87	54.00	-3.61	150	160	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18841.12016	36.32	-7.09	54.00	-17.68	150	230	Horizontal
2	19496.213745	44.16	-7.03	54.00	-9.84	150	270	Horizontal
3	20599.371339	38.42	-6.12	54.00	-15.58	150	350	Horizontal
4	21707.529647	47.25	-4.79	54.00	-6.75	150	120	Horizontal
5	23106.729533	42.01	-3.20	54.00	-11.99	150	260	Horizontal
6	24120.874411	47.93	-3.15	54.00	-6.07	150	260	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824.341217	44.10	-8.81	54.00	-9.90	150	310	Vertical
2	7236.761838	49.95	-2.87	54.00	-4.05	150	280	Vertical
3	8313.765688	48.51	-2.30	54.00	-5.49	150	230	Vertical
4	9647.482374	49.42	-0.41	54.00	-4.58	150	0	Vertical
5	14472.323616	49.76	2.02	54.00	-4.24	150	300	Vertical
6	16884.744237	50.54	3.50	54.00	-3.46	150	140	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18533.076154	37.04	-7.17	54.00	-16.96	150	180	Vertical
2	19496.213745	45.00	-6.98	54.00	-9.00	150	110	Vertical
3	20513.359051	37.87	-6.25	54.00	-16.13	150	200	Vertical
4	21707.529647	44.94	-4.79	54.00	-9.06	150	210	Vertical
5	23070.724389	41.36	-3.30	54.00	-12.64	150	10	Vertical
6	24120.874411	47.47	-3.23	54.00	-6.53	150	330	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2## DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.493725	47.87	-8.76	54.00	-6.13	150	60	Horizontal
2	7310.715536	49.76	-2.97	54.00	-4.24	150	220	Horizontal
3	9747.787389	49.94	0.17	54.00	-4.06	150	280	Horizontal
4	12184.009201	50.09	3.06	54.00	-3.91	150	140	Horizontal
5	14621.081054	49.92	1.78	54.00	-4.08	150	90	Horizontal
6	17058.152908	51.78	3.27	54.00	-2.22	150	190	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18522.074582	36.30	-7.28	54.00	-17.70	150	300	Horizontal
2	19296.185169	46.75	-7.02	54.00	-7.25	150	210	Horizontal
3	19965.280754	37.39	-7.06	54.00	-16.61	150	130	Horizontal
4	21933.561937	47.82	-4.55	54.00	-6.18	150	150	Horizontal
5	23102.728961	41.80	-3.20	54.00	-12.20	150	70	Horizontal
6	24370.91013	50.79	-3.09	54.00	-3.21	150	170	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.493725	46.21	-8.76	54.00	-7.79	150	270	Vertical
2	7310.715536	49.63	-2.97	54.00	-4.37	150	10	Vertical
3	9747.787389	48.77	0.17	54.00	-5.23	150	210	Vertical
4	12185.709286	50.90	3.06	54.00	-3.10	150	220	Vertical
5	14621.081054	50.19	1.78	54.00	-3.81	150	20	Vertical
6	17058.152908	51.09	3.27	54.00	-2.91	150	30	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18491.070153	36.36	-7.19	54.00	-17.64	150	110	Vertical
2	19295.185026	48.39	-6.95	54.00	-5.61	150	0	Vertical
3	20512.358908	37.53	-6.27	54.00	-16.47	150	280	Vertical
4	21932.561795	46.33	-4.55	54.00	-7.67	150	340	Vertical
5	22980.71153	41.02	-3.33	54.00	-12.98	150	40	Vertical
6	24369.909987	48.39	-3.15	54.00	-5.61	150	130	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Horizontal




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4924.646232	46.42	-8.71	54.00	-7.58	150	200	Horizontal
2	7386.369319	48.53	-3.08	54.00	-5.47	150	230	Horizontal
3	9848.092405	50.59	0.75	54.00	-3.41	150	330	Horizontal
4	12310.665533	50.06	2.88	54.00	-3.94	150	110	Horizontal
5	14772.388619	50.22	1.66	54.00	-3.78	150	110	Horizontal
6	17246.862343	50.55	2.96	54.00	-3.45	150	80	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18710.101443	35.95	-7.16	54.00	-18.05	150	230	Horizontal
2	19695.242178	43.67	-7.04	54.00	-10.33	150	110	Horizontal
3	20357.336762	37.81	-6.51	54.00	-16.19	150	200	Horizontal
4	22158.594085	49.18	-4.29	54.00	-4.82	150	60	Horizontal
5	23174.739249	41.58	-3.20	54.00	-12.42	150	90	Horizontal
6	24620.945849	49.74	-3.02	54.00	-4.26	150	250	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4924.646232	46.41	-8.71	54.00	-7.59	150	40	Vertical
2	7386.369319	49.46	-3.08	54.00	-4.54	150	180	Vertical
3	9847.242362	50.04	0.74	54.00	-3.96	150	80	Vertical
4	12310.665533	49.65	2.88	54.00	-4.35	150	10	Vertical
5	14771.538577	51.24	1.66	54.00	-2.76	150	320	Vertical
6	17234.111706	51.41	2.98	54.00	-2.59	150	300	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18674.0963	37.11	-7.09	54.00	-16.89	150	270	Vertical
2	19696.24232	44.84	-7.01	54.00	-9.16	150	40	Vertical
3	21100.44292	38.45	-5.40	54.00	-15.55	150	50	Vertical
4	22158.594085	47.00	-4.30	54.00	-7.00	150	0	Vertical
5	23733.819117	41.37	-3.29	54.00	-12.63	150	170	Vertical
6	24619.945707	49.12	-3.05	54.00	-4.88	150	270	Vertical

RESULT: Pass

Note:

- Factor = Antenna Factor + Cable loss – Pre-amplifier gain, Margin = Emission Level - Limit.
- The “Factor” value can be calculated automatically by software of measurement system.
- All test modes had been pre-tested. The 802.11b is the worst case and recorded in the report.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance (Shenzhen) Co., Ltd
Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11b_TX CH01_2412 MHz	Antenna	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11b_TX CH01_2412 MHz	Antenna	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11b_TX CH11_2462 MHz	Antenna	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11b_TX CH11_2462 MHz	Antenna	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11g_TX CH01_2412 MHz	Antenna	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11g_TX CH01_2412 MHz	Antenna	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement

RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11g_TX CH11_2462 MHz	Antenna	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11g_TX CH11_2462 MHz	Antenna	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11n-HT20_TX CH01_2412 MHz	Antenna	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11n-HT20_TX CH01_2412 MHz	Antenna	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11n-HT20_TX CH11_2472 MHz	Antenna	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11n-HT20_TX CH11_2472 MHz	Antenna	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS

1. **Note:** The factor had been edited in the “Input Correction” of the Spectrum Analyzer.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

12. AC Power Line Conducted Emission


12.1 Measurement Limits

Frequency	Maximum RF Line Voltage	
	Q.P (dBμV)	Average (dBμV)
150kHz~500kHz	66-56	56-46
500kHz~5MHz	56	46
5MHz~30MHz	60	50

Note:

1. The lower limit shall apply at the transition frequency.
2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

12.2 Block Diagram of Line Conducted Emission Test



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

12.3 Preliminary Procedure of Line Conducted Emission Test

1. The equipment was set up as per the test configuration to simulate typical actual usage per the user's manual. When the EUT is a tabletop system, a wooden table with a height of 0.8 meters is used and is placed on the ground plane as per ANSI C63.10 (see Test Facility for the dimensions of the ground plane used). When the EUT is a floor-standing equipment, it is placed on the ground plane which has a 3-12 mm non-conductive covering to insulate the EUT from the ground plane.
2. Support equipment, if needed, was placed as per ANSI C63.10.
3. All I/O cables were positioned to simulate typical actual usage as per ANSI C63.10.
4. All support equipment received AC120V/60Hz power from a LISN, if any.
5. The EUT received DC 9V power from adapter which received AC120V/60Hz power from a LISN.
6. The test program was started. Emissions were measured on each current carrying line of the EUT using a spectrum Analyzer / Receiver connected to the LISN powering the EUT. The LISN has two monitoring points: Line 1 (Hot Side) and Line 2 (Neutral Side).
7. Two scans were taken: one with Line 1 connected to Analyzer / Receiver and Line 2 connected to a 50 Ohm load; the second scan had Line 1 connected to a 50 Ohm load and Line 2 connected to the Analyzer / Receiver.
8. Analyzer / Receiver scanned from 150 kHz to 30MHz for emissions in each of the test modes.
9. During the above scans, the emissions were maximized by cable manipulation.
10. The test mode(s) were scanned during the preliminary test.

Then, the EUT configuration and cable configuration of the above highest emission level were recorded for reference of final testing.

12.4 Final Procedure of Line Conducted Emission Test

1. EUT and support equipment was set up on the test bench as per step 2 of the preliminary test.
2. A scan was taken on both power lines, Line 1 and Line 2, recording at least the six highest emissions. Emission frequency and amplitude were recorded into a computer in which correction factors were used to calculate the emission level and compare reading to the applicable limit. If EUT emission level was less – 2dB to the A.V. limit in Peak mode, then the emission signal was re-checked using Q.P and Average detector.
3. The test data of the worst case was reported on the Summary Data page.
4. A conducted emission is calculated by the following equation:
 - Measurement Level (dBμV) = Receiver reading (dBμV) + Transd (dB)
 - Transd (dB)= AMN Factor(dB)+Cable Loss(dB)+Attenuation(dB)
 - Margin= Limit-Level

12.5 Test Result of Line Conducted Emission Test

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test			
Test Mode	Mode 1	LISN Line	Hot Side
Remark	DC 9V for Adapter1#+ DC 7.2V by battery1#		

Level [dBµV]

x x MES agc_fin

MEASUREMENT RESULT: "agc_fin"

2025/11/12 10:28

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line
0.482000	31.40	10.3	56	24.9	QP	L1
0.518000	30.40	10.3	56	25.6	QP	L1
0.550000	32.20	10.3	56	23.8	QP	L1
0.574000	32.90	10.3	56	23.1	QP	L1
0.610000	34.10	10.3	56	21.9	QP	L1
0.634000	34.20	10.3	56	21.8	QP	L1

MEASUREMENT RESULT: "agc_fin2"

2025/11/12 10:28

Frequency MHz	Level dBµV	Transd dB	Limit dBµV	Margin dB	Detector	Line
0.482000	21.00	10.3	46	25.3	AV	L1
1.578000	19.20	10.4	46	26.8	AV	L1
26.194000	17.60	17.0	50	32.4	AV	L1
28.070000	19.00	17.6	50	31.0	AV	L1
29.506000	19.20	18.0	50	30.8	AV	L1
29.954000	20.40	18.1	50	29.6	AV	L1

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


AC Power Line Conducted Emission Test						
Test Mode	Mode 1	LISN Line	Neutral Side			
Remark	DC 9V for Adapter1#+ DC 7.2V by battery1#					
Level [dBμV] x x x MES agc_fin						
MEASUREMENT RESULT: "agc_fin"						
2025/11/12 10:31						
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.518000	32.20	10.3	56	23.8	QP	N
0.558000	35.90	10.3	56	20.1	QP	N
0.590000	36.20	10.3	56	19.8	QP	N
0.626000	35.80	10.3	56	20.2	QP	N
0.902000	35.50	10.4	56	20.5	QP	N
1.002000	36.80	10.4	56	19.2	QP	N
MEASUREMENT RESULT: "agc_fin2"						
2025/11/12 10:31						
Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.350000	22.00	10.3	49	27.0	AV	N
0.522000	20.70	10.3	46	25.3	AV	N
1.002000	20.30	10.4	46	25.7	AV	N
4.834000	13.00	10.8	46	33.0	AV	N
28.458000	17.40	17.7	50	32.6	AV	N
29.010000	18.70	17.8	50	31.3	AV	N

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Hot Side
Remark	DC 9V for Adapter2#+ DC 7.2V by battery1#		



MEASUREMENT RESULT: "agc_fin"

2025/11/12 11:19

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.494000	45.90	10.3	56	10.2	QP	L1
0.890000	34.30	10.4	56	21.7	QP	L1
0.942000	35.30	10.4	56	20.7	QP	L1
1.250000	35.20	10.4	56	20.8	QP	L1
7.142000	37.40	11.4	60	22.6	QP	L1
7.602000	33.70	11.6	60	26.3	QP	L1


MEASUREMENT RESULT: "agc_fin2"

2025/11/12 11:19

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.286000	28.10	10.3	51	22.5	AV	L1
0.510000	39.60	10.3	46	6.4	AV	L1
1.242000	27.40	10.4	46	18.6	AV	L1
1.786000	22.60	10.4	46	23.4	AV	L1
1.998000	23.70	10.4	46	22.3	AV	L1
2.826000	21.40	10.5	46	24.6	AV	L1

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test

Test Mode	Mode 1	LISN Line	Hot Side
Remark	DC 9V for Adapter1#+ DC 7.2V by battery2#		



MEASUREMENT RESULT: "agc_fin"

2025/10/10 11:18

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.474000	41.40	10.3	56	15.0	QP	L1
0.494000	43.80	10.3	56	12.3	QP	L1
0.550000	40.70	10.3	56	15.3	QP	L1
0.594000	40.60	10.3	56	15.4	QP	L1
1.326000	40.80	10.4	56	15.2	QP	L1
1.550000	39.70	10.4	56	16.3	QP	L1

MEASUREMENT RESULT: "agc_fin2"

2025/10/10 11:18

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.494000	29.70	10.3	46	16.4	AV	L1
0.550000	25.40	10.3	46	20.6	AV	L1
0.578000	24.90	10.3	46	21.1	AV	L1
0.618000	24.90	10.3	46	21.1	AV	L1
1.270000	26.20	10.4	46	19.8	AV	L1
1.618000	25.40	10.4	46	20.6	AV	L1

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

AC Power Line Conducted Emission Test			
Test Mode	Mode 1	LISN Line	Neutral Side
Remark	DC 9V for Adapter1#+ DC 7.2V by battery2#		

Level [dBμV]



x x xMES agc_fin

MEASUREMENT RESULT: "agc_fin"

2025/10/10 11:22

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.502000	43.80	10.3	56	12.2	QP	N
0.654000	34.50	10.3	56	21.5	QP	N
0.730000	34.30	10.3	56	21.7	QP	N
1.118000	34.20	10.4	56	21.8	QP	N
1.142000	33.70	10.4	56	22.3	QP	N
6.810000	33.80	11.3	60	26.2	QP	N

MEASUREMENT RESULT: "agc_fin2"

2025/10/10 11:22

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.362000	24.40	10.3	49	24.3	AV	N
0.514000	36.10	10.3	46	9.9	AV	N
0.902000	23.90	10.4	46	22.1	AV	N
2.338000	19.30	10.5	46	26.7	AV	N
6.466000	16.50	11.2	50	33.5	AV	N
6.810000	16.50	11.3	50	33.5	AV	N

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test			
Test Mode	Mode 1	LISN Line	Hot Side
Remark	DC 9V for Adapter2#+ DC 7.2V by battery2#		

Level [dBμV]

x x MES agc_fin

MEASUREMENT RESULT: "agc_fin"

2025/10/10 11:47

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.410000	42.00	10.3	58	15.6	QP	L1
0.434000	43.70	10.3	57	13.5	QP	L1
0.562000	42.10	10.3	56	13.9	QP	L1
0.602000	41.70	10.3	56	14.3	QP	L1
0.778000	42.00	10.3	56	14.0	QP	L1
1.038000	41.20	10.4	56	14.8	QP	L1

MEASUREMENT RESULT: "agc_fin2"

2025/10/10 11:47


Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.410000	26.50	10.3	48	21.1	AV	L1
0.522000	28.00	10.3	46	18.0	AV	L1
0.602000	27.70	10.3	46	18.3	AV	L1
0.730000	30.40	10.3	46	15.6	AV	L1
0.810000	29.80	10.3	46	16.2	AV	L1
1.026000	28.20	10.4	46	17.8	AV	L1

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

AC Power Line Conducted Emission Test			
Test Mode	Mode 1	LISN Line	Neutral Side
Remark	DC 9V for Adapter2#+ DC 7.2V by battery2#		

Level [dBμV]



x x xMES agc_fin

MEASUREMENT RESULT: "agc_fin"

2025/10/10 11:50

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.434000	36.50	10.3	57	20.7	QP	N
0.514000	37.00	10.3	56	19.0	QP	N
0.574000	36.10	10.3	56	19.9	QP	N
0.734000	36.90	10.3	56	19.1	QP	N
1.046000	36.40	10.4	56	19.6	QP	N
1.178000	37.00	10.4	56	19.0	QP	N

MEASUREMENT RESULT: "agc_fin2"

2025/10/10 11:50

Frequency MHz	Level dBμV	Transd dB	Limit dBμV	Margin dB	Detector	Line
0.434000	22.30	10.3	47	24.9	AV	N
0.570000	22.10	10.3	46	23.9	AV	N
0.650000	22.50	10.3	46	23.5	AV	N
0.858000	21.10	10.4	46	24.9	AV	N
0.898000	21.60	10.4	46	24.4	AV	N
1.046000	21.30	10.4	46	24.7	AV	N

Result: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Appendix I: Photographs of Test Setup

Refer to the Report No.: AGC16626250902AP02

Appendix II: Photographs of Test EUT

Refer to the Report No.: AGC16626250902AP03

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Co., Ltd (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").
2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.
3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.
4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.
5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.
6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.
7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.
8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.
9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

-----End of Report-----

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.