




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19295.185026	45.31	-6.95	54.00	-8.69	150	110	Vertical
2	20190.312902	36.52	-6.76	54.00	-17.48	150	20	Vertical
3	21708.52979	47.83	-4.79	54.00	-6.17	150	150	Vertical
4	22953.707673	41.68	-3.35	54.00	-12.32	150	10	Vertical
5	24119.874268	48.69	-3.23	54.00	-5.31	150	240	Vertical
6	24751.964566	42.42	-3.00	54.00	-11.58	150	330	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4873.643682	47.15	-8.76	54.00	-6.85	150	310	Horizontal
2	7311.565578	50.16	-2.97	54.00	-3.84	150	300	Horizontal
3	9748.637432	49.34	0.17	54.00	-4.66	150	70	Horizontal
4	12184.009201	50.46	3.06	54.00	-3.54	150	20	Horizontal
5	14621.081054	49.88	1.78	54.00	-4.12	150	150	Horizontal
6	17059.852993	50.73	3.26	54.00	-3.27	150	210	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19005.143592	36.22	-7.00	54.00	-17.78	150	290	Horizontal
2	19495.213602	43.62	-7.03	54.00	-10.38	150	340	Horizontal
3	20842.406058	38.88	-5.74	54.00	-15.12	150	250	Horizontal
4	21932.561795	46.72	-4.55	54.00	-7.28	150	280	Horizontal
5	23063.723389	42.22	-3.19	54.00	-11.78	150	100	Horizontal
6	24370.91013	47.85	-3.09	54.00	-6.15	150	220	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.493725	49.25	-8.76	54.00	-4.75	150	220	Vertical
2	7311.565578	50.12	-2.97	54.00	-3.88	150	330	Vertical
3	9748.637432	49.84	0.17	54.00	-4.16	150	220	Vertical
4	12184.859243	50.85	3.06	54.00	-3.15	150	270	Vertical
5	14621.931097	50.30	1.78	54.00	-3.70	150	200	Vertical
6	17059.00295	51.33	3.27	54.00	-2.67	150	350	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18782.11173	36.66	-7.03	54.00	-17.34	150	40	Vertical
2	19495.213602	45.23	-6.98	54.00	-8.77	150	260	Vertical
3	20389.341335	37.38	-6.45	54.00	-16.62	150	300	Vertical
4	21933.561937	46.40	-4.55	54.00	-7.60	150	30	Vertical
5	23166.738105	41.31	-3.29	54.00	-12.69	150	330	Vertical
6	24369.909987	48.79	-3.15	54.00	-5.21	150	50	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4923.79619	48.60	-8.71	54.00	-5.40	150	210	Horizontal
2	7385.519276	49.91	-3.08	54.00	-4.09	150	190	Horizontal
3	9847.242362	49.52	0.74	54.00	-4.48	150	50	Horizontal
4	12309.815491	50.80	2.88	54.00	-3.20	150	280	Horizontal
5	14771.538577	50.41	1.66	54.00	-3.59	150	120	Horizontal
6	17198.409921	50.90	3.03	54.00	-3.10	150	310	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18470.067153	36.49	-7.30	54.00	-17.51	150	300	Horizontal
2	19695.242178	44.57	-7.04	54.00	-9.43	150	80	Horizontal
3	20635.376482	37.89	-6.07	54.00	-16.11	150	140	Horizontal
4	22158.594085	48.04	-4.29	54.00	-5.96	150	230	Horizontal
5	23212.744678	41.62	-3.19	54.00	-12.38	150	110	Horizontal
6	24620.945849	49.17	-3.02	54.00	-4.83	150	80	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Vertical




PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4923.79619	47.67	-8.71	54.00	-6.33	150	70	Vertical
2	7386.369319	50.34	-3.08	54.00	-3.66	150	150	Vertical
3	9847.242362	48.40	0.74	54.00	-5.60	150	330	Vertical
4	12310.665533	50.84	2.88	54.00	-3.16	150	220	Vertical
5	14772.388619	50.34	1.66	54.00	-3.66	150	320	Vertical
6	17148.257413	50.04	3.12	54.00	-3.96	150	190	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19140.16288	36.98	-6.92	54.00	-17.02	150	340	Vertical
2	19696.24232	45.68	-7.01	54.00	-8.32	150	210	Vertical
3	20846.40663	39.01	-5.74	54.00	-14.99	150	310	Vertical
4	22157.593942	46.79	-4.30	54.00	-7.21	150	140	Vertical
5	23298.756965	41.80	-3.29	54.00	-12.20	150	240	Vertical
6	24619.945707	48.71	-3.05	54.00	-5.29	150	50	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/

Radiated Emissions Test Results above 1 GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4823.491175	44.29	-8.81	54.00	-9.71	150	330	Horizontal
2	7235.911796	49.49	-2.87	54.00	-4.51	150	300	Horizontal
3	9648.332417	50.02	-0.40	54.00	-3.98	150	60	Horizontal
4	12059.902995	50.28	3.24	54.00	-3.72	150	340	Horizontal
5	14472.323616	49.56	2.02	54.00	-4.44	150	280	Horizontal
6	16883.044152	50.71	3.50	54.00	-3.29	150	340	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18551.078726	36.02	-7.26	54.00	-17.98	150	90	Horizontal
2	19296.185169	45.04	-7.02	54.00	-8.96	150	180	Horizontal
3	20535.362195	37.70	-6.23	54.00	-16.30	150	60	Horizontal
4	21707.529647	48.78	-4.79	54.00	-5.22	150	120	Horizontal
5	23244.74925	41.59	-3.19	54.00	-12.41	150	60	Horizontal
6	24119.874268	49.18	-3.15	54.00	-4.82	150	180	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4823.491175	43.13	-8.81	54.00	-10.87	150	140	Vertical
2	7235.911796	49.45	-2.87	54.00	-4.55	150	90	Vertical
3	9647.482374	50.84	-0.41	54.00	-3.16	150	240	Vertical
4	12060.753038	49.94	3.24	54.00	-4.06	150	200	Vertical
5	14472.323616	49.59	2.02	54.00	-4.41	150	180	Vertical
6	16884.744237	50.34	3.50	54.00	-3.66	150	10	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18658.094013	36.59	-7.10	54.00	-17.41	150	290	Vertical
2	19295.185026	43.11	-6.95	54.00	-10.89	150	50	Vertical
3	20257.322475	37.57	-6.66	54.00	-16.43	150	50	Vertical
4	21707.529647	47.40	-4.79	54.00	-6.60	150	210	Vertical
5	22672.667524	41.24	-3.69	54.00	-12.76	150	40	Vertical
6	24119.874268	47.01	-3.23	54.00	-6.99	150	160	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Horizontal



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4873.643682	48.39	-8.76	54.00	-5.61	150	290	Horizontal
2	7311.565578	49.68	-2.97	54.00	-4.32	150	330	Horizontal
3	9747.787389	48.51	0.17	54.00	-5.49	150	190	Horizontal
4	12185.709286	51.47	3.06	54.00	-2.53	150	100	Horizontal
5	14621.931097	50.34	1.78	54.00	-3.66	150	170	Horizontal
6	17059.00295	51.06	3.27	54.00	-2.94	150	250	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18690.098586	36.13	-7.17	54.00	-17.87	150	160	Horizontal
2	19495.213602	42.74	-7.03	54.00	-11.26	150	230	Horizontal
3	20959.422775	39.17	-5.57	54.00	-14.83	150	200	Horizontal
4	21932.561795	47.05	-4.55	54.00	-6.95	150	30	Horizontal
5	23637.805401	42.02	-3.18	54.00	-11.98	150	270	Horizontal
6	24369.909987	47.81	-3.09	54.00	-6.19	150	80	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4873.643682	48.53	-8.76	54.00	-5.47	150	280	Vertical
2	7310.715536	48.61	-2.97	54.00	-5.39	150	160	Vertical
3	9748.637432	50.36	0.17	54.00	-3.64	150	100	Vertical
4	12185.709286	50.23	3.06	54.00	-3.77	150	190	Vertical
5	14621.081054	50.48	1.78	54.00	-3.52	150	240	Vertical
6	17059.852993	51.02	3.26	54.00	-2.98	150	290	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18700.100014	36.55	-7.07	54.00	-17.45	150	170	Vertical
2	19495.213602	45.36	-6.98	54.00	-8.64	150	260	Vertical
3	20573.367624	38.57	-6.16	54.00	-15.43	150	180	Vertical
4	21933.561937	47.53	-4.55	54.00	-6.47	150	90	Vertical
5	23148.735534	41.94	-3.30	54.00	-12.06	150	10	Vertical
6	24369.909987	50.15	-3.15	54.00	-3.85	150	290	Vertical

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Radiated Emissions Test Results above 1GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Horizontal



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4924.646232	46.41	-8.71	54.00	-7.59	150	180	Horizontal
2	7386.369319	48.31	-3.08	54.00	-5.69	150	150	Horizontal
3	9848.942447	51.14	0.75	54.00	-2.86	150	340	Horizontal
4	12310.665533	50.84	2.88	54.00	-3.16	150	200	Horizontal
5	14771.538577	50.40	1.66	54.00	-3.60	150	330	Horizontal
6	17181.40907	50.58	3.06	54.00	-3.42	150	270	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18260.037148	37.34	-7.43	54.00	-16.66	150	100	Horizontal
2	19696.24232	43.76	-7.04	54.00	-10.24	150	50	Horizontal
3	21369.481355	39.57	-5.13	54.00	-14.43	150	10	Horizontal
4	22158.594085	45.22	-4.29	54.00	-8.78	150	110	Horizontal
5	23215.745106	42.01	-3.19	54.00	-11.99	150	230	Horizontal
6	24620.945849	47.13	-3.02	54.00	-6.87	150	80	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4923.79619	46.72	-8.71	54.00	-7.28	150	340	Vertical
2	7385.519276	49.49	-3.08	54.00	-4.51	150	120	Vertical
3	9848.942447	50.53	0.75	54.00	-3.47	150	210	Vertical
4	12310.665533	50.78	2.88	54.00	-3.22	150	100	Vertical
5	14771.538577	50.89	1.66	54.00	-3.11	150	290	Vertical
6	17090.454523	50.89	3.22	54.00	-3.11	150	20	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18564.080583	37.26	-7.15	54.00	-16.74	150	10	Vertical
2	19696.24232	44.89	-7.01	54.00	-9.11	150	10	Vertical
3	21019.431347	39.70	-5.48	54.00	-14.30	150	80	Vertical
4	22158.594085	49.01	-4.30	54.00	-4.99	150	210	Vertical
5	23158.736962	41.71	-3.30	54.00	-12.29	150	170	Vertical
6	24619.945707	48.61	-3.05	54.00	-5.39	150	280	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1 GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4823.491175	43.42	-8.81	54.00	-10.58	150	200	Horizontal
2	7235.061753	49.32	-2.87	54.00	-4.68	150	120	Horizontal
3	9648.332417	50.12	-0.40	54.00	-3.88	150	280	Horizontal
4	12059.052953	50.75	3.24	54.00	-3.25	150	260	Horizontal
5	13012.80064	51.46	3.95	54.00	-2.54	150	280	Horizontal
6	16510.725536	50.77	3.93	54.00	-3.23	150	110	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18366.052293	37.42	-7.37	54.00	-16.58	150	110	Horizontal
2	19295.185026	44.47	-7.02	54.00	-9.53	150	290	Horizontal
3	20682.383198	38.50	-6.00	54.00	-15.50	150	240	Horizontal
4	21708.52979	48.51	-4.79	54.00	-5.49	150	250	Horizontal
5	23128.732676	41.98	-3.20	54.00	-12.02	150	20	Horizontal
6	24119.874268	48.57	-3.15	54.00	-5.43	150	130	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824.341217	43.33	-8.81	54.00	-10.67	150	50	Vertical
2	7236.761838	48.79	-2.87	54.00	-5.21	150	0	Vertical
3	9648.332417	49.77	-0.40	54.00	-4.23	150	80	Vertical
4	12059.902995	49.62	3.24	54.00	-4.38	150	290	Vertical
5	14472.323616	50.11	2.02	54.00	-3.89	150	80	Vertical
6	16551.527576	51.23	3.88	54.00	-2.77	150	180	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18457.065295	36.21	-7.21	54.00	-17.79	150	140	Vertical
2	19296.185169	44.96	-6.95	54.00	-9.04	150	280	Vertical
3	20724.389199	38.30	-5.93	54.00	-15.70	150	270	Vertical
4	21707.529647	49.81	-4.79	54.00	-4.19	150	290	Vertical
5	23162.737534	43.01	-3.29	54.00	-10.99	150	70	Vertical
6	24119.874268	50.62	-3.23	54.00	-3.38	150	180	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.493725	47.29	-8.76	54.00	-6.71	150	190	Horizontal
2	7311.565578	49.40	-2.97	54.00	-4.60	150	120	Horizontal
3	9747.787389	50.53	0.17	54.00	-3.47	150	40	Horizontal
4	12184.859243	50.43	3.06	54.00	-3.57	150	330	Horizontal
5	14621.931097	50.14	1.78	54.00	-3.86	150	70	Horizontal
6	17059.00295	50.38	3.27	54.00	-3.62	150	40	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18540.077154	35.94	-7.27	54.00	-18.06	150	30	Horizontal
2	19496.213745	44.79	-7.03	54.00	-9.21	150	270	Horizontal
3	20691.384484	38.69	-5.98	54.00	-15.31	150	180	Horizontal
4	21933.561937	47.96	-4.55	54.00	-6.04	150	350	Horizontal
5	23254.750679	41.47	-3.20	54.00	-12.53	150	90	Horizontal
6	24370.91013	49.99	-3.09	54.00	-4.01	150	40	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4873.643682	48.07	-8.76	54.00	-5.93	150	330	Vertical
2	7311.565578	50.43	-2.97	54.00	-3.57	150	60	Vertical
3	9748.637432	50.48	0.17	54.00	-3.52	150	290	Vertical
4	12185.709286	50.65	3.06	54.00	-3.35	150	120	Vertical
5	14622.781139	50.16	1.78	54.00	-3.84	150	280	Vertical
6	16565.978299	51.09	3.86	54.00	-2.91	150	70	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18704.100586	36.63	-7.07	54.00	-17.37	150	70	Vertical
2	19495.213602	45.50	-6.98	54.00	-8.50	150	340	Vertical
3	20675.382198	38.07	-6.01	54.00	-15.93	150	260	Vertical
4	21932.561795	48.04	-4.55	54.00	-5.96	150	40	Vertical
5	23406.772396	42.47	-3.29	54.00	-11.53	150	280	Vertical
6	24369.909987	50.44	-3.15	54.00	-3.56	150	220	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4923.79619	48.34	-8.71	54.00	-5.66	150	360	Horizontal
2	7385.519276	49.64	-3.08	54.00	-4.36	150	240	Horizontal
3	9847.242362	50.29	0.74	54.00	-3.71	150	150	Horizontal
4	12310.665533	50.37	2.88	54.00	-3.63	150	280	Horizontal
5	14772.388619	49.88	1.66	54.00	-4.12	150	290	Horizontal
6	17234.111706	51.19	2.98	54.00	-2.81	150	110	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	19288.184026	36.73	-7.01	54.00	-17.27	150	270	Horizontal
2	19695.242178	46.80	-7.04	54.00	-7.20	150	60	Horizontal
3	20633.376197	37.92	-6.08	54.00	-16.08	150	140	Horizontal
4	22158.594085	49.80	-4.29	54.00	-4.20	150	130	Horizontal
5	23923.846264	41.40	-3.18	54.00	-12.60	150	30	Horizontal
6	24620.945849	49.42	-3.02	54.00	-4.58	150	210	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
 Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
 Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter1#+ DC 7.2V by battery1#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4924.646232	46.27	-8.71	54.00	-7.73	150	160	Vertical
2	7386.369319	48.97	-3.08	54.00	-5.03	150	190	Vertical
3	9848.092405	48.30	0.75	54.00	-5.70	150	170	Vertical
4	11352.667633	49.99	3.17	54.00	-4.01	150	270	Vertical
5	12309.815491	49.22	2.88	54.00	-4.78	150	20	Vertical
6	17141.457073	51.25	3.13	54.00	-2.75	150	10	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18495.070724	35.77	-7.19	54.00	-18.23	150	180	Vertical
2	19696.24232	46.03	-7.01	54.00	-7.97	150	40	Vertical
3	20814.402057	38.15	-5.79	54.00	-15.85	150	100	Vertical
4	22157.593942	47.02	-4.30	54.00	-6.98	150	220	Vertical
5	23973.853408	42.38	-3.28	54.00	-11.62	150	320	Vertical
6	24619.945707	50.08	-3.05	54.00	-3.92	150	340	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1 GHz

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Horizontal



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824.341217	44.77	-8.81	54.00	-9.23	150	240	Horizontal
2	7235.911796	50.10	-2.87	54.00	-3.90	150	50	Horizontal
3	9647.482374	50.20	-0.41	54.00	-3.80	150	210	Horizontal
4	12059.052953	50.11	3.24	54.00	-3.89	150	70	Horizontal
5	14471.473574	49.78	2.02	54.00	-4.22	150	340	Horizontal
6	16558.327916	50.39	3.87	54.00	-3.61	150	160	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18841.12016	36.32	-7.09	54.00	-17.68	150	230	Horizontal
2	19496.213745	44.16	-7.03	54.00	-9.84	150	270	Horizontal
3	20599.371339	38.42	-6.12	54.00	-15.58	150	350	Horizontal
4	21707.529647	47.25	-4.79	54.00	-6.75	150	120	Horizontal
5	23106.729533	42.01	-3.20	54.00	-11.99	150	260	Horizontal
6	24120.874411	47.93	-3.15	54.00	-6.07	150	260	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 1	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4824.341217	44.10	-8.81	54.00	-9.90	150	310	Vertical
2	7236.761838	49.95	-2.87	54.00	-4.05	150	280	Vertical
3	8313.765688	48.51	-2.30	54.00	-5.49	150	230	Vertical
4	9647.482374	49.42	-0.41	54.00	-4.58	150	0	Vertical
5	14472.323616	49.76	2.02	54.00	-4.24	150	300	Vertical
6	16884.744237	50.54	3.50	54.00	-3.46	150	140	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18533.076154	37.04	-7.17	54.00	-16.96	150	180	Vertical
2	19496.213745	45.00	-6.98	54.00	-9.00	150	110	Vertical
3	20513.359051	37.87	-6.25	54.00	-16.13	150	200	Vertical
4	21707.529647	44.94	-4.79	54.00	-9.06	150	210	Vertical
5	23070.724389	41.36	-3.30	54.00	-12.64	150	10	Vertical
6	24120.874411	47.47	-3.23	54.00	-6.53	150	330	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.493725	47.87	-8.76	54.00	-6.13	150	60	Horizontal
2	7310.715536	49.76	-2.97	54.00	-4.24	150	220	Horizontal
3	9747.787389	49.94	0.17	54.00	-4.06	150	280	Horizontal
4	12184.009201	50.09	3.06	54.00	-3.91	150	140	Horizontal
5	14621.081054	49.92	1.78	54.00	-4.08	150	90	Horizontal
6	17058.152908	51.78	3.27	54.00	-2.22	150	190	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18522.074582	36.30	-7.28	54.00	-17.70	150	300	Horizontal
2	19296.185169	46.75	-7.02	54.00	-7.25	150	210	Horizontal
3	19965.280754	37.39	-7.06	54.00	-16.61	150	130	Horizontal
4	21933.561937	47.82	-4.55	54.00	-6.18	150	150	Horizontal
5	23102.728961	41.80	-3.20	54.00	-12.20	150	70	Horizontal
6	24370.91013	50.79	-3.09	54.00	-3.21	150	170	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 2	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4874.493725	46.21	-8.76	54.00	-7.79	150	270	Vertical
2	7310.715536	49.63	-2.97	54.00	-4.37	150	10	Vertical
3	9747.787389	48.77	0.17	54.00	-5.23	150	210	Vertical
4	12185.709286	50.90	3.06	54.00	-3.10	150	220	Vertical
5	14621.081054	50.19	1.78	54.00	-3.81	150	20	Vertical
6	17058.152908	51.09	3.27	54.00	-2.91	150	30	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18491.070153	36.36	-7.19	54.00	-17.64	150	110	Vertical
2	19295.185026	48.39	-6.95	54.00	-5.61	150	0	Vertical
3	20512.358908	37.53	-6.27	54.00	-16.47	150	280	Vertical
4	21932.561795	46.33	-4.55	54.00	-7.67	150	340	Vertical
5	22980.71153	41.02	-3.33	54.00	-12.98	150	40	Vertical
6	24369.909987	48.39	-3.15	54.00	-5.61	150	130	Vertical


RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

Radiated Emissions Test Results above 1GHz


EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Horizontal



PK Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4924.646232	46.42	-8.71	54.00	-7.58	150	200	Horizontal
2	7386.369319	48.53	-3.08	54.00	-5.47	150	230	Horizontal
3	9848.092405	50.59	0.75	54.00	-3.41	150	330	Horizontal
4	12310.665533	50.06	2.88	54.00	-3.94	150	110	Horizontal
5	14772.388619	50.22	1.66	54.00	-3.78	150	110	Horizontal
6	17246.862343	50.55	2.96	54.00	-3.45	150	80	Horizontal

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.




PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18710.101443	35.95	-7.16	54.00	-18.05	150	230	Horizontal
2	19695.242178	43.67	-7.04	54.00	-10.33	150	110	Horizontal
3	20357.336762	37.81	-6.51	54.00	-16.19	150	200	Horizontal
4	22158.594085	49.18	-4.29	54.00	-4.82	150	60	Horizontal
5	23174.739249	41.58	-3.20	54.00	-12.42	150	90	Horizontal
6	24620.945849	49.74	-3.02	54.00	-4.26	150	250	Horizontal

RESULT: Pass

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter2#+ DC 7.2V by battery2#
Test Mode	Mode 3	Antenna Polarity	Vertical



PK Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4924.646232	46.41	-8.71	54.00	-7.59	150	40	Vertical
2	7386.369319	49.46	-3.08	54.00	-4.54	150	180	Vertical
3	9847.242362	50.04	0.74	54.00	-3.96	150	80	Vertical
4	12310.665533	49.65	2.88	54.00	-4.35	150	10	Vertical
5	14771.538577	51.24	1.66	54.00	-2.76	150	320	Vertical
6	17234.111706	51.41	2.98	54.00	-2.59	150	300	Vertical

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>



PK Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	18674.0963	37.11	-7.09	54.00	-16.89	150	270	Vertical
2	19696.24232	44.84	-7.01	54.00	-9.16	150	40	Vertical
3	21100.44292	38.45	-5.40	54.00	-15.55	150	50	Vertical
4	22158.594085	47.00	-4.30	54.00	-7.00	150	0	Vertical
5	23733.819117	41.37	-3.29	54.00	-12.63	150	170	Vertical
6	24619.945707	49.12	-3.05	54.00	-4.88	150	270	Vertical

RESULT: Pass

Note:

- Factor = Antenna Factor + Cable loss – Pre-amplifier gain, Margin =Emission Level-Limit.
- The “Factor” value can be calculated automatically by software of measurement system.
- All test modes had been pre-tested. The 802.11b is the worst case and recorded in the report.


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the “Dedicated Testing/Inspection Stamp” is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: <http://www.agccert.com/>


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11b_TX CH01_2412 MHz	Antenna	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11b_TX CH01_2412 MHz	Antenna	Vertical

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS


Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/


Band Edge Emission Test Results for Restricted Bands

EUT Name	Smart Diagnostic System	Model Name	P102
Temperature	23.0°C	Relative Humidity	64.2%
Pressure	960hPa	Test Voltage	DC 9V for Adapter
Test Mode	802.11b_TX CH11_2462 MHz	Antenna	Horizontal

Test Graph for Peak Measurement



Test Graph for Average Measurement



RESULT: PASS

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agccert.com Web: http://www.agccert.com/